ISSN 0300-9246

JOURNAL OF THE CHEMICAL SOCIETY

Dalton Transactions

A journal of inorganic chemistry

1983

ROYAL SOCIETY OF CHEMISTRY

© The Royal Society of Chemistry, 1983. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means, electronic, mechanical, photographic, recording, or otherwise, without the prior permission of the publishers.

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

AUTHOR INDEX

Abad, J. Antonio, 1127–30, 2075–82
Abdel-Khalek, Ahmed A., 317–22
Abdulla, Pauzi B., 1175–8
Abdullah, Pauzi B., 337–42
Abel, Edward W., 1017–8, 2345–52
Abraham, Francis, 1137–42
Acharya, Sridhara, 1225–32, 1233–8, 1239–46
Acott, Stephen R., 713–20
Adams, Harry, 81–90, 371–80, 1345–50, 2287–92
Ahmad, Jalil A. M., 1449–60
Ahmad, Munir M., 165–8, 1047–50
Aime, Silvio, 869–72, 1807–10
Ainscough, Eric W., 1385–90
Ajò, David, 869–72
Akitt, J. W., 2639–44
Al-Khateeb, Hussain F., 2147–54
Al-Takhin, Ghassan, 2657–60
Alagna, Lucilla, 645–8
Albano, Vincenzo G., 249–52, 1849–56, 2175–82
Albers, Michel O., 947–54
Albinati, Alberto, 827–34
Alcock, Nathaniel W., 1619–24, 2015–8
Ali, Ahmed A. M., 585–8
Allen, Geoffrey C., 589–90, 2673–8
Allen, Stephen R., 927–40, 1625–34
Amira, Mohamed F., 337–42
Amirzadeh-Asi, Djammschid, 855–6
Andrews, Robert H., 767–70
Ang, Kok-Peng, 2269–72
Anhaus, Jens, 1207–10
Annibale, Giuliano, 775–8
Ansell, Christopher W. G., 177–80, 1789–92
Antolini, Luciano, 1261–4
Aoi, Nobuo, 1059–66
Arce, Alejo J., 1023–6
Arena, Giuseppe, 1271–8, 1279–84
Arlen, Christian, 1535–44
Armen, G. Horozoglu, 2519–24
Armstrong, Robert S., 1973–6
Arnold, David E. J., 1989–94
Arselli, Patrizia, 689–96
Arthers, Stephen A., 1461–4
Aspinall, Helen C., 2669–72
Atha, Paul M., 1085–90
Atwood, Jerry L., 1003–6
Avshu, Andre, 1619–24
Awang, M. Rasol, 2091–8
Babar, Mushtaq A., 1081–4
Bagnall, Kenneth W., 45–50, 343–8, 1153–8
Bailey, Neil A., 71–80, 81–90, 91–6, 371–80, 627–34, 1345–50, 2241–50, 2287–92, 2397–404
Bailey, Pamela M., 1441–8
Baker, A. David, 2519–24
Baker, Paul K., 927–40
Baldwin, David A., 217–24, 225–30, 2217–22
Ball, Joanne M., 2479–86
Ballivet-Tkatchenko, Danielle, 1137–42, 1143–8
Balt, Sijbe, 1739–42, 2415–8
Bandyopadhyay, Pinaki, 401–4
Banerjee, Pradyot, 1015–6
Barbieri, Renato, 595–600
Baretta, Andre, 861–4
Baricelli, Pablo J., 649–56
Barili, Pier Luigi, 1553–6
Barker, Geoffrey K., 2063–70
Barnes, Stephen G., 927–40
Barr, Robert D., 507–12
Barr, Tery L., 1825–30
Barratt, David S., 2147–54
Barry, John, 1265–70
Bars, Odile, 1535–44
Bart, Jan C. J., 1515–22, 1825–30
Basato, Marino, 1217–24
Bateman, Lawrence W., 2075–82, 2599–608
Bats, Jan W., 1891–4
Batstone-Cunningham, Ron L., 1473–4
Battaglia, Luigi P., 2425–8
Battiston, Giovanni A., 1–8
Beardwood, Peter, 737–48
Beatson, Mark J., 2121–4
Beattie, Ian R., 1185–8, 1461–4, 2343–4
Beattie, James K., 1973–6
Beaulieu, William B., 1755–62
Behling, Torsten, 2109–16
Bekâroğlu, Özer, 2537–42
Belicchi, Marisa Ferrari, 65–70
Bellachioma, Gianfranco, 2593–8
Benetollo, Franco, 45–50, 343–8, 1115–22
Benko, Ján, 2359–64
Bennett, Martin A., 1571–82
Bernardo, Plinio Di, 733–6
Berry, Frank J., 9–12, 13–8
Berry, Kevin J., 879–84
Best, Stephen P., 1973–6
Betterton, Eric A., 217–24, 225–30, 2217–22
Bhaduri, Sumit, 415–8, 419–24, 2339–42
Bhattacharjee, Gobinda Prashad, 1593–600
Bhattacharjee, Manabendra N., 2531–2, 2561–2
Bhattacharya, Pabitra K., 1901–4
Bhattacharyya, Ramgopal, 1593–600
Bianchini, Claudio, 1777–82, 1969–72, 2419–24
Bickerton, James, 2657–60
Bigoli, Francesco, 25–30, 1763–70
Birchall, Thomas, 885–8
Birdy, Roshun B., 1469–72
Bismondo, Arturo, 733–6
Black, David St. C., 2121–4
Blondeel, George, 2215–6
Boag, Neil M., 1101–8, 2585–92
Boeyens, Jan C. A., 1601–6
Bohra, Rakesh, 1011–4
Bombieri, Gabriella, 45–50, 343–8, 433–8, 1115–22, 1813–8, 1819–24, 2391–6
Bonfichi, Riccardo, 253–6
Bonomo, Raffaele P., 489–94, 1279–84, 1797–800
Boorman, P. Michael, 2479–86
Bor, György, 1613–8
Boreham, Christopher J., 2135–8
Borish, Edward T., 749–54
Botha, Cheryl, 1495–502
Bottomley, Frank, 399–400, 2465–72
Bottrill, Martin, 927–40
Bougon, Rol, 2303–6
Bowmaker, Graham A., 1019–22
Boyd, Peter D. W., 1019–22
Bradley, Donald C., 2651–6
Braga, Dario, 249–52, 2175–82
Braterman, Paul S., 1801–4
Bratt, Gerald T., 1929–34
Bratt, Stephen W., 1377–84
Brecht, Bernardus J. van, 1265–70
Bremard, Claude, 1137–42, 1143–8
Bret, Jean-Michel, 301–4
Brett, Michael E., 9–12, 13–8
Briansó, José L., 169–72
Briant, Clive E., 1325–30
Briggs, Josie C., 2147–54
Brint, Paul, 975–80
Bristow, Stuart, 2495–500
Brittain, Harry G., 1165–70
Broadley, Karen, 121–6
Brodie, Andrew M., 1385–90
Brooks, Wendell V. F., 1961–8, 2465–72
Broomhead, John A., 2135–8
Brown, David, 45–50, 343–8
Brown, Kevin L., 1385–90
Brown, Paul L., 31–4, 35–6, 2001–4
Brown, Paul R., 1075–80
Bruce, Michael I., 799–808, 809–14, 815–22, 2121–4, 2183–90, 2365–74, 2375–84, 2385–90
Brun, Pascual, 1357–62
Bruno, Giuseppe, 433–8, 1813–8, 1819–24, 2391–6
Burgess, Kevin, 1179–84, 1199–202, 1661–6
Burgos, Francisco Sanchez, 2679–84
Busetto, Luigi, 101–10, 519–26, 1849–56
Buswell, John T., 589–90
Cabani, Sergio, 1247–52
Cabeza, Javier A., 323–30, 1729–38
Cali, Rosario, 1271–8
Calderazzo, Fausto, 483–8
Calhorda, Maria J., 1325–30
Camellini, Marisa Tiripicchio, 323–30, 1729–38
Campbell, Graeme K., 1019–22
Campbell, Jeremy R., 2005–10
Campbell, John C., 1085–90
Canovese, Luciano, 195–8, 775–8
Canty, Allan J., 1253–60, 1873–8
Canziani, Franco, 827–34
Cardaci, Giuseppe, 2593–8
Cardin, Christine J., 671–8
Cardin, David J., 671–8
Cariati, Franco, 1825–30
Carmona, Ernesto, 1003–6
Carneiro, Kim, 1411–6, 1771–6
Casarin, Maurizio, 869–72
Casellato, Umberto, 1–8, 697–702
Casey, Allan T., 2057–62
Cassol, Alberto, 733–6
Castan, Paule, 301–4
Cattalini, Lucio, 775–8
Cayret, Claude, 941–6
Ceccanti, Norberto, 1247–52
Cecconi, Franco, 349–52, 2263–8
Ceriotti, Alesso, 1433–40
Chakravarty, Akhil Ranjan, 961–6
Chakravorty, Animesh, 401–4, 955–60, 961–6, 2197–204
Challita, Aida, 2147–54
Chapman, Stephen K., 1949–54, 2543–8, 2549–54
Chappell, S. David, 1051–8
Chaudhuri, Mihir K., 839–40, 2531–2, 2561–2
Chaudhury, Muktimoy, 857–60
Chaudret, Bruno, 941–6
Che, Chi-Ming, 1647–52
Cheema, Hardeep Singh, 2039–42
Chell, Paul L., 2397–404
Chemaly, Susan M., 2223–8
Chicote, Maria Teresa, 1131–6
Chikira, Makoto, 2281–6
Chini, Paolo, 249–52
Chiu, Kwok W., 1557–64
Chong, Kenneth S., 861–4
Choukroun, Robert, 2695–8
Chudasama, Uma V., 1901–4
Chung, Chung-Sun, 995–8
Ciani, Gianfranco, 253–6, 2293–8
Cini, Renzo, 2159–66, 2563–8
Cinquantini, Arnaldo, 2159–66
Ciriano, Miguel A., 323–30
Clark, J. Andrew, 2613–24
Clark, James H., 683–8
Clark, Paul E., 879–84
Clark, Robin J. H., 761–6, 1583–6, 2005–10, 2019–24, 2299–302
Clark, Stephen J., 767–70
Clegg, William, 277–90, 405–8, 713–20, 855–6, 1309–18, 2339–42, 2495–500
Cloke, F. Geoffrey N., 861–4, 1075–80
Cohen, Hain, 2125–6
Colborn, Robert E., 2099–108, 2661–8
Cole-Hamilton, David J., 1047–50, 1051–8, 2501–8

Coles, Gary S. V., 1411–6, 2529–30
Collison, David, 1705–12, 2479–86, 2495–500
Colquhoun, Howard M., 607–14
Connelly, Neil G., 111–6, 117–20, 121–6, 295–300, 1465–8, 1879–86
Consiglio, Giambattista, 2293–8
Constable, Anthony G., 2509–12
Conti, Giovanni, 1247–52
Cook, John, 1319–24
Cook, Neil D., 239–44
Cooke, Michael, 2435–40
Coombe, Vyvyan T., 2307–10
Cooper, David A., 2131–4
Cooper, Mervyn K., 553–8
Corain, Benedetto, 1217–24
Corradi, Anna Bonamartini, 2425–8
Costes, Jean-Pierre, 2235–40
Countryman, Rachel M., 1619–24
Coville, Neil J., 947–54
Cowie, Alan G., 2311–22
Cox, Kevin C., 2241–50
Crisponi, Guido, 1763–70
Cristiani, Franco, 1261–4
Cronin, John P., 975–80
Cross, Ronald J., 359–62
Csányi, László J., 2353–8
Cucinotta, Vincenzo, 1271–8
Cunningham, Desmond, 1523–8
Cusumano, Matteo, 195–8
Dabisch, Thomas, 2411–4
Dahlstrom, Philip, 1489–94
Dancey, Keith P., 1789–92
Dapporto, Paolo, 779–82
Darkwa, James, 399–400
Dash, Anadi C., 1503–10
Dash, Bhaskar, 1503–10
Davidson, Jack L., 783–6, 1667–70, 1783–8
Davies, David L., 2661–8
Davies, Julian A., 1305–8, 1793–6
Davies, Stephen G., 981–6, 1805–6
Dawkins, Gordon M., 499–506, 527–30, 1357–62
Deacon, Glen B., 2121–4
Debreczeni, Ferenc, 1335–8
Debroy, Abhijit, 2531–2
Declercq, Jean P., 2441–6
Deeming, Antony J., 1023–6, 1807–10, 2669–72
Deganello, Giulio, 1553–6
Dell'Amico, Daniela Belli, 483–8
Demartin, Francesco, 1849–56
Denti, Gianfranco, 81–90, 779–82, 2287–92
Deplano, Paola, 25–30, 1763–70
Devillanova, Francesco A., 1261–4
Dewan, John C., 767–70
Diaz, Angelo, 1261–4
Dillon, Keith B., 1091–4, 1159–64, 1837–40
Dilworth, Jonathan R., 397–8, 455–62, 1489–94
Dines, Trevor J., 2019–24, 2299–302
Diversi, Pietro, 967–74
Dodgen, Harold W., 1473–4
Doi, Sachiyo, 37–44
Dolcetti, Giuliano, 779–82
Donaldson, John D., 767–70
Donovan-Mtunzi, Susan, 2669–72
Drane, A. Stephen, 81–90, 91–6
Drew, Michael G. B., 61–4, 649–56, 1653–60, 1857–64, 2251–6
Dubourg, Antoine, 301–4
Duffy, John A., 1475–8
Duncan, J. Andrew S., 1755–62
Duncan, Robert H., 2639–44
Dyke, Andrew F., 1417–26, 2099–108, 2661–8
Eaborn, Colin, 905–10, 1721–8
Ebsworth, E. A. V., 245–8, 835–8, 1983–8
Ellis, John, 31–4, 35–6, 2001–4
Emmert, Ralf, 183–6
Emsley, John, 187–8, 1811–2
Endesfelder, Andreas, 2661–8
Engelhardt, Lutz M., 1671–4
English, Robin B., 1607–12, 2229–34
Ennett, James P., 1571–82
Enwiya, Bella Y., 1039–46, 2581–4
Esho, Ferida S., 1653–60, 1857–64
Ettorre, Renato, 453–4, 2329–32
Evans, John, 639–44
Ewin, Gavin, 865–8
Fabbrizzi, Luigi, 2125–6, 2191–6
Falshaw, Christopher P., 2241–50
Fanchiang, Yueh-Tai, 1929–34
Faraone, Felice, 433–8, 1813–8, 1819–24
Faraone, Giovanni, 2391–6
Farkas, Etelka, 1545–52
Faus, Juan, 1743–8, 1749–54
Fava, Giovanna Gasparri, 65–70
Favas, Mark C., 571–84
Feigenbaum, Alexr, 861–4
Felkin, Hugh, 981–6
Fenton, David E., 371–80, 1345–50, 2235–40, 2241–50
Ferguson, George, 1865–8
Fernandez, Eduardo, 1679–86
Ferreira, Ana Maria da Costa, 2051–6
Figgis, Brian N., 703–12
Finch, Arthur, 1837–40
Firtear, Pádraig, 1523–8
Fischer, Jean, 841–6
Fischer, R. Dieter, 1115–22
Floriani, Carlo, 1515–22
Fochi, Giovanni, 1515–22
Foley, Judy, 2333–8
Forrow, Nigel J., 2435–40
Fries, Charles G., 1825–30
Fuchita, Yoshio, 897–900
Fuess, Harmut, 1891–4
Funaro, Stephen, 2519–24
Furukawa, Haruhiko, 1197–8
Gahan, Brendan, 1695–704, 1705–12, 1713–20
Galas, Anita M. R., 911–4, 1557–64, 1583–6, 1879–86
Galbács, Zoltán M., 2353–8
Galimberti, Franco, 827–34
Galli, Beatrice, 1483–8
Gamelkoorn, Hendrikus J., 2415–8
Gamlen, Philip H., 1373–6
Ganazzoli, Fabio, 827–34
Ganguly, Parthasarathy, 1895–900
Garcia-Rodriguez, Amelia, 455–62
Gardiner, Derek J., 305–10, 1193–6
Garlaschelli, Luigi, 173–6, 827–34
Garner, C. David, 713–20, 1085–90, 2495–500
Gasparis-Ebeling, Theo, 97–100
Gasparrini, Francesco, 1483–8
Gates, Peter N., 1837–40
Geiger, William E., 121–6, 295–300, 1879–86
Gerber, Thomas I., 1265–70
Gergely, Arthur, 1545–52
Germain, Gabriel, 2441–6
Gervais, Danièle, 2695–8
Gervasio, Giuliana, 1613–8
Ghedini, Mauro, 779–82
Ghilardi, Carlo A., 349–52, 1969–72
Ghosh, Phalguni, 401–4
Ghosh, Soumitra K., 839–40, 2561–2
Giannetto, Antonino, 195–8
Gibb, Terence C., 873–8, 2031–4, 2035–8
Gibson, John F., 737–48
Gill, J. Bernard, 1363–6
Gimeno, José, 323–30, 1729–38
Giordano, Nicola, 1825–30
Girolami, Gregory S., 2631–8
Giunchi, Giovanni, 1515–22
Goggin, Peter L., 1101–8
Gomme, Robin A., 1461–4
Goncalves, Raquel M. C., 991–4
Gonzalez, Martha S. Leal, 371–80, 1345–50
Goodacre, Alan, 153–60
Goodall, David C., 1363–6
Goodfellow, Robin J., 1101–8, 2585–92
Goodgame, Margaret, 1469–72
Gopalkrishnan, Kalpathi S., 2339–42
Goudsmit, Robert J., 2257–62
Gould, Robert O., 1571–82
Goyal, Muni Raj, 1831–6
Grätzel, Michael, 2215–6
Graham, Nigel K., 1363–6
Grandjean, Daniel, 1535–44
Granell, Jaime, 2441–6
Granozzi, Gaetano, 869–72
Gray, Leslie R., 133–42, 2573–80
Graziani, Rodolfo, 1–8, 697–702
Green, Malcolm L. H., 861–4, 1075–80
Green, Michael, 499–506, 507–12, 513–8, 519–26, 527–30, 927–40, 1357–62, 1625–34, 2063–70, 2585–92, 2599–608
Griffiths, Lynne, 305–10, 1193–6
Grundy, Stephen E., 2241–50
Gül, Ahmet, 2537–42
Gulliver, David J., 133–42
Gundersen, Grete, 1989–94
Gupta, Surendra S., 547–52
Gupta, Yugal Kishore, 1831–6
Gupta, Yugul K., 547–52
Haase, Wolfgang, 657–70
Haigh, Paul, 2241–50
Hails, Michael J., 729–32
Haines, Raymond J., 1607–12, 2229–34
Hale, Annette L., 2569–72, 2573–80
Halfpenny, Joan, 1091–4
Hall, Michael, 1095–100
Hambley, Trevor W., 2385–90
Hancock, Robert D., 1601–6
Hara, Tadanori, 2405–10
Harding, Marjorie M., 1479–82
Harriman, Anthony, 1801–4
Harris, Robin K., 585–8
Harrison, Philip G., 363–70, 921–6, 1687–94, 1845–8
Harrison, W. David, 2015–8
Harrowfield, Jack McB., 393–6, 1109–14
Hart, Susan M., 1601–6
Hartley, Frank R., 1305–8
Harvey, David A., 425–32
Hasty, Robert A., 2223–8
Hathaway, Brian J., 199–204, 671–8, 2333–8, 2693–4
Hawker, Pelham N., 1123–6
Hazel, Nick J., 1075–80
Healy, Michael A., 1845–8
Healy, Peter C., 1905–16, 1917–28
Heath, Graham A., 1587–92, 1801–4, 2307–10
Heaton, Brian T., 173–6, 1433–40, 1941–8, 2175–82
Henderson, Richard A., 51–60
Hendrick, Kim, 205–16, 1203–6
Henty, Michael S., 1373–6
Herbert, Ian R., 1101–8
Hessner, Bernd, 519–26, 2585–92
Hider, Richard N., 1299–304
Hiese, Zavei, 2561–2
Higgins, Simon J., 2131–4
Higginson, William C. E., 1449–60
Hill, David T., 1331–4
Hill, John O., 865–8
Hillier, Ian H., 1085–90
Hiraki, Katsuma, 897–900
Hirano, Akira, 2405–10
Hitam, Ramli B., 615–8, 1351–6
Hitchcock, Peter B., 2127–30
Hitchman, Michael A., 2273–80
Hoedt, Richard W. M. ten, 539–46
Hofmann, Hartmut, 1215–6
Hogenkamp, Harry P. C., 1929–34
Holden, H. Diane, 1199–202
Holland, Philip R., 231–8
Holliday, A. Kenneth, 1047–50
Holloway, John H., 2303–6
Hor, T. S. Andy, 1325–30
Hosseiny, Afshin, 2147–54
Howard, Barbara, 231–8
Howard, Christopher G., 2025–30, 2631–8
Howard, Judith A. K., 519–26, 2585–92
Howden, Martin E., 2459–64
Howell, James A. S., 1401–10
Howells, Nigel D., 1325–30
Huber, Friedo, 595–600
Hughes, David L., 915–20
Hughes, Martin N., 261–4
Hulsbergen, Frans B., 539–46
Hunt, John P., 1473–4
Hunter, Geoffrey, 1067–70
Hunter, George M., 245–8, 1983–8
Huntley, Christopher M., 835–8
Hursthouse, Michael B., 911–4, 1557–64, 1583–6, 2025–30, 2501–8, 2631–8, 2651–6
Hussein, Mohamed A., 317–22
Hutchinson, John, 1489–94
Hutton, Alan T., 2011–4
Hynes, Michael J., 331–6

Iggo, Jonathan A., 205–16
Ilarduya, Jesús M. Martínez de, 1729–38
Ingrosso, Giovanni, 967–74
Innocenti, Paolo, 1777–82
Irving, Mark, 879–84
Isenberg, Wilhelm, 183–6
Ismail, Ismail M., 823–6
Isobe, Kiyoshi, 1441–8
Ito, Kazuo, 189–94, 987–90
Iwaizumi, Masamoto, 2281–6
Jeffery, John C., 101–10, 499–506, 519–26, 2075–82, 2091–8
Jenden, Charles M., 1027–8
Jensen, Ian W., 1299–304
Jesús, Ernesto de, 1127–30
John, Glyn R., 1721–8
Johnson, Brian F. G., 277–90, 787–98, 1179–84, 1199–202, 1203–6, 1339–44, 1661–6, 2257–62, 2311–22, 2447–58, 2645–50
Jones, Anthony C., 1047–50
Jones, Deborah J., 187–8
Jones, Peter, 161–4
Jones, Peter G., 1131–6, 1211–4, 1215–6, 1679–86
Jones, Peter J., 1461–4, 2625–30
Jones, Richard A., 181–2
Jugie, Gérard, 301–4
Jun, Moo-Jin, 999–1002
Kan, Yan-Ping, 1641–6
Kane-Maguire, Leon A. P., 1721–8
Kanippayoor, Ravendran K., 683–8
Kanzaki, Tadao, 1197–8
Katsura, Takashi, 189–94, 987–90, 1197–8
Kawabe, Katsuji, 2139–42
Keat, Rodney, 425–32
Kellawi, Hassan, 991–4
Kelly, Barbara A., 901–4
Kelly, John M., 671–8
Kemmitt, Raymond D. W., 1887–90, 2459–64
Kennefick, Daniel, 2333–8
Kepert, David L., 381–4, 385–92, 393–6, 559–66, 567–70, 571–84
Keswani, Pushpa, 1831–6
Khwaja, Hanif, 415–8, 419–24
Kilner, Melvyn, 2613–24
Kime, Mathew J., 771–4
Kimura, Masaru, 37–44
King, Michael A., 755–60
King, Trevor J., 363–70, 671–8, 2241–50
Kirschenbaum, Louis J., 749–54
Kite, Kenneth, 1017–8
Kittl, Walter S., 409–14
Kiwi, John, 2215–6
Klähne, Eberhard, 1115–22
Knobler, Carolyn B., 1299–304
Knox, C. Victor, 2525–8
Knox, Selby A. R., 1417–26, 2099–108, 2435–40, 2661–8
Köppen, Martin, 1869–72
Köster, Hajo, 941–6
Kokkes, Maarten W., 439–46
Kowalski, Rick S. Z., 627–34
Kroto, Harold W., 755–60
Kündig, E. Peter, 901–4
Kuipers, Henricus J. A. M., 1739–42
Kumar, Surendra, 1489–94
Kurmoo, Mohamedally, 761–6, 1583–6
Kuroda, Reiko, 187–8, 823–6
Kurozumi, Tadatoshi, 2205–10
Kwik, Whei-Lu, 2269–72
Kyle, James H., 2609–12
Laguna, Antonio, 1127–30, 1679–86, 2071–4
Laguna, Mariano, 1679–86, 2071–4
Lahiri, Sujit C., 2685–8
Lambert, Keith, 363–70
Langhof, Harald, 657–70
Langrick, C. Richard, 2487–94
Larkworthy, Leslie F., 1081–4
Lau, Poh-Choo, 2269–72
Lau, Tai-Chu, 1641–6
Laurent, James C. T. R. Burckett-St., 755–60
Laycock, David, 2303–6
Leigh, G. Jeffery, 455–62
Leporati, Enrico, 25–30, 1763–70
Leslie, Joanne H., 1587–92
Leupin, Peter, 1635–40
Levason, William, 133–42, 2131–4, 2569–72, 2573–80, 2625–30, 2699–702
Lewis, David F., 607–14
Lewis, Jack, 177–80, 277–90, 787–98, 1179–84, 1199–202, 1203–6, 1339–44, 1661–6, 2257–62, 2311–22, 2447–58, 2645–50
Lewis, Nita A., 1367–72
Liang, Bih-Fong, 995–8
Liebman, Joel F., 1793–6
Lim, Meng-Chay, 1675–8
Lincoln, Stephen F., 393–6
Lindoy, Leonard F., 1789–92
Litthauer, Annelie, 1265–70
Little, M. Guy, 2147–54
Liu, Chui Fan, 999–1002
Livorness, John, 1391–400
Lloret, Francisco, 1743–8, 1749–54
Lobana, Tarlok Singh, 2039–42
Longoni, Giuliano, 1433–40
Lopez, Omar Velasquez, 1153–8
Lorenzini, Carlo, 721–8, 2155–8
Lucas, Jeremy S., 1811–2
Lucas, Joachim, 1011–4
Lucherini, Antonio, 967–74
Lucken, Edwin A. C., 19–24, 495–8
Lucy, Andrew R., 111–6, 117–20, 1465–8, 1879–86
Lusty, James R., 261–4
Lyle, Samuel J., 1027–8
Mabbs, Frank E., 1695–704, 1705–12, 1713–20, 2479–86
MacDowell, Alastair A., 1085–90
Mackie, Anthony G., 2147–54
MacLean, Gregory K., 1961–8
Magon, Luciano, 733–6
Mahajan, Mahinder P., 2531–2
Mahapatra, Prasanna Kumar, 1503–10
Mahdi, Rahim T., 1071–4
Maitlis, Peter M., 1319–24, 1441–8
Majee, B., 363–70
Malatesta, Maria Carlotta, 827–34
Malik, K. M. Abdul, 2651–6
Mandal, Sanat Kumar, 2429–34
Mann, Brian E., 729–32
Mann, Stephen, 311–6, 771–4
Manohar, Hattikuolus, 2167–74
Mantle, David, 161–4
Manuel, Christopher P., 2397–404
Marín, José M., 1003–6
Marangoni, Giampaolo, 775–8
Marchetti, Fabio, 483–8
Maresca, Luciana, 1483–8
Marini, Peter J., 143–52, 879–84
Marsden, Karen, 507–12
Marshall, Andrew, 1091–4
Martinengo, Secondo, 249–52, 253–6, 2175–82
Mason, Ronald, 703–12
Matheson, Trevor W., 1571–82
Mathey, Francois, 841–6
Matisons, Janis G., 2365–74, 2375–84
Matsubayashi, Gen-etsu, 1059–66
Matsumoto, Naohide, 2405–10
Mawby, Roger J., 231–8, 2473–8
May, Andrew S., 1671–4
Maya, Brian M., 257–60
Mays, Martin J., 205–16
McAlees, Alan J., 127–32, 1865–8
McAteer, Colin H., 353–8
McAuliffe, Charles A., 2147–54
McCleverty, Jon A., 71–80, 81–90, 91–6, 627–34, 2287–92
McCrindle, Robert, 127–32, 1865–8
McCudden, Brian, 2043–6
McCullough, Francis P., 2573–80
McDonald, Walter S., 2509–12
McEwan, David M., 2011–4, 2487–94
McLachlan, Stuart J., 1385–90
McLennan, Alistair J., 359–62
McMullan, Richard K., 463–74
McNulty, Gregory S., 639–44
McPartlin, Mary, 277–90, 553–8, 1203–6, 1789–92
McWhinnie, William R., 2143–6
Mead, Kevin A., 271–6, 527–30, 2075–82, 2083–90, 2099–108, 2599–608
Meissami, Nadji, 1529–34
Meli, Andrea, 1777–82, 1969–72, 2419–24
Mentasti, Edoardo, 689–96
Mercier, Francois, 841–6
Meyerstein, Dan, 2125–6
Mhatre, Bal G., 1007–10
Michael, Joseph P., 1601–6
Michelon, Gianni, 775–8
Micheloni, Mauro, 1189–92
Micskei, Károly, 1335–8
Midollini, Stefano, 349–52, 2263–8
Migita, Kouto, 2281–6
Miguel, Amelio Vázquez de, 1441–8
Miller, J. David, 1071–4, 1511–4
Miller, Jack M., 683–8
Mills, Rona M., 101–10, 1357–62, 2599–608
Minchin, Nigel J., 1253–60
Mingos, D. Michael P., 1325–30
Minten, Karl, 2147–54
Miravitlles, Carles, 2441–6
Mitchell, Philip C. H., 649–56
Mitschler, Andre, 841–6
Mizuno, Masagi, 1771–6
Molloy, Kiaran C., 1523–8
Monari, Magda, 1849–56
Mondal, Santosh Kumar, 1935–40
Moneti, Simonetta, 349–52
Monk, Cecil B., 337–42, 1175–8
Monsef-Mirzai, Zahra, 2143–6
Moon, Steven D., 1805–6
Moore, Iain, 2083–90
Moore, Peter, 353–8
Morandini, Franco, 2293–8
Moratal, José, 1743–8, 1749–54
Morgan, Huw, 271–6
Morris, Michael J., 1417–26
Morrison, Ian E. G., 1039–46, 2581–4
Morton, David S., 1511–4
Moss, John R., 1495–502
Moss, Karen, 2071–4
Moynihan, Kelly J., 2479–86
Mukaida, Masao, 2465–72
Mukherjee, Rabindranath, 955–60, 2197–204
Mukhopadhyay, Anuradha, 2397–404
Mulvaney, Robert, 627–34
Munro, Hector W., 1029–34
Murr, Nabil El, 81–90
Murray, Ian E. P., 1783–8
Murray, Keith S., 143–52, 879–84
Murray, Stephen G., 1305–8
Murrell, John N., 455–62
Musumeci, Salvatore, 1271–8, 1279–84
Myers, Ronald D., 885–8
Nabar, Mahadeo A., 1007–10
Nag, Kamalaksha, 1935–40, 2429–34
Nagypál, István, 1335–8
Naish, Pamela J., 1417–26
Nandana, W. A. Shantha, 619–26
Narayanaswamy, Ramaier, 615–8, 1351–6
Nardin, Giorgio, 1797–800
Natile, Giovanni, 1483–8
Neidle, Stephen, 823–6
Nelson, Peter G., 1977–82, 2703
Nelson, S. Martin, 1653–60, 1857–64, 2525–8
Nelson, William J. H., 1203–6, 1339–44, 2447–58
Neogi, Gautam, 1225–32, 1233–8, 1239–46
Nepveu, Francoise, 657–70
Nesamani, C., 2047–50
Nicholls, Barry S., 1479–82
Nicholls, J. Nicola, 277–90, 787–98, 2311–22, 2447–58
Nicholson, Brian K., 2385–90
Nicholson, John R., 713–20
Nielson, Alastair J., 2651–6
Nieuwpoort, Ger, 531–8
Nishiwaki, Kōichi, 1841–4
Nixon, John F., 755–60
Nöth, Heinrich, 97–100
Noltemeyer, Mathias, 405–8, 855–6, 1011–4, 1207–10
Norman, Nicholas C., 1625–34
Norton, Reginald J., 671–8
Nourmand, Mordecai, 1529–34
Novak, Igor, 635–8, 2211–4
Nowogrocki, Guy, 1137–42
Öhman, Lars-Olof, 2513–8
O'Brien, Paul, 2043–6
O'Cleirigh, Donal A., 627–34
O'Donoghue, Timothy D., 177–80
O'Shea, Maureen T., 331–6
O'Sullivan, Richard D., 1619–24
Oakes, John, 601–6
Odell, Barbara, 2509–12

Odiaka, Timothy I., 1721–8
Ogden, J. Steven, 851–4, 1461–4, 2343–4, 2625–30, 2699–702
Ohyoshi, Akira, 2405–10
Okeya, Seichi, 1441–8
Onoda, Tsukio, 1565–70
Orioli, Pier L., 2159–66, 2563–8
Orlandini, Annabella, 1969–72, 2263–8
Oro, Luis A., 323–30, 1729–38
Orpen, A. Guy, 463–74, 927–40, 1427–32, 1625–34, 2661–8
Orrell, Keith G., 153–60, 2345–52
Oskam, Ad, 439–46
Paddick, Kathleen E., 1625–34
Paéz, Daniel E., 2465–72
Page, Elizabeth M., 61–4, 2625–30
Page, Terence H., 1837–40
Pahor, Nevenka Bresciani, 1797–800
Pakawatchai, Chaveng, 1109–14, 1905–16, 1917–28
Pal, Amalendu, 2685–8
Palazzi, Antonio, 1849–56
Palmieri, Gianni, 1483–8
Panda, Rama Krushna, 1225–32, 1233–8, 1239–46
Paoletti, Piero, 1189–92
Parish, R. V. ('Dick'), 2071–4
Parkins, Adrian W., 1619–24
Parkinson, John E., 1185–8
Parvez, Masood, 1865–8
Passmore, Jack, 619–26, 1961–8
Patel, Bhavini, 1367–72
Patel, Vibha K., 1901–4
Patel, Vikram D., 2479–86
Patil, Kashinath C., 2047–50
Patra, Moheshwar, 1503–10
Patrick, Jennifer M., 381–4, 385–92, 393–6, 559–66, 567–70, 571–84, 815–22, 1253–60, 1873–8, 2121–4, 2365–74
Patterson, William R., 9–12, 13–8
Paulus, Helmut, 657–70
Payne, John D., 295–300, 1879–86
Peacock, Robert D., 291–4
Peake, Barrie M., 1171–4
Pearse, Richard V., 1977–82, 2703
Pelizzi, Corrado, 65–70, 721–8, 847–50, 921–6, 1687–94, 2155–8, 2689–92
Pelizzi, Giancarlo, 721–8, 847–50, 921–6, 1687–94, 2155–8, 2689–92
Pelling, Simon, 1495–502
Pellinghelli, Maria Angela, 25–30, 1763–70
Peloso, Arnaldo, 1285–90
Penfold, Bruce R., 1299–304
Perego, Giovanni, 483–8
Pergola, Roberto Della, 173–6, 1433–40, 1941–8
Perry, Dale L., 25–30
Pertici, Paolo, 1553–6
Petković, Djordje M., 591–4
Pfeffer, Michel, 1535–44
Phelan, David, 2333–8
Phillips, Carl A., 371–80, 2241–50
Pierce-Butler, Melanie A., 1305–8
Pilbrow, John R., 489–94, 1391–400
Pilcher, Geoffrey, 2657–60
Pinkert, Waltraud, 1211–4, 1215–6
Piraino, Pasquale, 1813–8, 1819–24, 2391–6
Plaas, Dietrich, 2661–8
Plaisted, Richard J., 475–82
Platt, Andrew W. G., 1159–64, 2345–52
Plews, Martin J., 45–50, 343–8
Poggi, Antonio, 2191–6
Poilblanc, René, 941–6
Poon, Chung-Kwong, 1641–6, 1647–52
Porter, Simon J., 513–8
Porzio, William, 967–74, 1553–6
Potts, Anthony W., 635–8, 2211–4
Poveda, Manuel L., 1003–6
Pratt, John M., 217–24, 225–30, 2217–22, 2223–8
Predieri, Giovanni, 721–8, 2155–8
Preez, Jan G. H. du, 1265–70
Preston, Peter N., 783–6, 1783–8
Preut, Hans, 595–600
Pringle, Paul G., 889–96, 2487–94
Prosperi, Tommaso, 645–8
Proud, Graeme P., 2019–24, 2299–302
Puga, José, 277–90, 787–98, 1203–6, 1339–44, 2447–58
Pujari, Mahesh P., 1015–6
Purrello, Roberto, 1279–84
Rae, A. Elizabeth, 71–80, 81–90
Raithby, Paul R., 177–80, 205–16, 277–90, 1339–44, 1661–6, 2257–62, 2311–22, 2447–58, 2645–50
Ramaswamy, Dorai, 1225–32, 1233–8, 1239–46
Rankin, David W. H., 245–8, 265–70, 835–8, 1983–8, 1989–94
Rao, D. N. Ramakrishna, 2533–6
Rao, Vattipalli Mohan, 2167–74
Raston, Colin L., 1671–4, 1905–16
Ratcliffe, R. George, 771–4
Ray, Neil H., 475–82
Raynor, J. Barrie, 2057–62
Razay, Hayat, 2075–82
Razi, M. Tahir, 1331–4
Read, Alan R., 649–56
Read, Gordon, 911–4
Reedijk, Jan, 531–8, 539–46
Reichenbach, Gustavo, 2593–8
Renkema, Willem E., 1739–42, 2415–8
Rest, Antony J., 615–8, 1291–8, 1351–6
Retta, Negussie, 905–10
Reynolds, Sarah J., 81–90
Rice, David A., 61–4, 2251–6, 2625–30
Richards, Raymond L., 1489–94
Richardson, John F., 2479–86
Rizzarelli, Enrico, 1271–8, 1279–84, 1797–800
Roberts, Hugh L., 1373–6
Robertson, Heather E., 265–70, 1989–94
Robinson, Ward T., 1299–304
Rode, Bernd M., 409–14
Roesky, Herbert W., 183–6, 405–8, 855–6, 1011–4, 1207–10, 1211–4, 1215–6, 1891–4
Roge, Gerd, 595–600
Rogers, Deborah, 2397–404
Rogers, Robin D., 1003–6
Rohwer, Hans E., 1265–70
Roques, Raymond, 301–4
Rosales, Maria J., 277–90, 2257–62, 2311–22, 2447–58, 2645–50
Rosseinsky, David R., 991–4
Rossetti, Rosanna, 1613–8
Roundhill, D. Max, 1473–4, 1755–62
Roy, Abhijit, 671–8
Roy, Nirmalendu, 2561–2
Roy, Rita, 1935–40
Rupp-Bensadon, Joyce, 19–24, 495–8
Russo, Maria V., 783–6, 1783–8
Rycroft, David S., 425–32
Sánchez, Luis, 1003–6
Sabatini, Antonio, 1189–92
Sabo, Sylviane, 2695–8
Sadler, Ian H., 173–6
Sadler, Peter J., 823–6, 1331–4
Sakaguchi, Tomoko, 447–52
Salaün, Jean-Yves, 527–30, 1357–62
Salem, Geoffrey, 2117–20
Sales, Joaquim, 2441–6
Salter, Ian D., 2599–608
Sambale, Clemens, 499–506
Sammartano, Silvio, 1271–8, 1279–84
Sandhu, Sarjit Singh, 2039–42
Sanemasa, Isao, 1949–54, 2549–54
Sarode, Prabhakar R., 1895–900
Sartorelli, Ugo, 173–6
Sathyanarayana, Dinit N., 2167–74
Saunders, David R., 2473–8
Sawada, Kiyoshi, 447–52, 1565–70
Sawyer, Lindsay, 1571–82
Saxton, Robert J., 25–30
Sbrignadello, Gino, 1–8
Scapacci, Giancarlo, 1969–72
Schiavo, Sa Lo, 433–8, 1813–8, 1819–24
Schilling, Michael D., 1887–90, 2459–64
Schläpfer, Carl Wilhelm, 1635–40
Schmidt, Hans G., 405–8, 1207–10
Schmidt, Martin, 183–6
Schoeller, Wolfgang W., 2411–4
Schoening, Richard C., 1941–8
Schröder, Martin, 2447–58
Schultz, Arthur J., 2529–30
Seeberger, Mark H., 181–2
Sengupta, Dipak, 2685–8
Setchell, Christine, 2639–44
Seward, Eileen, 975–80
Shah, Vilas K., 1571–82
Sharpe, Nelson W., 921–6, 1687–94
Shaunak, Richa, 1023–6
Shaw, Bernard L., 889–96, 2011–4, 2487–94, 2509–12
Shearer, Harrison M. M., 1309–18
Sheldrick, George M., 183–6, 405–8, 855–6, 1011–4, 1131–6, 1207–10, 1211–4, 1215–6, 1679–86, 2339–42
Sheridan, John B., 1465–8
Shimizu, Kiyoshi, 2139–42
Short, Richard L., 2651–6
Sibley, Timothy J., 851–4
Sidahmed, Ibrahim M., 1035–8
Silva, K. G. Karnika De, 2143–6
Silver, Jack, 767–70, 1039–46, 2581–4
Silvestri, Arturo, 595–600
Simpson, Stephen J., 981–6, 1805–6
Sinclair, Geoffrey R., 489–94, 1391–400
Singh, Kaushal Kishore, 1895–900
Singleton, Eric, 947–54
Sironi, Angelo, 253–6, 2293–8
Sjöberg, Staffan, 2513–8
Skelton, Brian W., 799–808, 809–14, 815–22, 1905–16, 1973–6, 2117–20, 2183–90, 2273–80, 2365–74, 2375–84
Skinner, Henry A., 2323–8
Smith, Andrew R. P., 703–12
Smith, Anthony K., 1479–82
Smith, David O., 1433–40
Smith, Derek, 337–42
Smith, Edward G., 601–6
Smith, Garry, 2501–8
Smith, J. David, 905–10
Smith, John M. A., 71–80, 81–90, 91–6, 2287–92
Smith, Thomas D., 1391–400
Snaith, Ronald, 1309–18
Sóvágó, Imre, 1545–52
Solans, Xavier, 169–72, 2441–6
Sowerby, D. Bryan, 1095–100
Speier, Gábor, 1995–2000
Spek, Anthony L., 539–46
Spencer, Catriona M., 729–32
Stalke, Dietmar, 2339–42
Stanghellini, Pier Luigi, 1613–8
Stead, Martin J., 2005–10
Stedman, Geoffrey, 257–60
Steel, Andrew T., 1845–8
Steen, Nick D. C. T., 1607–12, 2229–34
Stephenson, Donald K., 1865–8
Stephenson, Martin, 2473–8
Stephenson, T. Anthony, 1571–82, 1755–62, 2109–16, 2307–10
Stevens, Paul V., 553–8
Stevenson, Donald M., 1029–34
Stoddart, J. Fraser, 607–14
Stone, F. Gordon A., 101–10, 499–506, 507–12, 513–8, 519–26, 527–30, 1357–62, 2063–70, 2075–82, 2083–90, 2091–8, 2585–92, 2599–608
Straub, Barbara, 2293–8
Straughan, Brian P., 305–10, 1193–6
Strona, Luisella, 173–6, 1941–8, 2175–82
Strumolo, Donatella, 249–52, 2175–82
Stufkens, Derk J., 439–46
Suffolk, Roger J., 755–60
Sulfab, Yousif, 317–22
Sutton, Blaine M., 1331–4
Suzuki, Toshio, 447–52, 1565–70
Swindells, D. C. Neil, 619–26
Swiridoff, Wolfgang, 1869–72
Sykes, A. Geoffrey, 1949–54, 2543–8, 2549–54
Sylva, Ronald N., 31–4, 35–6, 2001–4
Symons, Martyn C. R., 1171–4, 1377–84, 2533–6

Tabata, Masaaki, 1955–60
Tabbron, Helen E., 2397–404
Tadj, Fatemeh, 981–6
Takhin, Ghassan Al, 2323–8
Tamaura, Yutaka, 189–94, 987–90
Tamburini, Sergio, 697–702
Tanaka, Motoharu, 1955–60
Tanaka, Toshio, 1059–66
Tandon, Santokh S., 1081–4
Tang, Tin-Wu, 1647–52
Tarasconi, Pieralberto, 921–6, 1687–94, 2689–92
Tasker, Peter A., 1789–92
Taylor, David J., 1291–8
Taylor, Helen, 1391–400
Taylor, Peter, 619–26
Tejeda, Pilar Perez, 2679–84
Tempest, Paul A., 589–90, 2673–8
Thomas, Manfred, 405–8, 1211–4, 1891–4
Thomas, Marian J., 1401–10
Thomas, Nicholas C., 2121–4
Thomas, Rudolf, 2273–80
Thomas, Susan E., 1805–6
Thornback, John R., 2043–6
Thornton-Pett, Mark, 1557–64, 2025–30, 2501–8, 2631–8
Timms, Peter L., 239–44, 901–4, 1123–6
Tiripicchio, Antonio, 323–30, 1729–38
Tobe, Martin L., 775–8
Tocher, Derek A., 1571–82, 2109–16
Toma, Henrique E., 2051–6
Tomat, Giuliana, 733–6
Tomlinson, Anthony A. G., 645–8
Tondello, Eugenio, 869–72
Tresoldi, Giuseppe, 433–8, 2391–6
Trogu, Emanuele F., 25–30, 1763–70
Truter, Mary R., 187–6
Tsay, Yaw-Kuen, 995–8
Turff, Jeremy W., 2625–30, 2699–702
Tyagi, Suresh, 199–204, 2333–8, 2693–4
Tyeklár, Zoltán, 1995–2000
Uchiyama, Toshinobu, 897–900
Underhill, Allan E., 165–8, 1411–6, 1771–6, 2529–30
Urgelles, Miguel, 911–4
Usón, Rafael, 323–30, 1127–30, 1131–6, 1679–86, 1729–38, 2071–4
Valle, Giovanni, 453–4
Vargas, Maria D., 2447–58
Varghese, Joseph N., 703–12
Vasaikar, Alka P., 1007–10
Vattis, Dimitris K., 2307–10
Vaughan, D. Huw, 1029–34
Vekris, John E., 619–26
Velasco, Julian Rodriguez, 2679–84
Verani, Gaetano, 1261–4
Vernekar, Venkatesh R. Pai, 2047–50
Verschoor, Gerrit C., 531–8, 539–46
Vicente, José, 169–72, 1131–6
Vidal, José L., 1941–8
Vidali, Maurizio, 697–702
Vigato, Pietro A., 697–702
Vilarrasa, Jaume, 2441–6
Villacampa, M. Dolores, 1679–86
Visentin, Giuseppina, 1217–24
Vitulli, Giovanni, 1553–6
Vlaic, Gilbert, 645–8
Vollárová, Olga, 2359–64
Włodarczyk, Andrej, 2287–92
Wada, Masanori, 1841–4
Wade, Kenneth, 1309–18
Wade, Steven R., 2555–60
Wainwright, Kevin P., 1149–52
Walkinshaw, Malcolm D., 2109–16
Wallbridge, Malcolm G. H., 2555–60
Wallis, Helen L., 261–4
Wallis, Robert C., 2183–90, 2365–74
Walton, Jennifer K., 809–14, 815–22
Walz, Leonhard, 657–70
Watson, Alan D., 1949–54, 2543–8
Watts, Oliver, 981–6
Weakley, Timothy J. R., 1067–70
Webster, Michael, 133–42, 2573–80
Weiss, Johannes, 1869–72
Welch, Alan J., 927–40, 2063–70
Wells, Cecil F., 1035–8
Went, Michael J., 101–10
West, Bruce O., 143–52, 879–84
Whelan, Tom, 975–80
White, Allan H., 381–4, 385–92, 393–6, 559–66, 567–70, 571–84, 799–808, 809–14, 815–22, 1109–14, 1253–60, 1671–4, 1873–8, 1905–16, 1917–28, 1973–6, 2117–20, 2121–4, 2183–90, 2273–80, 2365–74, 2375–84
White, Peter S., 619–26, 1367–72, 1961–8, 2465–72
Whitehead, Graham, 1309–18
Whiteley, Mark W., 111–6, 117–20
Whitmire, Kenton H., 787–98, 1339–44
Wieghardt, Karl, 1869–72
Wild, Stanley Bruce, 2117–20
Wilkins, Cuthbert J., 1299–304
Wilkinson, Geoffrey, 1557–64, 2025–30, 2109–16, 2631–8
Wilkinson, Stephen W., 2011–4
Willey, Gerald R., 2555–60
Williams, Bruce L., 1017–8
Williams, David J., 607–14
Williams, David M., 2251–6
Williams, Geoffrey A., 703–12
Williams, Ian D., 927–40
Williams, Jack M., 2529–30
Williams, Michael L., 799–808, 815–22, 2183–90
Williams, Robert J. P., 311–6, 771–4
Williams, Stephen J., 851–4
Wilson, Arran J., 1299–304
Wilson, Ian, 161–4
Wilson, Lon J., 25–30
Wingfield, Jonathan N., 915–20
Winter, Mark J., 2397–404
Wołochowicz, Iwona, 71–80
Wolsey, Wayne C., 2063–70
Wong, Chi-Ming, 1961–8
Wong, Chung-Lai, 1641–6
Wong, Wai-Kwok, 1557–64
Woodward, Peter, 101–10, 271–6, 507–12, 527–30, 901–4, 1357–62, 2075–82, 2083–90, 2099–108, 2599–608
Wrackmeyer, Bernd, 97–100
Wyatt, Jane L., 1171–4, 1377–84
Wyatt, Robert S., 2343–4
Xing-fu, Li, 1153–8
Yamagishi, Akihiko, 679–82
Yamaguchi, Osamu, 2139–42
Yamase, Toshihiro, 2205–10
Yellowlees, Lesley J., 1801–4
Yoon, Nung Min, 999–1002
Young, Charles G., 2135–8
Zaki, Ahmed A., 2323–8, 2657–60
Zanello, Piero, 2159–66, 2191–6
Zanotti, Giuseppe, 1217–24
Zocchi, Marcello, 967–74, 1553–6
Zubieta, Jon A., 397–8, 1489–94
Zuckerman, Jerald J., 1523–8

SUBJECT INDEX, 1983

AB INITIO
Hydrazido-, diazenido- and amido-derivatives of lithium: a theoretical study related to nitrogen fixation reactions, 455–62
Metal–metal bond length variations and the electronic structure of dichromium(II) and dimolybdenum(II) complexes, 1085–90

ACETATE
Rhodium-catalysed decomposition of hydroxymercurated ethylene to ethanol and acetate, 1319–24
X-Ray crystal structures of some adducts of dimeric copper(II) acetate. Nature of the copper–copper interaction, 2167–74

ACETONE
Bromo-complexes of cobalt(II) in acetone, 1565–70

ACETOXIME
Transition metal–carbon bonds. Part 56. Attack on allene complexes of type *cis*-$[PtCl_2(PR_3)(C_3H_4)]$ by the ambident nucleophile, acetoxime: crystal structure of $[PtCl(PMe_2Ph)\{ON(=CMe_2)CH=CMe\}]$, 2011–4

ACETYLACETONATO
Novel synthesis of tris(acetylacetonato)iron(III), 839–40
The reactivity of cyanogen towards compounds containing active hydrogens at carbon atoms. Part 3. Synthesis of bis[1-cyano-2-(1-iminoethyl)butane-1,3-dionato]copper(II) from cyanogen and bis(acetylacetonato)copper(II): kinetics, thermodynamics and *X*-ray crystal structure, 1217–24

ACETYLACETONE
Direct synthesis of bis(acetylacetonato)nickel(II) dihydrate and isolation of α,α,β,β-tetra-acetylethane as the oxidation product of acetylacetone, 2561–2

ACETYLENE
Reaction of $[Os_3(CO)_{12}]$ with acetylenes: the *X*-ray crystal structure of $[Os_3(CO)_{17}(HCCH)]$, 2645–50

ACTIVATION VOLUME
High-pressure effects on the proton nuclear magnetic resonance spectra of palladium(II) complexes of cyclic sulphides. Estimation of activation volumes for inversion about sulphur, 1473–4

ADDUCT
Electrochemical studies of group 3 alkyl derivatives. Part 1. Synthesis of trimethylgallium adducts, 1047–50
Donor properties of triphenylantimony dihalides: preparation and crystal structures of $Ph_3SbCl_2{\cdot}SbCl_3$ and $[Ph_3SbCl][SbCl_6]$, 1095–100
Crystal structure of dimeric *N*-lithiohexamethyldisilazane etherate, $[(Et_2O)Li\{\mu\text{-}N(SiMe_3)_2\}_2Li(OEt_2)]$, 1671–4

ADENOSINE
Study of ternary complexes of copper(II) containing tertiary amines and adenosine-5′-triphosphate in dioxan–water medium, 1901–4

ADENOSINE TRIPHOSPHATE
Thermodynamics of metal complexes with ligand–ligand interaction, simple and mixed complexes of copper(II) and zinc(II) with adenosine 5′-triphosphate and L-tryptophan or L-alanine, 1271–8

ADSORPTION
Transformation of γ-FeO(OH) to Fe_3O_4 by adsorption of iron(II) ion on γ-FeO(OH), 189–94

ALANINE
Asymmetric synthesis of alanine using cobalt(III) complexes of (3*R*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane and (3*S*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane, 999–1002

ALKALI METAL
The constitution of aqueous silicate solutions, 475–82
Studies on mixed metal(II)–iron(II) chloride systems. Part 2. Mössbauer and *X*-ray powder diffraction data for the potassium and rubidium $M'M''_xFe_{1-x}Cl_3{\cdot}2H_2O$ (M' = K or Rb; M'' = Mn, Co, or Ni; x = 0.5) systems, 1039–46
Structural studies of matrix-isolated alkali metal chlorates; an example of tridentate co-ordination by the chlorate ion, 1185–8

ALKALINE EARTH
A thermometric titrimetric study of the complexation of alkaline-earth metals by linear poly(aminocarboxylic) acids, 865–8

ALKANEDIAMINE
Compartmental ligands. Part 4. The crystal and molecular structures of some oxovanadium(IV) complexes of acyclic ligands derived from heptane-2,4,6-trione and α,ω-alkanediamines, 371–80

ALKENE
An amido-bridged platinum olefin dimer. The synthesis, characterisation, and *X*-ray structure analysis of bis{chloro-μ-[1′—2′-η-*o*-isopropenylphenyl(methyl)amido-$C^{1'-2'}$,*N*;μ-*N*]platinum(II)}, 553–8
η-Arenetungsten chemistry: η-allyl, η-butadiene, tertiary phosphine, and hydrido derivatives, 1075–80
Chlorination of cyclohexene by copper(II) chloride, 1373–6
Olefin–acetylene metal complexes. The formation of some 1,4-diene complexes of rhodium(I) by the reactions of rhodium(I) olefin–hexafluorobut-2-yne complexes with 2,4-dimethylpenta-2,3-diene, propene, and cyclopropane, 1887–90
Olefin – acetylene metal complexes: reactions of olefin – hexafluorobut-2-yne complexes of rhodium(I) with nitrogen, phosphorus, arsenic, and antimony donor ligands, 2459–64

ALKENYL
Preparation, structure, and reactions of alkenyl complexes of ruthenium(II), 231–8
Synthesis, properties, and *X*-ray crystal and molecular structures of homoleptic alkenyls of tin and chromium, 671–8

ALKYL
Tertiary phosphine adducts of manganese(II) dialkyls. Part 1. Synthesis, properties and structures of alkyl-bridged dimers, 2025–30
Dialkyl, diaryl, and alkyl aryl complexes of ruthenium(II), 2473–8

ALKYLATION
Transition metal–carbon bonds. Part 56. Attack on allene complexes of type *cis*-$[PtCl_2(PR_3)(C_3H_4)]$ by the ambident nucleophile, acetoxime: crystal structure of $[PtCl(PMe_2Ph)\{ON(=CMe_2)CH=CMe\}]$, 2011–4

ALKYNE
The chemistry of vitamin B_{12}. Part 21. Aquoethynylcobinamide: novel reaction of diaquocobinamide with acetylene catalysed by copper ions, 225–30
Alkyne ligands as three-electron donors: crystal structures of $[Mo(CO)(MeC_2Me)_2(\eta\text{-}C_5H_5)][BF_4]$ and $[Mo(NCMe)(MeC_2Me)_2(\eta\text{-}C_5H_5)][BF_4]$, 271–6
Reactions of acetylenes with noble-metal carbonyl halides. Part 6. Carbonyl insertion to give cyclic organo-carbene complexes of platinum(II): synthesis and *X*-ray structure of *cis*-$[Pt\text{-}\overline{CC(CO_2Et)=C(Ph)C(CO_2Et)=C(Ph)O}(PPh_3)Cl_2]$, 827–34
Gas-phase ultraviolet photoelectron spectra of $[\{Ni(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_2R_2)]$ (R = H or CF_3) complexes, 869–72
Reactions of co-ordinated ligands. Part 27. Formation of η^3-allyl and σ-vinyl complexes by nucleophilic attack on cationic molybdenum monoacetylene complexes. Molecular structures of $[Mo(CO)(PEt_3)(\eta^3\text{-}anti\text{-}1\text{-}MeC_3H_4)(\eta^5\text{-}C_9H_7)]$ and $[Mo\{P(OMe)_3\}_3\{\sigma\text{-}(E)\text{-}CH=CHBu^t\}(\eta\text{-}C_5H_5)]$, 927–40
Organic chemistry of dinuclear metal centres. Part 3. μ-Carbene complexes of iron and ruthenium from alkynes *via* μ-vinyl cations, 1417–26
Reactivity of cyclopalladated compounds. Part 7. Syntheses of metallobicyclic compounds and their reactions with acetylenes. *X*-Ray crystal and molecular structures of the compounds $[\overline{(NMe_2CH_2C_6H_4)Pd}\{C(CF_3)=C(CF_3)(C_6H_4CH_2NMe_2)\}]$ and $[\{\overline{(NMe_2CH_2C_6H_4)C(CF_3)=C(CF_3)}\}\overline{Pd}\{C(CF_3)=C(CF_3)\text{-}\overline{(CH_2C_9H_6N)}\}]$, 1535–44
Reactions of co-ordinated ligands. Part 28. The reaction of nucleophilic reagents with the cationic bis(acetylene) molybdenum complexes $[Mo(CO)(RC_2R')_2(\eta\text{-}C_5H_5)][BF_4]$; *X*-ray crystal structures of $[\overline{Mo\{C(Me)=C(Me)C(O)C(Me)=CHMe\}}(CO)_2(\eta\text{-}C_5H_5)]$ and $[Mo\{\eta^3\text{:}\eta^2\text{-}HBu^tC{:::}CH{:::}C\text{—}O\text{—}$

ALKYNE (contd.)

$C(O)C(Bu^t)=CH\}(CO)(\eta\text{-}C_5H_5)]$, 1625–34
Co-ordinatively unsaturated acetylene complexes of molybdenum and tungsten: reactions of $[MCl(CF_3C\equiv CCF_3)_2(\eta^5\text{-}C_5H_5)]$ (M = Mo or W) with octacarbonyldicobalt leading to binuclear metallacyclopentadiene complexes, 1667–70
Co-ordinatively unsaturated alkyne complexes of molybdenum and tungsten. Reactions of $[MCl(CF_3C\equiv CCF_3)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W) with heterocyclic thiolates leading to η^2-vinyl complexes, 1783–8
Olefin–acetylene metal complexes. The formation of some 1,4-diene complexes of rhodium(I) by the reactions of rhodium(I) olefin–hexafluorobut-2-yne complexes with 2,4-dimethylpenta-2,3-diene, propene, and cyclopropane, 1887–90
Olefin – acetylene metal complexes: reactions of olefin – hexafluorobut-2-yne complexes of rhodium(I) with nitrogen, phosphorus, arsenic, and antimony donor ligands, 2459–64
Bimetallic systems. Part 2. Synthesis and interconversion of monodentate- and bridging-bis(diphenylphosphino)methane platinum, diplatinum, and mercury – platinum acetylides, 2487–94

ALKYNYL
Intramolecular nucleophilic attack at the α-carbon atom of a μ_3-alkynyl ligand in a triosmium cluster, 1807–10

ALLENE
Transition metal–carbon bonds. Part 56. Attack on allene complexes of type *cis*-$[PtCl_2(PR_3)(C_3H_4)]$ by the ambident nucleophile, acetoxime: crystal structure of $[PtCl(PMe_2Ph)\{ON(=CMe_2)CH=CMe\}]$, 2011–4
Organic chemistry of dinuclear metal centres. Part 4. μ-Carbene and μ-vinyl complexes of ruthenium from allenes, 2099–108

ALLYL
Reactions of co-ordinated ligands. Part 27. Formation of η^3-allyl and σ-vinyl complexes by nucleophilic attack on cationic molybdenum monoacetylene complexes. Molecular structures of $[Mo(CO)(PEt_3)(\eta^3\text{-}anti\text{-}1\text{-}MeC_3H_4)(\eta^5\text{-}C_9H_7)]$ and $[Mo\{P(OMe)_3\}_3\{\sigma\text{-}(E)\text{-}CH=CHBu^t\}(\eta\text{-}C_5H_5)]$, 927–40
Photochemistry of $(\eta^3$-allyl)tricarbonylcobalt in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of $(\eta^3$-allyl)dicarbonylcobalt, $(\eta^3$-allyl)dicarbonyl(dinitrogen)cobalt, (σ-allyl)tetracarbonylcobalt, and tetracarbonylcobalt complexes, 1291–8

ALUM
Crystal structures of the α alums $CsM[SO_4]_2\cdot 12H_2O$ (M = Rh or Ir), 1973–6

ALUMINIUM
Equilibrium and structural studies of silicon(IV) and aluminium(III) in aqueous solution. Part 9. A potentiometric study of mono- and poly-nuclear aluminium(III) citrates, 2513–8
Multinuclear (^1H, ^{27}Al, and ^{35}Cl) nuclear magnetic resonance studies of solutions of aluminium salts in methanol, aqueous methanol, and aqueous acetone, 2639–44

AMBIDENT
Transition metal–carbon bonds. Part 56. Attack on allene complexes of type *cis*-$[PtCl_2(PR_3)(C_3H_4)]$ by the ambident nucleophile, acetoxime: crystal structure of $[PtCl(PMe_2Ph)\{ON(=CMe_2)CH=CMe\}]$, 2011–4

AMIDE
An amido-bridged platinum olefin dimer. The synthesis, characterisation, and *X*-ray structure analysis of bis{chloro-μ-[1′—2′-η-*o*-isopropenylphenyl(methyl)amido-$C^{1'-2'}$,*N*;μ-*N*]platinum(II)}, 553–8

AMIDINE
Synthesis of triosmium clusters containing amidine ligands: *X*-ray structural characterization of $[Os_3(\mu\text{-}H)(CO)_9\{NPhC(Ph)NH\}]$, 1199–202
Amidino-complexes of rhenium. Bidentate NN′- and *ortho*-metallated derivatives, 2613–24

AMIDO
Hydrazido-, diazenido- and amido-derivatives of lithium: a theoretical study related to nitrogen fixation reactions, 455–62

AMINE
Structural and mechanistic studies of co-ordination compounds. Part 38. Syntheses and characterization of several quadridentate macrocyclic amine complexes of iridium(III), 1647–52
Microcalorimetric studies of the thermal decomposition of ammonia–halide and amine–halide complexes of platinum(II), $[Pt(NH_2R)_2X_2]$, 2323–8

AMINO ACID
Triorganotin and triorganolead derivatives of *N*-acetylamino-acids, 595–600
Chirality recognition of a clay surface modified by an optically active metal chelate, 679–82
Thermodynamics of metal complexes with ligand–ligand interaction, simple and mixed complexes of copper(II) and zinc(II) with adenosine 5′-triphosphate and L-tryptophan or L-alanine, 1271–8
Complex formation between uranium(VI) and thorium(IV) ions with some α-amino-acids, 1529–34
Studies on transition-metal–peptide complexes. Part 8. Parent and mixed-ligand complexes of histidine-containing dipeptides, 1545–52
2,9-Dimethyl-1,10-phenanthroline copper(I) complexes with some sulphur-containing amino acids, 2269–72

AMINOETHANOL
X-Ray crystal and molecular structure of *cis*(*NN′*), *trans*(*OO′*)-bis(2-aminoethanolato)-*cis*-dichloroplatinum(IV) dihydrate. The relationship of anti-tumour activity to ring closure, 823–6

AMINOPROPANOL
Hydrogen-bridged dimeric and trimeric copper(II) triflate compounds with racemic and optically active aminopropanols. Crystal and molecular structure of hexakis(*R,S*-2-aminopropan-1-ol-*N,O*)*bis*(*R,S*-2-aminopropan-1-olato-*N,O*)bis(trifluoromethanesulphonato-*O*)tricopper(II) bis(trifluoromethanesulphonate), 531–8

AMMINE
Crown ethers as second-sphere ligands. The interactions of transition-metal ammines with 18-crown-6 and dibenzo-18-crown-6, 607–14
An extended *X*-ray absorption fine structure study of penta-amminecopper(II) bis(tetrafluoroborate): evidence for five equal bond lengths, 645–8
Solvent dependence of the stereochemistry of base-catalyzed solvolysis of *trans*-$[Co(NH_3)_4(^{15}NH_3)X]^{3+/2+}$ (X = Me_2SO or Cl) ions, 2415–8

AMMONIATION
Nitrito–nitro linkage isomerisation of the penta-amminecobalt(III) complex in liquid ammonia, 1739–42

AMMONIUM
The constitution of aqueous silicate solutions, 475–82

ANATION
Kinetics of anation in platinum(II) and palladium(II) complexes of *N*-alkylated diethylenetriamine, 195–8

ANTIARTHRITIC
Proton, carbon-13, and phosphorus-31 nuclear magnetic resonance studies of (2,3,4,6-Tetra-*O*-acetyl-1-thio-β-D-glucopyranosato-*S*)(triethylphosphine)gold (Auranofin), a novel antiarthritic agent, 1331–4

ANTIMONY
Vanadium antimonates, 9–12
Structural investigations of the vanadium–antimony–oxygen system, 13–8
Nuclear quadrupole resonance and stereochemistry. Part 7. The axial and equatorial chlorine atoms in octahedral complexes of antimony pentachloride, $SbCl_3L$ (L = donor ligand), 19–24
The preparation and crystal structure of the 3:1 adduct of antimony trifluoride and antimony pentafluoride containing the $(Sb_3F_8^+)$, 619–26
The ultra-violet photoelectron spectra of gas-phase and condensed bismuth halides and antimony trifluoride, 635–8
Donor properties of triphenylantimony dihalides: preparation and crystal structures of $Ph_3SbCl_2\cdot SbCl_3$ and $[Ph_3SbCl][SbCl_6]$, 1095–100

AQUATION
Effects of electrolytic dissociation upon rates of reactions. Part 11. Metal ion catalysed rates of aquation of penta-ammineoxalatocobalt(III), 1175–8

ARENE
η-Arenetungsten chemistry: η-allyl, η-butadiene, tertiary phosphine, and hydrido derivatives, 1075–80
Reductive preparation of bis(arene)metal complexes from metal halides in solution using potassium atoms, 1123–6
Areneruthenium(II) carboxylates: reactions with ligands and the *X*-ray structure of the *p*-cymene pyrazine complex $[Ru(\eta\text{-}p\text{-}MeC_6H_4CHMe_2)Cl(pyz)_2]PF_6$, 1571–82

ARSAZENE
Preparation of trimeric and tetrameric bis(trifluoromethyl)arsazene; *X*-ray study of $[(CF_3)_2AsN]_4$, 1011–4
ARSENATE
Matrix isolation studies on alkali metal arsenates: the characterisation of molecular $CsAsO_3$, 851–4
The reaction of S_2NAsF_6 with halogens: preparation and *X*-ray crystal structure of bis(difluorothio)nitronium hexafluoroarsenate(v), $(SF_2)_2NAsF_6$; preparation of $(SBr)_2NAsF_6$, and vibrational spectrum and normal-co-ordinate analysis of the $(SX)_2N^+$ (X = Cl or Br) cations, 1961–8
ARSENIC
The *X*-ray crystal structure determination of tetraphenylarsonium tris(η⁵-cyclopentadienyl)di-isothiocyanatouranate(iv), 45–50
Co-ordination chemistry of higher oxidation states. Part 4. Palladium(iv) complexes of nitrogen, phosphorus, and arsenic donor ligands. Crystal and molecular structures of $[Pd(bipy)Cl_4]$ and $[Pd\{o\text{-}C_6H_4(AsMe_2)_2\}_2Cl_2][ClO_4]_2$, 133–42
Preparation and crystal and molecular structure of a polymeric bis(sulphinylnitrilo)sulphur complex of silver(i): $[Ag_4\{S(NSO)_2\}_9][AsF_6]_4{\cdot}SO_2$, 1211–4
Trimeric thioformaldehyde as a ligand: preparation and crystal structure of $[Ag_2\{(CH_2S)_3\}_3][AsF_6]_2{\cdot}SO_2$, 1215–6
Interaction between uranium tetrafluoride oxide and the pentafluorides of arsenic, niobium, tantalum, and bismuth, 2303–6
ARSINE
Structural characterization of a binuclear tin adduct: μ-[1,2-bis(diphenylarsoryl)ethane-*O*:*O*′]-bis(chlorotriphenyltin), 847–50
Complexes containing mercury–molybdenum bonds: new compounds of the type $[HgX\{trans\text{-}Mo(CO)_2L(\eta^5\text{-}C_5H_5)\}]$ (L = arsine or phosphine). Crystal and molecular structure of $[Hg(CN)\{trans\text{-}Mo(CO)_2(AsMe_2Ph)(\eta^5\text{-}C_5H_5)\}]$, 2117–20
Synthesis, properties, and *X*-ray structural characterization of [tris(2-diphenylphosphinoethyl)phosphine]nickel(i) perchlorate and triphenylphosphine[tris(2-diphenylarsinoethyl)amine]nickel(i) perchlorate, 2263–8
The synthesis and properties of tris(diphosphine)- and bis(triphosphine)-chromium(iii) cations and analogues with arsenic and sulphur donor ligands, 2569–72
Diphosphine and diarsine complexes of chromium(iii). Crystal and molecular structure of $[NPr^n_4][Cr(cis\text{-}Ph_2PCHCHPPh_2)Cl_4]$, 2573–80
Structural characterization of a binuclear tin adduct: μ-oxalato-bis[nitratodiphenyl(triphenylarsine oxide)tin(iv)], 2689–92
ARSONATE
Oxy- and thio-phosphorus acid derivatives of tin. Part 12. A Mössbauer spectroscopic investigation of the structures and polymorphic behaviour of diorganotin(iv) phenyl-phosphonates and –arsonates, 1523–8
ARSONIUM
Crystal and molecular structure of polymeric tetraphenylarsonium bis(1,2-dicyanoethene-1,2-dithiolato)bismuthate(iii), 1067–70
ARYL
Dialkyl, diaryl, and alkyl aryl complexes of ruthenium(ii), 2473–8
ASYMMETRIC
Asymmetric synthesis of alanine using cobalt(iii) complexes of (3*R*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane and (3*S*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane, 999–1002
AURANOFIN
Proton, carbon-13, and phosphorus-31 nuclear magnetic resonance studies of (2,3,4,6-Tetra-*O*-acetyl-1-thio-β-D-glucopyranosato-*S*)(triethylphosphine)gold (Auranofin), a novel antiarthritic agent, 1331–4
AURATE
Kinetics and mechanism for reduction of tetrabromoaurate(iii) by uridine, 2329–32
AZIDO
Azido- and thiocyanato-derivatives of some chlorofluorophosphate(v) ions, 1159–64
AZO
Synthesis, crystal and molecular structure of the compound dichlorobis[2-(phenylazo)phenyl-C^1N^2]tin(iv), 169–72
The Mössbauer recoil-free fraction and structure. Part 3. Triorganotin arylazobenzoates, 363–70
The reaction of arenediazonium ions with cycloheptatriene (cht) and with $[Fe(CO)_3(\eta^4\text{-cht})]$: azo-coupling *versus* hydrazone formation, 1465–8
Azo-complexes of bis(cyclopentadienyl)-titanium and -vanadium; model systems for N–N multiple bond activation, 1515–22
AZO-COUPLING
The reaction of co-ordinated cyclo-octatetraene with arenediazonium ions: azo-coupling *vs.* arylation, 111–6
AZOMETHINE
Azomethine derivatives. Part 20. Crystal and molecular structures of the lithioketimine $[\{Li(N{=}CBu^t_2)\}_6]$ and lithioguanidine $[\{Li[N{=}C(NMe_2)_2]\}_6]$; electron-deficient bridging of Li_3 triangles by methyleneamino-nitrogen atoms, 1309–18
Compartmental ligands. Part 5. Copper(ii) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione: crystal and molecular structure of [3,11-dimethyl-1,13-bis(pyrrol-2-yl)-7-oxa-4,10-diazatrideca-2,11-diene-1,13-dionato(2–)-*N*,*N*′,*O*,*O*′]copper(ii), 1345–50
AZURIN
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(NC)_5FeCNCo(CN)_5]^{5-}$ and $[Fe(CN)_6]^{3-}$, 1949–54
BARIUM
Trihapto–hexahapto fluxional behaviour of a macrocyclic ligand: template synthesis, proton nuclear magnetic resonance spectra, and the crystal and molecular structure of an eleven-co-ordinate barium(ii) complex, 1653–60
Complexation of alkali- and alkaline-earth-metal cations by a conjugated tetraimine macrocyclic ligand: synthesis, sodium-23 nuclear magnetic resonance spectra, and the *X*-ray structure of a twelve-co-ordinate barium(ii) 'sandwich' complex, 1857–64
BENZALAZINE
Synthesis and characterization of cyclometallated complexes of benzalazines. Crystal and molecular structure of $[\{Pd(p\text{-}ClC_6H_3CH{=}N{-})Cl(PEt_3)_2\}_2]$, 2441–6
BENZIMIDAZOLE
Synthesis and *X*-ray structure of the tetrameric molybdenum complex $[C_{16}H_{13}N_2S_2]^+{}_2[Mo_4Cl_4O_8(OEt)_4]^{2-}$, 65–70
2,2′-Bibenzimidazolate anions as bridging ligands in cationic heteronuclear gold(i)–rhodium(i) complexes. Crystal structure of $[(Ph_3P)_2Au_2(\mu\text{-bbzim})Rh(cod)][ClO_4]{\cdot}CHCl_3$, 323–30
BENZOPLATINACYCLOPENTENE
δ-hydrogen abstraction from alkyl and phosphine ligands co-ordinated to platinum(ii); formation of benzoplatinacyclopentene complexes, 1051–8
BENZOQUINOLINE
Crystal structure of bis(benzo[*h*]quinolin-10-yl-C^{10},*N*)dicarbonylruthenium(ii), 2121–4
BERYLLIUM
The hydrolysis of metal ions. Part 7. Beryllium(ii), 2001–4
BICYCLO-OCTADIENE
The reactions of $[Fe(CO)_{3-x}\{P(OMe)_3\}_x(\eta^3\text{-}C_8H_8R^*)]^+$ with halide ions: ring opening of η³-bicyclo-octadienyl (R* = H), and methyl halide elimination of η⁵-cyclo-octatrienyl (R* = N_2R, where R = aryl) complexes, 117–20
BI-IMIDAZOLE
Bi-imidazole (H_2bim) and bibenzimidazole η³-allylic complexes of palladium(ii). Mono- and tetra-nuclear palladium(ii) and heteronuclear palladium(ii)–rhodium(i) complexes. Crystal structure of $[Pd_4(\eta^3\text{-}C_3H_5)_4(\mu\text{-bim})_2]{\cdot}CH_2Cl_2$, 1729–38
BIMETAL
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 20. Complexation of carbon–metal triple bonds with low-valent species; crystal structures of the bimetal complexes $[CrW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_4(\eta\text{-}C_5H_5)(\eta\text{-}C_6Me_6)]$ and $[CoW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_5(\eta\text{-}C_5H_5)(\eta\text{-}C_5Me_5)]$, 2075–82
BIPHENYLDIOLATO
The reaction of 1,1′-biphenyl-2,2′-diol with iron(iii) and the crystal structure of piperidinium bis[μ-(1,1′-biphenyl-2,2′-diolato-*O*,μ-*O*′)-(1,1′-biphenyl-2,2′-diolato-*O*,*O*′)ferrate(iii)]-ethanol(1/2), 1385–90
BIPYRIDYL
Thermodynamic and spectroscopic properties of mixed-ligand complexes of copper(ii) with pyridine, 2,2′-bipyridyl, and 2,2′:6′,2″-terpyridyl in aqueous solution, 1279–84
Complex formation between polymers containing the 2,2′-bipyridyl group and iron(ii), 1511–4
The electronic absorption spectrum and structure of the emitting state of the tris(2,2′-bipyridyl)ruthenium(ii) complex ion, 1801–4
The crystal structure and electronic properties of *catena*-bis(2,2′-bipyridyl)-μ-tetrafluoroborato-copper(ii) tetrafluoroborate and *catena*-bis(2,2′-bipyridyl)-μ-perchlorato-copper(ii) perchlorate,

BIPYRIDYL (contd.)
2333–8
Studies on the solubility of 2,2′-bipyridyl, 1,10-phenanthroline, and their tris iron(II) perchlorates in methanol–water mixtures, and the determination of the 'medium effect' of ions, 2685–8
BIS(DIPHENYLPHOSPHINO)ETHANE
X-Ray crystal structure of a unique cyano-bridged cyclic palladium(II) trimer, 1305–8
Chemistry of platinum sulphido-complexes. Part 3. Crystal and molecular structure of tetrasulphido[1,2-bis(diphenylphosphino)ethane]platinum(II) and a study of its bonding and reactions, 1325–30
BISMUTH
The ultra-violet photoelectron spectra of gas-phase and condensed bismuth halides and antimony trifluoride, 635–8
Interaction between uranium tetrafluoride oxide and the pentafluorides of arsenic, niobium, tantalum, and bismuth, 2303–6
Synthesis and *X*-ray crystal structure of trichlorotris[1-phenyl-3-(2-pyridyl)-2-thiourea-*S*]bismuth(III) and di-μ-chloro-tetrachlorotetrakis(*NN*′-diethylimidazolidine-2-thione-*S*)dibismuth(III), 2425–8
BISMUTHATE
Crystal and molecular structure of polymeric tetraphenylarsonium bis(1,2-dicyanoethene-1,2-dithiolato)bismuthate(III), 1067–70
BIS(SULPHINYLNITRILO)SULPHUR
Preparation and crystal and molecular structure of a polymeric bis(sulphinylnitrilo)sulphur complex of silver(I): $[Ag_4\{S(NSO)_2\}_9][AsF_6]_4 \cdot SO_2$, 1211–4
BOND DISSOCIATION ENERGY
Standard enthalpies of formation of diamine(dicarboxylato)platinum(II) complexes and of bis(pentane-2,4-dionato)platinum(II): the mean Pt–O bond dissociation enthalpies, 2657–60
BONDING
Bonding in clusters. Part 6. An evaluation of Stone's theory of bonding in *closo*-borane anions, through MNDO calculations, 975–80
BORANE
Bonding in clusters. Part 6. An evaluation of Stone's theory of bonding in *closo*-borane anions, through MNDO calculations, 975–80
Preparation and properties of difluorophosphino-derivatives of phosphorus(III) hydroxy-compounds, 1983–8
Metallaborane chemistry. Part 13. Direct insertion of a platinum nucleophile into *nido*-5,6-$C_2B_8H_{12}$: synthesis and structural elucidation of [9-H-9,9-$(Et_3P)_2$-$\mu_{10,11}$-H-7,8,9-$C_2PtB_8H_{10}$] and [9-H-9,10-$(Et_3P)_2$-7,8,9-$C_2PtB_8H_9$], 2063–70
BORATE
Nitrosyl complexes of molybdenum and tungsten. Part 17. Hydrazido(1–) complexes of [tris(3,5-dimethylpyrazolyl)-borato]molybdenum, related tungsten compounds, and the structures of *NN*-dimethylhydrazido(1–)-and *N*-methyl-*N*-phenylhydrazido(1–)-(iodo(nitrosyl)[tris(3,5-dimethylpyrazol-1-yl)borato]molybdenum, 71–80
Arylamido and aryloxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, some mixed alkoxy/aryloxy and aryloxy/monoalkylamido species, and the structures of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(NHC_6H_4R\text{-}p)]$ (R = Me and OMe), 81–90
Mono- and bis-thiolato, mixed thiolato–monoalkylamido, and thiolato–alkoxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, and the crystal and molecular structure of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(SC_6H_{11})]$, 91–6
The reactions of acetone and of diacetone alcohol with $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I_2]$. The formation of $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I(OEt)]$ and the structures of $[\{Mo[HB(3,5\text{-}Me_2C_3HN_2)_3](NO)I\}_2O]$ and a bicyclic salt $[C_6H_3Me_3N_2(OH)][I_4(I_3)_2]$, 2287–92
The crystal structure and electronic properties of *catena*-bis(2,2′-bipyridyl)-μ-tetrafluoroborato-copper(II) tetrafluoroborate and *catena*-bis(2,2′-bipyridyl)-μ-perchlorato-copper(II) perchlorate, 2333–8
BORIC ACID
The formation of $K[B_5O_6(OH)_4] \cdot 2H_2O$ from H_3BO_3 and KF in aqueous solution, 1811–2
BROMATE
Mechanism of the bromate ion oxidation of the cobalt(II) complex of *trans*-cyclohexane-1,2-diamine-*NNN*′*N*′-tetra-acetic acid, 1015–6
BROMINE
A variable-temperature ^{79}Br nuclear quadrupole resonance and *X*-ray crystallographic investigation of dimethylammonium hexabromostannate(IV) $[NH_2Me_2]_2[SnBr_6]$, 1091–4
BROMO
Bromo-complexes of cobalt(II) in acetone, 1565–70
BUTADIENEDIYL
Complexes containing the diradical 1,2,3,4-tetraphenylbuta-1,3-diene-1,4-diyl; crystal structure of $[AuCl(C_4Ph_4)(phen)]$, 1131–6
BUTYRATE
Synthesis and reactions of osmium(III) chloro carboxylates. *X*-Ray crystal structure of tetra(μ-n-butyrato)-dichlorodiosmium(III) (*Os–Os*), 2109–16
CADMIUM
Electron spin resonance study of copper(II) ions in powder and crystals of aquatris(L-glutamato)cadmium(II) monohydrate, 489–94
Octahedrally co-ordinated zinc and cadmium compounds with five-membered heterocyclic OS_3N_2 ligands, 1891–4
Kinetics and mechanism of cadmium(II) ion assisted incorporation of manganese(II) into 5,10,15,20-tetrakis(4-sulphonatophenyl)porphyrinate(4–), 1955–60
CAESIUM
Solid-state properties of materials of the type Cs_4MX_6 (where M = Sn or Pb and X = Cl or Br), 767–70
Matrix isolation studies on alkali metal arsenates: the characterisation of molecular $CsAsO_3$, 851–4
Molybdenum(VI) complexes with malic acid: their inter-relationships, and the crystal structure of dicaesium bis[(*S*)-malato(2–)]-*cis*-dioxomolybdate(VI)–water (1/1), 1299–304
CALORIMETRY
Microcalorimetric studies of the thermal decomposition of ammonia–halide and amine–halide complexes of platinum(II), $[Pt(NH_2R)_2X_2]$, 2323–8
CAMPHOR OXIME
Preparation, crystal structure and attempts to cyclometallate *trans*-bis(D-camphor oxime-*N*)dichloropalladium(II), 2509–12
CARBABORANE
Metallaborane chemistry. Part 13. Direct insertion of a platinum nucleophile into *nido*-5,6-$C_2B_8H_{12}$: synthesis and structural elucidation of [9-H-9,9-$(Et_3P)_2$-$\mu_{10,11}$-H-7,8,9-$C_2PtB_8H_{10}$] and [9-H-9,10-$(Et_3P)_2$-7,8,9-$C_2PtB_8H_9$], 2063–70
CARBAMATE
NN-Dialkylcarbamato-complexes of 4*f* elements, 483–8
CARBENE
Reactions of acetylenes with noble-metal carbonyl halides. Part 6. Carbonyl insertion to give cyclic organo-carbene complexes of platinum(II): synthesis and *X*-ray structure of *cis*-[Pt-$\overline{CC(CO_2Et)=C(Ph)C(CO_2Et)=C(Ph)O}$](PPh$_3$)Cl$_2$], 827–34
Organic chemistry of dinuclear metal centres. Part 3. μ-Carbene complexes of iron and ruthenium from alkynes *via* μ-vinyl cations, 1417–26
Structural chemistry of binuclear metal centres. Crystal and molecular structures of the μ-vinyl and μ-methylcarbene complexes $[Fe_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CHCH_2)(\eta\text{-}C_5H_5)_2][BF_4]$ and $[Fe_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CHMe)(\eta\text{-}C_5H_5)_2]$, 1427–32
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 21. Reactivity of μ-(methoxy-*p*-tolylmethylene) and μ-(*p*-tolylmethylidyne) groups at a platinum–tungsten centre. *X*-Ray crystal structure of $[PtW\{\mu\text{-}C(OMe)C_6H_4Me\text{-}4\}(\mu\text{-}Ph_2PCH_2PPh_2)(CO)_5]$, 2083–90
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 22. Synthesis and some reactions of [bis(diphenylphosphino)methane]-pentacarbonyl-μ-[methoxy(methyl)methylene]platinumtungsten and the crystal structure of $[PtW(\mu\text{-}C{=}CH_2)(Ph_2PCH_2PPh_2)(CO)_5]$, 2091–8
Organic chemistry of dinuclear metal centres. Part 4. μ-Carbene and μ-vinyl complexes of ruthenium from allenes, 2099–108
Cyclic carbene complexes of molybdenum and tungsten. Crystal and molecular structure of $[MoI(CO)_2\{\overline{CO(CH_2)_2CH_2}\}(\eta\text{-}C_5H_5)]$, 2397–404
CARBIDE
New carbide clusters in the cobalt sub-group. Part 10. Preparation and crystallographic characterization of dicarbido-octa-μ-carbonyl-hexadecacarbonyl-*polyhedro*-dodecarhodate(2—) as its

CARBIDE (contd.)
bis(triphenylphosphine)iminium salt, $[N(PPh_3)_2]_2[Rh_{12}C_2(CO)_{24}]$, 249–52
Reactions of $[Ru_5C(CO)_{15}]$ involving bridging ligands: crystal and molecular structures of the complexes $[Ru_5(H)C(CO)_{14}(SEt)]$, $[Ru_5(H)C(CO)_{13}(PPh_3)(SEt)]$, $[Ru_5(H)C(CO)_{12}(PPh_3)(SEt)]$, and $[Ru_5C(CO)_{13}(PPh_3)\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}I)]$, 2311–22
The reductive activation of $[M_5C(CO)_{15}]$ (M = Ru or Os) and subsequent reactions of the dianion $[Os_5C(CO)_{14}]^{2-}$, carbonylation of $[M_5C(CO)_{15}]$ (M = Ru or Os), and the crystal structures of $[Os_5C(CO)_{16}]$, $[N(PPh_3)_2]_2[Os_5C(CO)_{14}]$, and $[Os_5C(CO)_{14}\{Au(PPh_3)\}_2]$, 2447–58
CARBON DISULPHIDE
Novel hetero trinuclear complexes triply bridged by carbon disulphide; *X*-ray crystal structure of the complex $[(OC)_2(\eta^5\text{-}C_5H_5)FeC(=S)SFe(\eta^5\text{-}C_5H_5)(CO)_2W(CO)_5]$, 1849–56
Unprecedented bridging mode of the triethylphosphine–carbon disulphide adduct $PEt_3{\cdot}CS_2$. *X*-Ray crystal structure of the binuclear silver(I) complex $[\{Ag(S_2CPEt_3)(\mu\text{-}S_2CPEt_3)\}_2][ClO_4]_2$, 1969–72
CARBONYL
Paramagnetic transition-metal carbonyls and cyanides. Part 9. An electron spin resonance study of the radiolysis of some iron carbonyls: the anions $[Fe(CO)_5]^-$ and $[Fe(CO)_4]^-$, 1171–4
Synthesis of triosmium clusters containing amidine ligands: *X*-ray structural characterization of $[Os_3(\mu\text{-}H)(CO)_9\{NPhC(Ph)NH\}]$, 1199–202
Reaction of $[Os_4(CO)_{12}H_3]^-$ with $[NO][PF_6]$ in the presence of trace amounts of water; *X*-ray determination of the molecular structures of $[Os_4(CO)_{12}H_3(\mu\text{-}OPO_3H_2)]$ and $[Os_4(CO)_{12}H_3(\mu\text{-}OH)]$ (2:1 ratio) in the one crystal, 1203–6
The reaction of a bridged vinylidenedi-iron complex with cobalt, iron, and manganese carbonyl species; *X*-ray crystal structures of the complexes $[Fe_3(\mu_3\text{-}CMe)(\mu\text{-}CO)_2(CO)_6(\eta\text{-}C_5H_5)]$ and $[Co_3Fe(\mu_4\text{-}C{=}CH_2)(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5H_5)]$, 1357–62
Paramagnetic transition-metal carbonyls and cyanides. Part 10. Electron addition to various carbonyl(η^5-cyclopentadienyl)metal halides; an electron spin resonance study, 1377–84
Heterometallic adducts of $[Rh_6(CO)_{15}C]^{2-}$, including the novel double- and triple-decker sandwich compounds $[Ag_n\{Rh_6(CO)_{15}C\}_2]^{(4-n)-}$ (n = 1 and 3) and $[Ag_n\{Rh_6(CO)_{15}C\}_3]^{(6-n)-}$ (n = 2 and 4) and the *X*-ray structural characterisation of $[PPh_4]_3[Ag\{Rh_6(CO)_{15}C\}_2]$, 2175–82
The preparation and characterisation of cationic formyl complexes of ruthenium(II); crystal and molecular structure of the complex *trans*-bis[1,2-bis(diphenylphosphino)ethane-*PP'*]carbonyl(deuterioformyl)ruthenium(II) hexafluoroantimonate–dichloromethane(1/1), 2501–8
Reactions of methyl complexes of iron(II) with Lewis bases, 2593–8
Reaction of $[Os_3(CO)_{10}]$ with acetylenes: the *X*-ray crystal structure of $[Os_3(CO)_{17}(HCCH)]$, 2645–50
CARBONYLATION
Dialkyl, diaryl, and alkyl aryl complexes of ruthenium(II), 2473–8
CARBOXYLATE
Synthesis and reactions of osmium(III) chloro carboxylates. *X*-Ray crystal structure of tetra(μ-n-butyrato)-dichlorodiosmium(III) (*Os–Os*), 2109–16
CARBOXYLATO
Areneruthenium(II) carboxylates: reactions with ligands and the *X*-ray structure of the *p*-cymene pyrazine complex $[Ru(\eta\text{-}p\text{-}MeC_6H_4CHMe_2)Cl(pyz)_2]PF_6$, 1571–82
CARBYNE
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 15. Reactions of the complex $[W(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (R = C_6H_4Me-4) with iron carbonyls; crystal structures of $[Fe_2W(\mu_3\text{-}CR)(\mu\text{-}CO)(CO)_8(\eta\text{-}C_5H_5)]$ and $[FeW_2(\mu\text{-}RC_2R)(CO)_5L(\eta\text{-}C_5H_5)_2]$ (L = CO or O), 101–10
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 16. Synthesis of the trimetal compounds $[M_2M'(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(\eta\text{-}C_5H_5)_2]$ (M = Mo or W, M' = W; M = M' = Mo), 513–8
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 17. Reactions of the compounds $[Ru_3(CO)_{12}]$, $[Os_3(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}]$, and $[Os_3(CO)_{10}(cyclo\text{-}C_8H_{14})_2]$ with $[W(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta\text{-}C_5H_5)]$; crystal structures of $[OsW_2\{\mu_3\text{-}C_2(C_6H_4Me\text{-}4)_2\}(CO)_7(\eta\text{-}C_5H_5)_2]$ (two isomers) and $[Os_3W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_{11}(\eta\text{-}(C_5H_5)]$, 519–26
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 18. Synthesis of the complexes $[MW(\mu\text{-}CC_6H_4Me\text{-}4)\{\mu\text{-}(\sigma{:}\eta^2\text{-}CO)\}(CO)(\eta\text{-}C_5H_5)_2]$ (M = Ti or Zr) and the crystal structure of the titanium–tungsten compound, 527–30
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 20. Comp'lexation of carbon–metal triple bonds with low-valent species; crystal structures of the bimetal complexes $[CrW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_4(\eta\text{-}C_5H_5)(\eta\text{-}C_6Me_6)]$ and $[CoW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_5(\eta\text{-}C_5H_5)(\eta\text{-}C_5Me_5)]$, 2075–82
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 21. Reactivity of μ-(methoxy-*p*-tolylmethylene) and μ-(*p*-tolylmethylidyne) groups at a platinum–tungsten centre. *X*-Ray crystal structure of $[PtW\{\mu\text{-}C(OMe)C_6H_4Me\text{-}4\}(\mu\text{-}Ph_2PCH_2PPh_2)(CO)_5]$, 2083–90
CATALYSIS
The chemistry of vitamin B_{12}. Part 21. Aquoethynylcobinamide: novel reaction of diaquocobinamide with acetylene catalysed by copper ions, 225–30
Polymer-supported complexes. Part 3. Synthesis of a polystyrene-anchored molybdenum(V) dithiocarbamato-derivative and its applications in reactions involving t-butyl hydroperoxide, 415–8
Polymer-supported complexes. Part 4. Decarbonylation of polystyrene-anchored dicarbonyl rhodium(I) complexes and applications as catalysts in cyclohexene hydrogenation, 419–24
Metal dimers as catalysts. Part 6. The use of $[\{Fe(CO)_2(\eta^5\text{-}C_5H_5)\}_2]$ as a catalyst in the metal carbonyl substitution reaction, 947–54
Rhodium-catalysed decomposition of hydroxymercurated ethylene to ethanol and acetate, 1319–24
Hydrolysis of imines. Part 2. Kinetics and mechanism of hydrolysis of *N*-salicylidene-2-aminopyridine in the presence and absence of copper(II) ion. A study of the catalytic effect of some mixed-ligand complexes of copper(II), 1503–10
Reaction of silver ion with $[ML_2X_2]$ (L = amine or phosphine; M = Pd or Pt; X = I, Cl, or SCN) leading to orthometallation and catalytic activity. *X*-Ray structure of *ab*-(2-aminomethyl)phenyl-*c*-carbonyl-*d*-iodoplatinum(II), 1619–24
Stoicheiometry and kinetics of the oxidation of hydroxylamine by peroxomonophosphoric acid in acidic perchlorate solutions and catalysis by iron(III) and iodide or iodine, 1831–6
Water oxidation to oxygen by cerium(IV) ions mediated by ruthenium dioxide catalyst, 2215–6
Alkali-induced decomposition of hydrogen peroxide, 2353–8
CATALYST
A spectroscopic investigation of cerium molybdenum oxides, 1825–30
CATECHOL
Solution chemistry of *NN'*-ethylenebis(salicylideneiminato)iron(III). Part 2. Formation equilibria of μ-oxo-bis[*NN'*-ethylenebis(salicylideneiminato)iron(III)] and catecholato[*NN'*-ethylenebis(salicylideneiminato)]ferrate(III), 1749–54
CATION
Formation and crystal structure of *trans*-bis(acetonitrile)tris(η^5-cyclopentadienyl)uranium(IV) tetrachloro-*trans*-dioxouranate(VI): a novel species involving the first cationic organo-*f*-metal complex and uranium in two different oxidation states, 1115–22
Cationic metal nitrosyl complexes. Part 5. Synthesis of dinitrosylmolybdenum compounds, 1143–8
C.D.
Single-crystal circular dichroism spectra of tris(pentane-2,4-dionato)cobalt(III) and tris(pentane-2,4-dionato)chromium (III), 291–4
Spectroscopic and theoretical studies of $[Fe(CO)_3(1,4\text{-diaza-}1,3\text{-butadiene})]$ complexes; *X*-ray structure and magnetic circular dichroism and resonance-Raman spectra of [1,2-bis(2′,6′-diisopropylphenylimino)ethane-*NN'*]tricarbonyliron, 439–46
CERIUM
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 4. The [M(bidentate ligand)$_4$] system: crystal structures of tetrakis(dibenzoylmethanato)-uranium(IV) and -cerium(IV), 567–70
The chemistry of quadrivalent lanthanoids. Part 2. Preparation and properties of cerium tetrachloride complexes and a comparison with their uranium analogues, 1265–70
A spectroscopic investigation of cerium molybdenum oxides, 1825–30
Water oxidation to oxygen by cerium(IV) ions mediated by ruthenium dioxide catalyst, 2215–6
CHALCOGEN
Multinuclear nuclear magnetic resonance studies of

CHALCOGEN (contd.)
trimethylplatinum(IV) complexes with organochalcogen ligands, 2345–52
CHARGE TRANSFER
Chemistry of ruthenium. Part 8. New tris complexes of ruthenium(III). Synthesis, spectra, and redox activity, 955–60
Optical electronegativity, χ^*, of transition-metal ions in simple compounds, 1475–8
Reaction of bis(morpholinoselenocarbonyl) triselenide with iodine. Existence of a 1:1 charge-transfer precursory adduct in solution in an oxidative reaction. Isolation and crystal structure of the new (*N*-morpholinecarbodiselenoato)selenium(II) iodide, 1763–70
The reaction of organic dihalides with organyltelluride (RTe^-) anions: telluronium salts and charge-transfer complexes, 2143–6
CHIRAL
Diastereomeric chiral diphosphine chloro(η^5-cyclopentadienyl)ruthenium(II) complexes and the crystal structure of $[(S)RuCl(\eta^5\text{-}C_5H_5)\{(R)Ph_2PCH(Me)CH_2PPh_2\}]$, 2293–8
CHIRALITY
Chirality recognition of a clay surface modified by an optically active metal chelate, 679–82
CHLORATE
Structural studies of matrix-isolated alkali metal chlorates; an example of tridentate co-ordination by the chlorate ion, 1185–8
CHLORINATION
Chlorination of cyclohexene by copper(II) chloride, 1373–6
CHLORINE
Nuclear quadrupole resonance and stereochemistry. Part 7. The axial and equatorial chlorine atoms in octahedral complexes of antimony pentachloride, $SbCl_3L$ (L = donor ligand), 19–24
Nuclear quadrupole resonance and stereochemistry. Part 8. *cis–trans* Isomerism in octahedral $SnCl_4L_2$ complexes, 495–8
Multinuclear (^1H, ^{27}Al, and ^{35}Cl) nuclear magnetic resonance studies of solutions of aluminium salts in methanol, aqueous methanol, and aqueous acetone, 2639–44
CHLOROFLUOROPHOSPHATE
Azido- and thiocyanato-derivatives of some chlorofluorophosphate(V) ions, 1159–64
CHROMIA
Evolution of α-Cr_2O_3 from hydrous chromium oxides: magnetic susceptibility and extended *X*-ray absorption fine structure studies, 1895–900
CHROMIUM
Preparation of 1,1-diphenylthionitrosamine and *X*-ray crystal structures of two thionitrosamine complexes, 183–6
Apparent short potassium–hydrogen distances in potassium fluoride–malonic acid: a comment, 187–6
Single-crystal circular dichroism spectra of tris(pentane-2,4-dionato)cobalt(III) and tris(pentane-2,4-dionato)chromium (III), 291–4
Chemistry of the metal carbonyls. Part 82. Synthesis of complexes with bonds between rhodium and the sub-group 6 metals; *X*-ray crystal structure of $[CrRh(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5Me_5)(\eta\text{-}C_6H_6)]$, 507–12
Synthesis, properties, and *X*-ray crystal and molecular structures of homoleptic alkenyls of tin and chromium, 671–8
Chromium(II) chemistry. Part 15. Synthesis and magnetic properties of piperazinium, hydrazinium, and monoaryl and other substituted ammonium tetrachlorochromates, 1081–4
Metal–metal bond length variations and the electronic structure of dichromium(II) and dimolybdenum(II) complexes, 1085–90
Reductive preparation of bis(arene)metal complexes from metal halides in solution using potassium atoms, 1123–6
Equilibria in aqueous solutions of some chromium(2+) complexes, 1335–8
The synthesis and properties of tris(diphosphine)- and bis(triphosphine)-chromium(III) cations and analogues with arsenic and sulphur donor ligands, 2569–72
Diphosphine and diarsine complexes of chromium(III). Crystal and molecular structure of $[NPr^n_4][Cr(cis\text{-}Ph_2PCHCHPPh_2)Cl_4]$, 2573–80
CITRATE
Equilibrium and structural studies of silicon(IV) and aluminium(III) in aqueous solution. Part 9. A potentiometric study of mono- and poly-nuclear aluminium(III) citrates, 2513–8
CLAY
Chirality recognition of a clay surface modified by an optically active metal chelate, 679–82
CLUSTER
New carbide clusters in the cobalt sub-group. Part 10. Preparation and crystallographic characterization of dicarbido-octa-μ-carbonyl-hexadecacarbonyl-*polyhedro*-dodecarhodate(2—) as its bis(triphenylphosphine)iminium salt, $[N(PPh_3)_2]_2[Rh_{12}C_2(CO)_{24}]$, 249–52
Rhodium carbonyl clusters with interstitial nitrogen atoms. Part 1. Crystal and molecular structure of the bis(triphenylphosphine)iminium salt of the anion ennea-μ-carbonyl-hexacarbonyl-μ_6-nitrido-*polyhedro*-hexarhodate(1—), 253–6
The synthesis of $[Ru_5C(CO)_{15}]$ by the carbonylation of $[Ru_6C(CO)_{17}]$ and the reactions of the pentanuclear cluster with a variety of small molecules: the *X*-ray structure analysis of $[Ru_5C(CO)_{15}]$, $[Ru_5C(CO)_{15}(MeCN)]$, $[Ru_5C(CO)_{14}(PPh_3)]$, $[Ru_5C(CO)_{13}(PPh_3)_2]$, and $[Ru_5(\mu\text{-}H)_2C(CO)_{12}\{Ph_2P(CH_2)_2PPh_2\}]$, 277–90
X-Ray and neutron diffraction studies on $[Ru_4(CO)_8(\mu\text{-}H)_4\{P(OCH_3)_3\}_4]$ at 293 and 20 K: characterisation of the vibrational behaviour of two-co-ordinate hydrogen atoms, 463–74
Synthesis, magnetic properties, and *X*-ray structure of *catena*-μ_3-nitrato-*O*,*O*′,*O*″-[μ_3-hydroxo-1-nitrato-1,2;1,3;2,3-tris(μ-pyrazolato-*N*,*N*′)-2,3-bis(pyrazole-N^2)tricopper(II) monohydrate]. An unusual chain of trinuclear copper clusters, 539–46
Spectroscopic studies on C_2 hydrocarbon fragments. Part 1. Vibrational studies of cluster-bound vinyl and vinylidene ligands, 639–44
Formation of new halogeno mixed-metal clusters by oxidative addition of triphenylphosphinegold(I) halides to $[Ru_5C(CO)_{15}]$: crystal and molecular structures of $[Ru_5C(CO)_{15}\{\mu\text{-}Au(PPh_3)\}Cl]$ and $[Ru_5C(CO)_{14}\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}Br)]$, 787–98
Bonding in clusters. Part 6. An evaluation of Stone's theory of bonding in *closo*-borane anions, through MNDO calculations, 975–80
Three isomeric triosmium clusters containing bridging ligands derived from the salicylaldimine $PhCH_2N{=}CHC_6H_4OH$-2, 1023–6
Synthesis and reactivity of isocyanatogoldtriosmium clusters, 1179–84
Synthesis of triosmium clusters containing amidine ligands: *X*-ray structural characterization of $[Os_3(\mu\text{-}H)(CO)_9\{NPhC(Ph)NH\}]$, 1199–202
Synthesis, reactivity, and *X*-ray crystal structure of the cationic cluster complex $[Os_4H_3(CO)_{12}(NCMe)_2][BF_4]$, 1339–44
The reaction of a bridged vinylidenedi-iron complex with cobalt, iron, and manganese carbonyl species; *X*-ray crystal structures of the complexes $[Fe_2(\mu_3\text{-}CMe)(\mu\text{-}CO)_2(CO)_6(\eta\text{-}C_5H_5)]$ and $[Co_2Fe(\mu_4\text{-}C{=}CH_2)(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5H_5)]$, 1357–62
Bimetallic iron–rhodium anionic carbonyl clusters: $[Fe_2Rh(CO)_x]^-$ (x = 10 or 11), $[FeRh_4(CO)_{15}]^{2-}$, $[Fe_2Rh_4(CO)_{16}]^{2-}$, and $[FeRh_5(CO)_{16}]^-$, 1433–40
Synthesis and *X*-ray crystal structure of a tri-iridium cluster, $[Ir_3(CO)_9(Ph)(\mu_3\text{-}PPh)(\mu\text{-}dppm)]$, 1479–82
Electrophilic attack on the [μ_3-acetyl-C^1(Fe^1:Fe^2)O(Fe^1:Fe^3)]-nonacarbonyl-*triangulo*-triferrate(1–) anion by fluoroboric acid and methyl fluorosulphate. Carbon–oxygen bond cleavage to give μ_3-ethylidyne and μ-methoxo-groups. *X*-Ray crystal structures of $Fe_3(CO)_9(\mu_3\text{-}MeCO)(\mu\text{-}H)$, $Fe_3(CO)_9(\mu_3\text{-}CMe)(\mu_3\text{-}OMe)$, and $Fe_3(CO)_9(\mu_3\text{-}OMe)(\mu_3\text{-}COMe)$, 1557–64
Synthesis and crystal and molecular structure of $[Fe_2Rh_2(\mu\text{-}PPh_2)_4(\mu\text{-}CO)_2(CO)_6]$, an unusual straight-chain tetranuclear compound, 1607–12
X-Ray diffraction analysis of the disordered crystal and molecular structure of $[\{Co_3(CO)_9C\}_2SCO]$: its identity with the previously reported '$[\{Co_3(CO)_9(CS)\}_2]$', 1613–8
Syntheses of some organogoldtriosmium clusters; *X*-ray crystal structure of $[Os_3(CO)_9(PPh_3)\{Au(PPh_3)\}(2\text{-}NHC_5H_4N)]$, 1661–6
Intramolecular nucleophilic attack at the α-carbon atom of a μ_3-alkynyl ligand in a triosmium cluster, 1807–10
Multinuclear variable-temperature nuclear magnetic resonance study of rhodium carbonyl clusters containing encapsulated heteroatoms: ligand and metal polyhedral rearrangements, 1941–8
Heterometallic adducts of $[Rh_6(CO)_{15}C]^{2-}$, including the novel double- and triple-decker sandwich compounds $[Ag_n\{Rh_6(CO)_{15}C\}_2]^{(4-n)-}$ (n = 1 and 3) and $[Ag_n\{Rh_6(CO)_{15}C\}_3]^{(6-n)-}$ (n = 2 and 4) and the *X*-ray

CLUSTER (contd.)
structural characterisation of $[PPh_4]_3[Ag\{Rh_6(CO)_{15}C\}_2]$, 2175–82
The synthesis, reactivity, and crystal and molecular structure of $[Rh_3(\mu\text{-}PPh_2)_3(\mu\text{-}Cl)_2(\mu\text{-}CO)(CO)_3]$, an unusual 50-electron closed trinuclear cluster derivative of rhodium, 2229–34
Some reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with arenes; the molecular structure of $[Os_3H_2(CO)_9(C_6H_4)]$, 2257–62
Reactions of $[Ru_3C(CO)_{13}]$ involving bridging ligands: crystal and molecular structures of the complexes $[Ru_3(H)C(CO)_{14}(SEt)]$, $[Ru_3(H)C(CO)_{13}(PPh_3)(SEt)]$, $[Ru_3(H)C(CO)_{12}(PPh_3)(SEt)]$, and $[Ru_3C(CO)_{13}(PPh_3)\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}I)]$, 2311–22
Reaction of triruthenium dodecacarbonyl with nitrobenzene and structure of μ_3-phenylnitrene-triruthenium decacarbonyl, $[Ru_3(CO)_{10}(\mu_3\text{-}NPh)]$, 2339–42
Cluster chemistry. Part 18. Isocyanide complexes derived from $[Ru_3(CO)_{12}]$: crystal and molecular structures of $[Ru_3(CO)_{12-n}(CNBu^t)_n]$ ($n = 1$ or 2), 2365–74
Cluster chemistry. Part 19. Crystal and molecular structures of the complexes $[Ru_3(CO)_{11}\{P(C_6H_{11})_3\}]$, $[Ru_3(CO)_{10}\{P(OMe)_3\}_2]$, and $[Ru_3(CO)_9(PMe_3)_3]$: two examples of disordered metal cores within ordered ligand atom polyhedra, 2375–84
Cluster chemistry. Part 20. Preparation, *X*-ray crystal structures, and some reactions of $[Fe_3(CO)_{11}(CNBu^t)]$ and $[Fe_3(CO)_9(\mu_3\text{-}\eta^2\text{-}CNBu^t)]$, 2385–90
The reductive activation of $[M_3C(CO)_{13}]$ (M = Ru or Os) and subsequent reactions of the dianion $[Os_5C(CO)_{14}]^{2-}$, carbonylation of $[M_3C(CO)_{13}]$ (M = Ru or Os), and the crystal structures of $[Os_5C(CO)_{16}]$, $[N(PPh_3)_2]_2[Os_5C(CO)_{14}]$, and $[Os_5C(CO)_{14}\{Au(PPh_3)\}_2]$, 2447–58
Replacement of hydrido-ligands in triruthenium complexes by triphenylphosphinegold groups. Crystal structures of $[AuRu_3(\mu\text{-}COMe)(CO)_{10}(PPh_3)]$, $[AuRu_3(\mu\text{-}H)_2(\mu_3\text{-}COMe)(CO)_9(PPh_3)]$, and $[Au_3Ru_3(\mu_3\text{-}COMe)(CO)_9(PPh_3)_3]$, 2599–608
Reaction of $[Os_5(CO)_{19}]$ with acetylenes: the *X*-ray crystal structure of $[Os_5(CO)_{17}(HCCH)]$, 2645–50

COBALAMIN
Kinetics and mechanism of the interaction of *cis*-diammineaquaplatinum(II) with organocobalamins, 1929–34
The chemistry of vitamin B_{12}. Part 23. Decomposition of the cobalt(I) cobalamin B_{12s} in aqueous solution; a novel oscillating reaction, 2223–8

COBALT
Reduction–oxidation properties of organotransition-metal complexes. Part 15. Synthesis, electrochemistry, and reactivity of the radical cations $[Co(CO)_{2-n}L_n(\eta\text{-}C_5R_5)]^+$ ($n = 1$ or 2, L = phosphine, R = H or Me), 121–6
Trifluoroacetate complexes of cobalt(II), nickel(II), and copper(II) with pyridine-type ligands. Part 5. Dynamic nuclear magnetic resonance studies of *cis–trans* isomerism, 153–60
Single-crystal circular dichroism spectra of tris(pentane-2,4-dionato)cobalt(III) and tris(pentane-2,4-dionato)chromium (III), 291–4
Reduction–oxidation properties of organotransition-metal complexes. Part 16. Nitrosyl-bridged dicobalt complexes $[\{Co(\eta\text{-}NO)(\eta\text{-}C_5R_5)\}_2]^z$ (R = H or Me, $z = 0$ to $+2$) and $[Co_2(\mu\text{-}CO)(\mu\text{-}NO)(\eta\text{-}C_5Me_5)_2]^z$ ($z = 0$ or $+1$): synthesis, electrochemistry, and relative reactivity, 295–300
Inner-sphere oxidation of diaqua(nitrilotriacetato)cobaltate(II) by periodate in acetate medium. Isokinetic relationship for the oxidation of (aminopolycarboxylato)cobalt(II) complexes by periodate, 317–22
Kinetics and mechanisms of the reactions of nickel(II), cobalt(II), copper(II), and iron(III) with 1,1,1-trifluoropentane-2,4-dione, 331–6
Influence of electrolytic dissociation upon rates of reactions. Part 10. Acid-catalysed aquations of some penta-ammine (carboxylato)cobalt(III) ions in aqueous solutions, 337–42
Synthesis of novel mercury(I) complexes containing a linear chain Co–Hg–Hg–Co. *X*-Ray crystal structure of the complex $[\{Co[N(CH_2CH_2PPh_2)_3]\}_2(\mu\text{-}Hg_2)]$·thf, 349–52
Rates and activation parameters for dimethyl sulphoxide exchange with hexakis(dimethyl sulphoxide)-nickel(II), -cobalt(II), and -iron(III) ions, 353–8
Chirality recognition of a clay surface modified by an optically active metal chelate, 679–82
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 6. Some first-row transition-metal derivatives: crystal and molecular structures of $[Fe\{C_5(CO_2Me)_5\}_2(MeOH)_2]$, $[Co\{C_5(CO_2Me)_5\}_2(OH_2)_2]$, and $[Cu\{C_5(CO_2Me)_5\}_2(MeOH)_2]$, 815–22
Magnetic exchange interactions in perovskite solid solutions. Part 1. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Co_xO_3$ ($0 < x < 1$), 873–8
Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 2. An explanation for alkali-metal selectivity from the *X*-ray and molecular structure of tetrakis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1−)]dirubidiumcobalt(II) and comparison with the dipotassium analogue, 915–20
Asymmetric synthesis of alanine using cobalt(III) complexes of (3*R*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane and (3*S*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane, 999–1002
Mechanism of the bromate ion oxidation of the cobalt(II) complex of *trans*-cyclohexane-1,2-diamine-*NNN'N'*-tetra-acetic acid, 1015–6
Kinetics of solvolysis of the *trans*-dichlorotetra(4-methylpyridine)cobalt(III) ion in water and in water–propan-2-ol mixtures, 1035–8
Effects of electrolytic dissociation upon rates of reactions. Part 11. Metal ion catalysed rates of aquation of penta-ammineoxalatocobalt(III), 1175–8
Thermodynamic studies on the addition of molecular oxygen to cobalt(II) complexes. Part 1. The cobalt(II)–ethylenediamine–oxygen system in aqueous solution at 25 °C, 1247–52
Photochemistry of (η^3-allyl)tricarbonylcobalt in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of (η^3-allyl)dicarbonylcobalt, (η^3-allyl)dicarbonyl(dinitrogen)cobalt, (σ-allyl)tetracarbonylcobalt, and tetracarbonylcobalt complexes, 1291–8
The reaction of a bridged vinylidenedi-iron complex with cobalt, iron, and manganese carbonyl species; *X*-ray crystal structures of the complexes $[Fe_2(\mu_3\text{-}CMe)(\mu\text{-}CO)_2(CO)_6(\eta\text{-}C_5H_5)]$ and $[Co_2Fe(\mu_4\text{-}C{=}CH_2)(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5H_5)]$, 1357–62
Physico-chemical study of copper(II) and cobalt(II) chelates of tetra-2,3-pyridinoporphyrazine, 1391–400
Studies on transition-metal–peptide complexes. Part 8. Parent and mixed-ligand complexes of histidine-containing dipeptides, 1545–52
Bromo-complexes of cobalt(II) in acetone, 1565–70
X-Ray diffraction analysis of the disordered crystal and molecular structure of $[\{Co_3(CO)_9C\}_2SCO]$: its identity with the previously reported '$[\{Co_3(CO)_9(CS)\}_2]$', 1613–8
Structural and mechanistic studies of co-ordination compounds. Part 37. Ligand-substitution kinetics of some halogeno tetra-amine complexes of cobalt(III), ruthenium(II), and ruthenium(III), 1641–6
Nitrito–nitro linkage isomerisation of the penta-amminecobalt(III) complex in liquid ammonia, 1739–42
X-Ray and electrochemical investigation on a series of cobalt(II) complexes with quinquedentate ligands and their reactivity towards dioxygen, 2159–66
The chemistry of vitamin B_{12}. Part 22. Steric effects in the co-ordination of amines by cobalt(III) corrinoids, 2217–22
The chemistry of vitamin B_{12}. Part 23. Decomposition of the cobalt(I) cobalamin B_{12s} in aqueous solution; a novel oscillating reaction, 2223–8
The high-spin ground state of quadridentate salicylaldehyde Schiff-base complexes of cobalt(II) in *N*-heterocyclic solvents, 2281–6
Solvent effects on the kinetics of oxidation of cysteinatobis(ethylenediamine)cobalt(III) ion by peroxodisulphate, 2359–64
Synthesis, characterization, and crystal structure analysis of pentane-2,4-dionato(1,4,7,10-tetra-azacyclododecane)cobalt(III) diperchlorate monohydrate and its brominated complex (3-bromopentane-2,4-dionato)(1,4,7,10-tetra-azacyclododecane)cobalt(III) diperchlorate hemihydrate, 2405–10
Solvent dependence of the stereochemistry of base-catalyzed solvolysis of *trans*-$[Co(NH_3)_4(^{15}NH_3)X]^{3+/2+}$ (X = Me_2SO or Cl) ions, 2415–8
Reactivity of η^2-CS_2Me metal complexes as electrophiles, 2419–24
Crystal and molecular structure of the reversible dioxygen adduct of [*NN'*-4-methyl-4-azaheptane-1,7-diylbis(salicylideneiminato)]cobalt(II), 2563–8

COBINAMIDE
The chemistry of vitamin B_{12}. Part 20. Diaquocobinamide: p*K* values and evidence for conformational isomers, 217–24
The chemistry of vitamin B_{12}. Part 21. Aquoethynylcobinamide:

COBINAMIDE (contd.)
novel reaction of diaquocobinamide with acetylene catalysed by copper ions, 225–30
COMPARTMENTAL LIGAND
Compartmental ligands. Part 5. Copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione: crystal and molecular structure of [3,11-dimethyl-1,13-bis(pyrrol-2-yl)-7-oxa-4,10-diazatrideca-2,11-diene-1,13-dionato(2–)-*N,N',O,O'*]copper(II), 1345–50
Compartmental ligands. Part 6. Transition-metal complexes of a non-symmetric, acyclic, Schiff base derived from heptane-2,4,6-trione, 1-(*o*-hydroxyphenyl)butane-1,3-dione, and 1,2-diaminoethane, 2235–40
Compartmental ligands. Part 7. The reactions of 1,2-diaminobenzene and *cis*-1,2-diaminocyclohexane with heptane-2,4,6-trione and 1-(*o*-hydroxyphenyl)butane-1,3-dione. The crystal structures of 1-(*o*-aminophenyl)-2,6-dimethyl-4-pyridone hemihydrate and {3,3'-(*cis*-1,2-cyclohexanediyldi-imino)bis[1-(*o*-hydroxyphenyl)but-2-enonato]-(*N,N',O*^{1},*O*$^{1'}$)}copper(II), 2241–50
CONDUCTION
Studies on partially oxidised ammonium and methyl-substituted ammonium bis(oxalato)platinates, 1771–6
CONDUCTIVITY
Partially oxidised tetracyanoplatinate complexes containing both divalent and monovalent cations, 1411–6
$Pb_{0.77}K_{0.23}[Pt(CN)_4]\cdot 1.5H_2O$: A new type of partially oxidised tetracyanoplatinate salt, 2529–30
CONFIGURATION
Asymmetric synthesis of alanine using cobalt(III) complexes of (3*R*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane and (3*S*)-3-methyl-1,6-bis[(2*S*)-pyrrolidin-2-yl]-2,5-diazahexane, 999–1002
CONFORMATION
The chemistry of vitamin B_{12}. Part 20. Diaquocobinamide: p*K* values and evidence for conformational isomers, 217–24
COPPER
Trifluoroacetate complexes of cobalt(II), nickel(II), and copper(II) with pyridine-type ligands. Part 5. Dynamic nuclear magnetic resonance studies of *cis–trans* isomerism, 153–60
Crystal structure and electronic properties of bis(2,2'-bipyridyl)cyanocopper(II) nitrate dihydrate: a correlation of the in-plane angular distortion with the splitting of the electronic spectrum, 199–204
Nuclear quadrupole resonance of several copper(I) complexes with heterocyclic thioamido ligands. Crystal structure of chlorobis[tetrahydro-1*H*-pyrimidine-2-thione]copper(I), 301–4
Resonance Raman investigation of the electronic transitions of some iron(II) and copper(II) α-di-imine complexes, 305–10
Kinetics and mechanisms of the reactions of nickel(II), cobalt(II), copper(II), and iron(III) with 1,1,1-trifluoropentane-2,4-dione, 331–6
Electron spin resonance determination of formation constants of copper(II) dipeptide complexes, 409–14
Electron spin resonance study of copper(II) ions in powder and crystals of aquatris(L-glutamato)cadmium(II) monohydrate, 489–94
Hydrogen-bridged dimeric and trimeric copper(II) triflate compounds with racemic and optically active aminopropanols. Crystal and molecular structure of hexakis(*R,S*-2-aminopropan-1-ol-*N,O*)*bis*(*R,S*-2-aminopropan-1-olato-*N,O*)bis(trifluoromethanesulphonato-*O*)tricopper(II) bis(trifluoromethanesulphonate), 531–8
Synthesis, magnetic properties, and *X*-ray structure of *catena*-μ_3-nitrato-*O,O',O''*-[μ_3-hydroxo-1-nitrato-1,2;1,3;2,3-tris(μ-pyrazolato-*N,N'*)-2,3-bis(pyrazole-*N*^{2})tricopper(II) monohydrate]. An unusual chain of trinuclear copper clusters, 539–46
An extended *X*-ray absorption fine structure study of pentaamminecopper(II) bis(tetrafluoroborate): evidence for five equal bond lengths, 645–8
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3-hydroxy-4-[4'-(3'',4''-dichlorophenyl)-4'-hydroxy-2'-azabut-1'-en-1'-yl]-5-hydroxymethyl-2-methylpyridine (H_2L^2), $[(CuL^2)_4]\cdot 9CH_3OH$, 657–70
Spin density and structure of aquabis(2,2'-bipyridine)di-μ-hydroxo-sulphatodicopper(II) tetrahydrate at 4.2 K, 703–12
Preparation, crystal structure, and spectroscopic studies of $[NPr^n_4]_2[(PhS)CuS_2MoS_2]$ and $[NPr^n_4]_2[(PhS)CuS_2MoS_2Cu(SPh)]$, containing benzenethiolatocopper(I)–tetrathiomolybdate(VI) complex anions, 713–20
Axial ligation constants of copper(II) macrocyclic tetra-amine complexes, 995–8
Studies on blue copper protein models: syntheses, properties, and electron-transfer reactions of bis[4-(alkylmercaptomethyl)imidazole]copper(II) diperchlorate and related complexes and *X*-ray crystallographic analysis of bis[4-(n-propylmercaptomethyl)imidazole-*N*^{3}*S*]copper(II) diperchlorate, 1059–66
The reactivity of cyanogen towards compounds containing active hydrogens at carbon atoms. Part 3. Synthesis of bis[1-cyano-2-(1-iminoethyl)butane-1,3-dionato]copper(II) from cyanogen and bis(acetylacetonato)copper(II): kinetics, thermodynamics and *X*-ray crystal structure, 1217–24
Thermodynamics of metal complexes with ligand–ligand interaction, simple and mixed complexes of copper(II) and zinc(II) with adenosine 5'-triphosphate and L-tryptophan or L-alanine, 1271–8
Thermodynamic and spectroscopic properties of mixed-ligand complexes of copper(II) with pyridine, 2,2'-bipyridyl, and 2,2':6',2''-terpyridyl in aqueous solution, 1279–84
Compartmental ligands. Part 5. Copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione: crystal and molecular structure of [3,11-dimethyl-1,13-bis(pyrrol-2-yl)-7-oxa-4,10-diazatrideca-2,11-diene-1,13-dionato(2–)-*N,N',O,O'*]copper(II), 1345–50
Chlorination of cyclohexene by copper(II) chloride, 1373–6
Physico-chemical study of copper(II) and cobalt(II) chelates of tetra-2,3-pyridinoporphyrazine, 1391–400
Hydrolysis of imines. Part 2. Kinetics and mechanism of hydrolysis of *N*-salicylidene-2-aminopyridine in the presence and absence of copper(II) ion. A study of the catalytic effect of some mixed-ligand complexes of copper(II), 1503–10
Stability, electronic spectra, and structure of transition-metal ion complexes of a novel mixed-donor (nitrogen–sulphur) macrocycle, 1-thia-4,7-diazacyclononane, 1601–6
Resonance Raman spectra of copper(I) complexes with α-di-imine ligands, 1635–40
Characterization of a zinc(II) complex of a 15-membered macrocyclic ligand in the solid state and in solution: *X*-ray structure of (6,7,8,13,14,15,16,17,18,19-decahydro-5*H*-[*e,n*][1,4,8,12]-tetra-azacyclopentadecine)iodozinc(II) iodide, 1789–92
Study of ternary complexes of copper(II) containing tertiary amines and adenosine-5'-triphosphate in dioxan–water medium, 1901–4
Lewis-base adducts of Group 1B metal(I) compounds. Part 1. Synthesis and structure of $CuIL_n$ complexes (L = nitrogen base, $n \leqslant 1.5$), 1905–16
Lewis-base adducts of Group 1B metal(I) compounds. Part 2. Synthesis and structure of $CuIL_2$ complexes (L = nitrogen base), 1917–28
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(NC)_5FeCNCo(CN)_5]^{5-}$ and $[Fe(CN)_6]^{3-}$, 1949–54
Studies on the oxygenolysis of 9,10-phenanthrenequinone by CuXL (X = Cl or Br; L = pyridine, 2,2'-bipyridine, and 1,10-phenanthroline) complexes, 1995–2000
Equilibria and speciation of metal complexes important in hydrometallurgy. Part 3. Studies of the copper(II) complexes of 5-nonylsalicylaldoxime (Acorga P50), the effect of 4-nonylphenol and the formation of five-co-ordinate adducts with nitrogenous bases, 2043–6
X-Ray crystal structures of some adducts of dimeric copper(II) acetate. Nature of the copper–copper interaction, 2167–74
Oxidation and reduction of copper(II) complexes with saturated poly-aza macrocycles of varying size and denticity, 2191–6
Compartmental ligands. Part 7. The reactions of 1,2-diaminobenzene and *cis*-1,2-diaminocyclohexane with heptane-2,4,6-trione and 1-(*o*-hydroxyphenyl)butane-1,3-dione. The crystal structures of 1-(*o*-aminophenyl)-2,6-dimethyl-4-pyridone hemihydrate and {3,3'-(*cis*-1,2-cyclohexanediyldi-imino)bis[1-(*o*-hydroxyphenyl)but-2-enonato]-(*N,N',O*^{1},*O*$^{1'}$)}copper(II), 2241–50
2,9-Dimethyl-1,10-phenanthroline copper(I) complexes with some sulphur-containing amino acids, 2269–72
The crystal structure and electronic properties of *catena*-bis(2,2'-bipyridyl)-μ-tetrafluoroborato-copper(II) tetrafluoroborate and *catena*-bis(2,2'-bipyridyl)-μ-perchlorato-copper(II) perchlorate, 2333–8

COPPER (contd.)
Dinuclear metal complexes. Part 2. Synthesis, characterisation, and electrochemical studies of macrocyclic dicopper(II) complexes, 2429–34
Lead tetra-acetate oxidation of metallic copper to Cu^{2+}: an unusual oxidation, 2531–2
Kinetic studies on 1 : 1 electron-transfer reactions involving blue copper proteins. Part 6. Competitive inhibition of the $[Co(phen)_3]^{3+}$ (phen = 1,10-phenanthroline) oxidation of parsley plastocyanin PCu(I) by redox-inactive complexes, 2543–8
Kinetic studies on 1 : 1 electron-transfer reactions involving blue copper proteins. Part 7. Effects of pH and redox-inactive $[Pr(NH_3)_6]^{4+}$ on reactions of parsley plastocyanin with different inorganic redox partners, 2549–54
A comment on the crystal structure and electronic properties of bis(2,9-dimethyl-1,10-phenanthroline)nitratocopper(II) trichloroacetate trichloroacetic acid, 2693–4
CORRINOID
The chemistry of vitamin B_{12}. Part 22. Steric effects in the co-ordination of amines by cobalt(III) corrinoids, 2217–22
CREVICE
Crevice co-ordination: binding of a ligand molecule in a molecular crevice. Crystal and molecular structures of μ-oxo-μ-pyridine-μ-sulphido-bis[(*OO'*-di-isopropyl phosphorodithioato)oxomolybdenum(V)] and μ-oxo-μ-pyridazine-μ-sulphido-bis[(*OO'*-di-isopropyl phosphorodithioato)oxomolybdenum(V)], 649–56
CROWN
Crown ethers as second-sphere ligands. The interactions of transition-metal ammines with 18-crown-6 and dibenzo-18-crown-6, 607–14
Orbital levels of crown ethers and related macrocycles studied by ultraviolet photoelectron spectroscopy; relationship to complexation studies, 2519–24
Syntheses of *NN'*-bis(4'-benzo[15-crown-5])diaminoglyoxime and its complexes with copper(II), nickel(II), cobalt(II), cobalt(III), paladium(II), platinum(II), and uranyl(VI), 2537–42
CRYSTAL STRUCTURE
Crystal structure and normal co-ordinate analysis of diaqua(oxydiacetato)sulphatothorium(IV) monohydrate, 1–8
Synthesis and magnetochemical, spectroscopic, and structural studies of new tris(*NN*-dialkyldiselenocarbamato)iron(IV) tetrafluoroborate complexes, 25–30
The *X*-ray crystal structure determination of tetraphenylarsonium tris(η⁵-cyclopentadienyl)di-isothiocyanatouranate(IV), 45–50
Oxygen, sulphur, and selenium abstraction from WCl_4Y (Y = O, S, or Se) by triphenylphosphine. Crystal and molecular structure of tetrachlorobis(triphenylphosphine)tungsten(IV), 61–4
Synthesis and *X*-ray structure of the tetrameric molybdenum complex $[C_{16}H_{13}N_2S_2]^+{}_2[Mo_4Cl_4O_8(OEt)_4]^{2-}$, 65–70
Nitrosyl complexes of molybdenum and tungsten. Part 17. Hydrazido(1 −) complexes of [tris(3,5-dimethylpyrazolyl)-borato]molybdenum, related tungsten compounds, and the structures of *NN*-dimethylhydrazido(1 −)-and *N*-methyl-*N*-phenylhydrazido(1 −)-(iodo(nitrosyl)[tris(3,5-dimethylpyrazol-1-yl)borato]molybdenum, 71–80
Arylamido and aryloxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, some mixed alkoxy/aryloxy and aryloxy/monoalkylamido species, and the structures of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(NHC_6H_4R\text{-}p)]$ (R = Me and OMe), 81–90
Mono- and bis-thiolato, mixed thiolato–monoalkylamido, and thiolato–alkoxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, and the crystal and molecular structure of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(SC_6H_{11})]$, 91–6
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 15. Reactions of the complex $[W(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (R = C_6H_4Me-4) with iron carbonyls; crystal structures of $[Fe_2W(\mu_3\text{-}CR)(\mu\text{-}CO)(CO)_8\text{-}(\eta\text{-}C_5H_5)]$ and $[FeW_2(\mu\text{-}RC_2R)(CO)_5L(\eta\text{-}C_5H_5)_2]$ (L = CO or O), 101–10
Co-ordination chemistry of higher oxidation states. Part 4. Palladium(IV) complexes of nitrogen, phosphorus, and arsenic donor ligands. Crystal and molecular structures of $[Pd(bipy)Cl_4]$ and $[Pd\{o\text{-}C_6H_4(AsMe_2)_2\}_2Cl_2][ClO_4]_2$, 133–42
Synthesis, crystal and molecular structure of the compound dichlorobis[2-(phenylazo)phenyl-C^1N^2']tin(IV), 169–72
Synthesis of a macrocyclic metal complex incorporating peripheral hydroxyethyl tails: the *X*-ray structure of $[Mn(L^1)\text{-}Cl][BF_4]\text{-}4H_2O$, 177–80
Preparation of 1,1-diphenylthionitrosamine and *X*-ray crystal structures of two thionitrosamine complexes, 183–6
Apparent short potassium–hydrogen distances in potassium fluoride–malonic acid: a comment, 187–6
Crystal structure and electronic properties of bis(2,2'-bipyridyl)cyanocopper(II) nitrate dihydrate: a correlation of the in-plane angular distortion with the splitting of the electronic spectrum, 199–204
Substitution and insertion reactions of the dinuclear manganese μ-hydride complex $[M_2(\mu\text{-}H)(\mu\text{-}PPh_2)(CO)_8]$; crystal structures of the complexes $[Mn_2(\mu\text{-}\sigma:\eta^3\text{-}CH{=}CH_2)(\mu\text{-}PPh_2)(CO)_7]$ and $[Mn_2(\mu\text{-}H)(\mu\text{-}PPh_2)(CO)_6(CNBu^t)_2]$, 205–16
Preparation, structure, and reactions of alkenyl complexes of ruthenium(II), 231–8
New carbide clusters in the cobalt sub-group. Part 10. Preparation and crystallographic characterization of dicarbido-octa-μ-carbonyl-hexadecacarbonyl-*polyhedro*-dodecarhodate(2—) as its bis(triphenylphosphine)iminium salt, $[N(PPh_3)_2]_2[Rh_{12}C_2(CO)_{24}]$, 249–52
Rhodium carbonyl clusters with interstitial nitrogen atoms. Part 1. Crystal and molecular structure of the bis(triphenylphosphine)iminium salt of the anion ennea-μ-carbonyl-hexacarbonyl-μ_6-nitrido-*polyhedro*-hexarhodate(1—), 253–6
Alkyne ligands as three-electron donors: crystal structures of $[Mo(CO)(MeC_2Me)_2(\eta\text{-}C_5H_5)][BF_4]$ and $[Mo(NCMe)(MeC_2Me)_2(\eta\text{-}C_5H_5)][BF_4]$, 271–6
The synthesis of $[Ru_5C(CO)_{15}]$ by the carbonylation of $[Ru_6C(CO)_{17}]$ and the reactions of the pentanuclear cluster with a variety of small molecules: the *X*-ray structure analysis of $[Ru_5C(CO)_{15}]$, $[Ru_5C(CO)_{15}(MeCN)]$, $[Ru_5C(CO)_{14}(PPh_3)]$, $[Ru_5C(CO)_{13}(PPh_3)_2]$, and $[Ru_5(\mu\text{-}H)_2C(CO)_{12}\{Ph_2P(CH_2)_2PPh_2\}]$, 277–90
Nuclear quadrupole resonance of several copper(I) complexes with heterocyclic thioamido ligands. Crystal structure of chlorobis[tetrahydro-1*H*-pyrimidine-2-thione]copper(I), 301–4
2,2'-Bibenzimidazolate anions as bridging ligands in cationic heteronuclear gold(I)–rhodium(I) complexes. Crystal structure of $[(Ph_3P)_2Au_2(\mu\text{-}bbzim)Rh(cod)][ClO_4]\text{-}CHCl_3$, 323–30
Triphenylphosphine oxide complexes of actinide tetrahalides. Crystal and molecular structure of *trans*-tetrabromobis(triphenylphosphine oxide)uranium(IV), 343–8
Synthesis of novel mercury(II) complexes containing a linear chain Co–Hg–Hg–Co. *X*-Ray crystal structure of the complex $[\{Co[N(CH_2CH_2PPh_2)_3]\}_2(\mu\text{-}Hg_2)]\text{-}thf$, 349–52
The Mössbauer recoil-free fraction and structure. Part 3. Triorganotin arylazobenzoates, 363–70
Compartmental ligands. Part 4. The crystal and molecular structures of some oxovanadium(IV) complexes of acyclic ligands derived from heptane-2,4,6-trione and α,ω-alkanediamines, 371–80
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 1. The [M(unidentate ligand X)(unidentate ligand Y)$_7$] system: crystal structure of bis[chloroheptakis(dimethylformamide)uranium(IV)] tris[tetrachlorodioxouranate(VI)], 381–4
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 2. The [M(unidentate ligand X)$_4$(unidentate ligand Y)$_4$] system: crystal structure of tetrakis(hexamethylphosphor amide)tetrakis(isocyanato)uranium(IV), 385–92
Crystal structure of pentakis(dimethyl sulphoxide-*O*)dioxouranium(VI) bis(perchlorate), 393–6
Preparation and crystal structure of $[Mo\{S_2P(OMe)_2\}_3]$ and an improved route to $[MoCl_3(thf)_3]$, 397–8
Tetrakis(tetrasulphur tetranitrogen dioxide)silver hexafluoroarsenate(V), 405–8
η⁵-Cyclopentadienylrhodium(I) complexes containing diphosphines and their reactions with the electrophiles H^+ and Me^+. Crystal and molecular structure of $[Rh(\eta\text{-}C_5H_5)(CO)(Ph_2PCH_2PPh_2)]$, a complex with a unidentate bis(diphenylphosphino)methane ligand, 433–8
Spectroscopic and theoretical studies of $[Fe(CO)_3(1,4\text{-diaza-}1,3\text{-butadiene})]$ complexes; *X*-ray structure and magnetic circular dichroism and resonance-Raman spectra of [1,2-bis(2',6'-di-isopropylphenylimino)ethane-*NN'*]tricarbonyliron, 439–46
Crystal and molecular structure of (*cyclo*-L-methionylglycine)silver(I) nitrate, 453–4

CRYSTAL STRUCTURE (contd.)
NN-Dialkylcarbamato-complexes of 4*f* elements, 483–8
Formation of a bridged vinylidenedi-iron complex by nucleophilic attack on a carbonyl ligand of $[Fe_2(CO)_4(\eta\text{-}C_5H_5)_2]$, and the synthesis and *X*-ray crystal structure of $[(OC)_3Fe(\mu\text{-}Ph_2PCHPPh_2)FeH(CO)_3]$, 499–506
Chemistry of the metal carbonyls. Part 82. Synthesis of complexes with bonds between rhodium and the sub-group 6 metals; *X*-ray crystal structure of $[CrRh(\mu\text{-}CO)_2(CO)_2(\eta\text{-}C_5Me_5)(\eta\text{-}C_6H_6)]$, 507–12
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 17. Reactions of the compounds $[Ru_3(CO)_{12}]$, $[Os_3(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}]$, and $[Os_3(CO)_{10}(cyclo\text{-}C_8H_{14})_2]$ with $[W(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta\text{-}C_5H_5)]$; crystal structures of $[OsW_2\{\mu_3\text{-}C_2(C_6H_4Me\text{-}4)_2\}(CO)_7(\eta\text{-}C_5H_5)_2]$ (two isomers) and $[Os_3W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_{11}(\eta\text{-}C_5H_5)]$, 519–26
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 18. Synthesis of the complexes $[MW(\mu\text{-}CC_6H_4Me\text{-}4)\{\mu\text{-}(\sigma\text{:}\eta^2\text{-}CO)\}(CO)(\eta\text{-}C_5H_5)_3]$ (M = Ti or Zr) and the crystal structure of the titanium–tungsten compound, 527–30
Hydrogen-bridged dimeric and trimeric copper(II) triflate compounds with racemic and optically active aminopropanols. Crystal and molecular structure of hexakis(*R*,*S*-2-aminopropan-1-ol-*N*,*O*)*bis*(*R*,*S*-2-aminopropan-1-olato-*N*,*O*)bis(trifluoromethanesulphonato-*O*)tricopper(II) bis(trifluoromethanesulphonate), 531–8
Synthesis, magnetic properties, and *X*-ray structure of *catena*-μ_3-nitrato-*O*,*O*′,*O*″-[μ_3-hydroxo-1-nitrato-1,2;1,3;2,3-tris(μ-pyrazolato-*N*,*N*′)-2,3-bis(pyrazole-N^2)tricopper(II) monohydrate]. An unusual chain of trinuclear copper clusters, 539–46
An amido-bridged platinum olefin dimer. The synthesis, characterisation, and *X*-ray structure analysis of bis{chloro-μ-[1′—2′-η-*o*-isopropenylphenyl(methyl)amido-$C^{1'-2'}$,*N*;μ-*N*]platinum(II)}, 553–8
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 3. The [M(bidentate ligand)$_2$-(unidentate ligand)$_4$] system: crystal structures of tetrakis(isothiocyanato)bis(octamethylpyrophosphoramide-*OO*″)-uranium(IV) and tetrachlorobis(octamethylpyrophosphoramide-*OO*″)thorium(IV), 559–66
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 4. The [M(bidentate ligand)$_4$] system: crystal structures of tetrakis(dibenzoylmethanato)-uranium(IV) and -cerium(IV), 567–70
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 5. Ten-co-ordination: the crystal structures of tetrapotassium tetraoxalatouranate(IV) tetrahydrate (orthorhombic and triclinic phases), bicapped square antiprismatic and sphenocoronal stereochemistries, 571–84
The preparation and crystal structure of the 3:1 adduct of antimony trifluoride and antimony pentafluoride containing the $(Sb_3F_8^+)$, 619–26
Crevice co-ordination: binding of a ligand molecule in a molecular crevice. Crystal and molecular structures of μ-oxo-μ-pyridine-μ-sulphido-bis[(*OO*′-di-isopropyl phosphorodithioato)oxomolybdenum(V)] and μ-oxo-μ-pyridazine-μ-sulphido-bis[(*OO*′-di-isopropyl phosphorodithioato)oxomolybdenum(V)], 649–56
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3-hydroxy-4-[4′-(3″,4″-dichlorophenyl)-4′-hydroxy-2′-azabut-1′-en-1′-yl]-5-hydroxymethyl-2-methylpyridine (H_2L^2), $[(CuL^2)_4]\cdot 9CH_3OH$, 657–70
Synthesis, properties, and *X*-ray crystal and molecular structures of homoleptic alkenyls of tin and chromium, 671–8
Preparation and crystal structure of diaquabis(1,2-naphthoquinone-2-oximato-*ON*)dioxouranium(VI)–trichloromethane (1/2) and aquabis(1,2-naphthoquinone-1-oximato-*ON*)(triphenylphosphine oxide)dioxouranium(VI), 697–702
Spin density and structure of aquabis(2,2′-bipyridine)di-μ-hydroxo-sulphatodicopper(II) tetrahydrate at 4.2 K, 703–12
Preparation, crystal structure, and spectroscopic studies of $[NPr^n_4]_2[(PhS)CuS_2MoS_2]$ and $[NPr^n_4]_2[(PhS)CuS_2MoS_2Cu(SPh)]$, containing benzenethiolatocopper(I)–tetrathiomolybdate(VI) complex anions, 713–20
Investigation into aroylhydrazones as chelating agents. Part 3. Synthesis and spectroscopic characterization of complexes of Mn^{II}, Co^{II}, Ni^{II}, Cu^{II}, and Zn^{II} with 2,6-diacetylpyridine bis(benzoylhydrazone) and *X*-ray structure of aquachloro[2,6-diacetylpyridine bis(benzoylhydrazone)]manganese(II) chloride, 721–8
Iridium nitrosyl complexes of 9,10-phenanthrenequinone di-imine. Crystal structure of $[Ir(NO)\{HNC_{14}H_8N(PPh_3)\}(PPh_3)][PF_6]$, a species containing a phosphazene–imido-ligand, 779–82
Formation of new halogeno mixed-metal clusters by oxidative addition of triphenylphosphinegold(I) halides to $[Ru_5C(CO)_{15}]$: crystal and molecular structures of $[Ru_5C(CO)_{15}\{\mu\text{-}Au(PPh_3)\}Cl]$ and $[Ru_5C(CO)_{14}\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}Br)]$, 787–98
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 4. Some silver(I) complexes: crystal and molecular structures of $[\{Ag[C_5(CO_2Me)_5](OH_2)\}_n]\cdot 1.5nH_2O$, $[\{Ag[C_5(CO_2Me)_5](PPh_3)\}_2]$, and $[Ag\{C_5(CO_2Me)_5\}(PPh_3)_2]$, 799–808
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 5. Preparation and crystal and molecular structures of $[Au\{C_5(CO_2Me)_5\}(PPh_3)]$ and $[Au(PPh_3)_2][C_5(CO_2Me)_5]\cdot MeOH$, 809–14
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 6. Some first-row transition-metal derivatives: crystal and molecular structures of $[Fe\{C_5(CO_2Me)_5\}_2(MeOH)_2]$, $[Co\{C_5(CO_2Me)_5\}_2(OH_2)_2]$, and $[Cu\{C_5(CO_2Me)_5\}_2(MeOH)_2]$, 815–22
X-Ray crystal and molecular structure of *cis*(*NN*′), *trans*(*OO*′)-bis(2-aminoethanolato)-*cis*-dichloroplatinum(IV) dihydrate. The relationship of anti-tumour activity to ring closure, 823–6
Reactions of acetylenes with noble-metal carbonyl halides. Part 6. Carbonyl insertion to give cyclic organo-carbene complexes of platinum(II): synthesis and *X*-ray structure of *cis*-[Pt-$\overline{CC(CO_2Et)=C(Ph)C(CO_2Et)=C(Ph)O}\}(PPh_3)Cl_2]$, 827–34
Crystal and molecular structure of a new eight-membered tetraphospha-macrocycle, $(-\overline{PCPh=CMeCMe=C}-)_4$, 841–6
Structural characterization of a binuclear tin adduct: μ-[1,2-bis(diphenylarsoryl)ethane-*O*:*O*′]-bis(chlorotriphenyltin), 847–50
Preparation and *X*-ray crystal structure of $[(OC)_3Mo\{P_2[MeNC(O)NMe]_2\}_3Mo(CO)_3]$, 855–6
Reactions of manganese atoms with cyclic dienes and cycloheptatriene: crystal structure of carbonylbis(1—4-η-cyclohexa-1,3-diene)manganese, 901–4
Structural and spectroscopic studies on peroxymetallacyclic complexes of platinum, 911–4
Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 2. An explanation for alkali-metal selectivity from the *X*-ray and molecular structure of tetrakis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1−)]dirubidiumcobalt(II) and comparison with the dipotassium analogue, 915–20
Investigation into diphosphine oxides as ligands in diorganotin(IV) adducts. Part 1. Synthesis and spectroscopic characterization of 1,2-bis(diphenylphosphoryl)ethane tin complexes and *X*-ray structure of [1,2-bis(diphenylphosphoryl)ethane]di-n-butyldichlorotin(IV), 921–6
Reactions of co-ordinated ligands. Part 27. Formation of η^3-allyl and σ-vinyl complexes by nucleophilic attack on cationic molybdenum monoacetylene complexes. Molecular structures of $[Mo(CO)(PEt_3)(\eta^3\text{-}anti\text{-}1\text{-}MeC_3H_4)(\eta^5\text{-}C_9H_7)]$ and $[Mo\{P(OMe)_3\}_2\{\sigma\text{-}(E)\text{-}CH=CHBu^t\}(\eta\text{-}C_5H_5)]$, 927–40
Reactions of ruthenium triphenylphosphine complexes with diazadienes. Part 3. Preparation, characterization, *X*-ray crystal structure, and reactivity of a formally ruthenium(0) tris(α-di-imine) complex, 941–6
Preparation and properties of metallacyclopentane and dineopentyl derivatives of molybdenocene and tungstenocene. *X*-Ray crystal and molecular structure of bis(η-cyclopentadienyl)molybdenacyclopentane, 967–74
Synthesis of chloro(trimethylphosphine)tris(trimethylsilylmethyl)tungsten(IV); synthesis and molecular structure of di-μ-chloro-bis[dicarbonyl(trimethylphosphine)(1—2-η-trimethylsilylmethylcarbonyl)tungsten(II)], 1003–6
Preparation of trimeric and tetrameric bis(trifluoromethyl)arsazene; *X*-ray study of $[(CF_3)_2AsN]_4$, 1011–4
Studies on blue copper protein models: syntheses, properties, and electron-transfer reactions of bis[4-(alkylmercaptomethyl)imidazole]copper(II) diperchlorate and

CRYSTAL STRUCTURE (contd.)
related complexes and *X*-ray crystallographic analysis of bis[4-(n-propylmercaptomethyl)imidazole-N^3S]copper(II) diperchlorate, 1059–66
Crystal and molecular structure of polymeric tetraphenylarsonium bis(1,2-dicyanoethene-1,2-dithiolato)bismuthate(III), 1067–70
A variable-temperature ^{79}Br nuclear quadrupole resonance and *X*-ray crystallographic investigation of dimethylammonium hexabromostannate(IV) $[NH_2Me_2]_2[SnBr_6]$, 1091–4
Donor properties of triphenylantimony dihalides: preparation and crystal structures of $Ph_3SbCl_2{\cdot}SbCl_3$ and $[Ph_3SbCl][SbCl_6]$, 1095–100
Crystal structure of indium(III) dithizonate, 1109–14
Formation and crystal structure of *trans*-bis(acetonitrile)tris(η^5-cyclopentadienyl)uranium(IV) tetrachloro-*trans*-dioxouranate(VI): a novel species involving the first cationic organo-*f*-metal complex and uranium in two different oxidation states, 1115–22
Complexes containing the diradical 1,2,3,4-tetraphenylbuta-1,3-diene-1,4-diyl; crystal structure of $[AuCl(C_4Ph_4)(phen)]$, 1131–6
Syntheses and structural studies of dinitrosylmolybdenum complexes, 1137–42
Synthesis of triosmium clusters containing amidine ligands: *X*-ray structural characterization of $[Os_3(\mu\text{-}H)(CO)_9\{NPhC(Ph)NH\}]$, 1199–202
Reaction of $[Os_4(CO)_{12}H_3]^-$ with $[NO][PF_6]$ in the presence of trace amounts of water; *X*-ray determination of the molecular structures of $[Os_4(CO)_{12}H_3(\mu\text{-}OPO_3H_2)]$ and $[Os_4(CO)_{12}H_3(\mu\text{-}OH)]$ (2:1 ratio) in the one crystal, 1203–6
Reactions of tetrasulphur tetranitride with titanium and vanadium tetrachlorides; crystal structure of $VCl_2(S_2N_3)$, 1207–10
Preparation and crystal and molecular structure of a polymeric bis(sulphinylnitrilo)sulphur complex of silver(I): $[Ag_4\{S(NSO)_2\}_9][AsF_6]_4{\cdot}SO_2$, 1211–4
Trimeric thioformaldehyde as a ligand: preparation and crystal structure of $[Ag_2\{(CH_2S)_3\}_3][AsF_6]_2{\cdot}SO_2$, 1215–6
The reactivity of cyanogen towards compounds containing active hydrogens at carbon atoms. Part 3. Synthesis of bis[1-cyano-2-(1-iminoethyl)butane-1,3-dionato]copper(II) from cyanogen and bis(acetylacetonato)copper(II): kinetics, thermodynamics and *X*-ray crystal structure, 1217–24
Synthetic and *X*-ray structural studies of complexes formed by metallation of tri(1-pyrazolyl)methane by dimethylplatinum(II), 1253–60
Reduction of OsO_4 by some imidazolidine-2-thiones. *X*-Ray crystal structure of *trans*-dichlorotetrakis(*NN'*-diethylimidazolidine-2-thione)osmium(IV) diperchlorate, 1261–4
Molybdenum(VI) complexes with malic acid: their inter-relationships, and the crystal structure of dicaesium bis[(*S*)-malato(2–)]-*cis*-dioxomolybdate(VI)–water (1/1), 1299–304
X-Ray crystal structure of a unique cyano-bridged cyclic palladium(II) trimer, 1305–8
Azomethine derivatives. Part 20. Crystal and molecular structures of the lithioketimine $[\{Li(N{=}CBu^t_2)\}_6]$ and lithioguanidine $[\{Li[N{=}C(NMe_2)_2]\}_6]$; electron-deficient bridging of Li_3 triangles by methyleneamino-nitrogen atoms, 1309–18
Chemistry of platinum sulphido-complexes. Part 3. Crystal and molecular structure of tetrasulphido[1,2-bis(diphenylphosphino)ethane]platinum(II) and a study of its bonding and reactions, 1325–30
Synthesis, reactivity, and *X*-ray crystal structure of the cationic cluster complex $[Os_4H_3(CO)_{12}(NCMe)_2][BF_4]$, 1339–44
Compartmental ligands. Part 5. Copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione: crystal and molecular structure of [3,11-dimethyl-1,13-bis(pyrrol-2-yl)-7-oxa-4,10-diazatrideca-2,11-diene-1,13-dionato(2–)-*N,N',O,O'*]copper(II), 1345–50
The reaction of a bridged vinylidenedi-iron complex with cobalt, iron, and manganese carbonyl species; *X*-ray crystal structures of the complexes $[Fe_3(\mu_3\text{-}CMe)(\mu\text{-}CO)_2(CO)_6(\eta\text{-}C_5H_5)]$ and $[Co_3Fe(\mu_4\text{-}C{=}CH_2)(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5H_5)]$, 1357–62
Preparation and *X*-ray crystal-structure determinations of structural isomers of ferrocenyl-substituted dihydrofurans, 1367–72
The reaction of 1,1'-biphenyl-2,2'-diol with iron(III) and the crystal structure of piperidinium bis[μ-(1,1'-biphenyl-2,2'-diolato-*O,O'*)-(1,1'-biphenyl-2,2'-diolato-*O,O'*)ferrate(III)]–ethanol(1/2), 1385–90
Structural chemistry of binuclear metal centres. Crystal and molecular structures of the μ-vinyl and μ-methylcarbene complexes $[Fe_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CHCH_2)(\eta\text{-}C_5H_5)_2][BF_4]$ and $[Fe_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CHMe)(\eta\text{-}C_5H_5)_2]$, 1427–32
Synthesis and crystal structures of *cis*- and *trans*-dimethyl-di-μ-methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV), 1441–8
Synthesis and *X*-ray crystal structure of a tri-iridium cluster, $[Ir_3(CO)_6(Ph)(\mu_3\text{-}PPh)(\mu\text{-}dppm)]$, 1479–82
Structural studies of binuclear sulphido-bridged complexes of tungsten. Preparation and *X*-ray crystal structures of $[S_2W(\mu\text{-}S)_2W(NNMe_2)_2(PPh_3)]$ and $[\{W(SBu^t)_2(PMe_2Ph)\}_2(\mu\text{-}S)_2]{\cdot}CH_2Cl_2$, 1489–94
Reactivity of cyclopalladated compounds. Part 7. Syntheses of metallobicyclic compounds and their reactions with acetylenes. *X*-Ray crystal and molecular structures of the compounds $[(NMe_2CH_2C_6H_4)Pd\{C(CF_3){=}C(CF_3)(C_6H_4CH_2NMe_2)\}]$ and $\{[(NMe_2CH_2C_6H_4)C(CF_3){=}C(CF_3)]Pd\{C(CF_3){=}C(CF_3)\text{-}(CH_2C_9H_6N)\}]$, 1535–44
The chemistry of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—6-η-cyclo-octa-1,3,5-triene)ruthenium(0): preparation and *X*-ray crystal structure of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—4-η-cyclo-octa-1,3,5-triene)(trimethyl phosphite)ruthenium(0), 1553–6
Electrophilic attack on the $[\mu_3\text{-}acetyl\text{-}C^1(Fe^1{:}Fe^2)O(Fe^1{:}Fe^3)]$-nonacarbonyl-*triangulo*-triferrate(1–) anion by fluoroboric acid and methyl fluorosulphate. Carbon–oxygen bond cleavage to give μ_3-ethylidyne and μ-methoxo-groups. *X*-Ray crystal structures of $Fe_3(CO)_9(\mu_3\text{-}MeCO)(\mu\text{-}H)$, $Fe_3(CO)_9(\mu_3\text{-}CMe)(\mu_3\text{-}OMe)$, and $Fe_3(CO)_9(\mu_3\text{-}OMe)(\mu_3\text{-}COMe)$, 1557–64
Areneruthenium(II) carboxylates: reactions with ligands and the *X*-ray structure of the *p*-cymene pyrazine complex $[Ru(\eta\text{-}p\text{-}MeC_6H_4CHMe_2)Cl(pyz)_2]PF_6$, 1571–82
The synthesis, *X*-ray crystal structure, and electronic and vibrational characterisation of the mixed-valence, iodine-bridged complex $[Pt^{II}(diene)I][Pt^{IV}(dien)I_3]I_2$, 1583–6
Stability, electronic spectra, and structure of transition-metal ion complexes of a novel mixed-donor (nitrogen–sulphur) macrocycle, 1-thia-4,7-diazacyclononane, 1601–6
Synthesis and crystal and molecular structure of $[Fe_2Rh_2(\mu\text{-}PPh_2)_4(\mu\text{-}CO)_2(CO)_6]$, an unusual straight-chain tetranuclear compound, 1607–12
X-Ray diffraction analysis of the disordered crystal and molecular structure of $[\{Co_3(CO)_9C\}_2SCO]$: its identity with the previously reported $^1[\{Co_3(CO)_9(CS)\}_2]$', 1613–8
Reaction of silver ion with $[ML_2X_2]$ (L = amine or phosphine; M = Pd or Pt; X = I, Cl, or SCN) leading to orthometallation and catalytic activity. *X*-Ray structure of *ab*-(2-aminomethyl)phenyl-*c*-carbonyl-*d*-iodoplatinum(II), 1619–24
Reactions of co-ordinated ligands. Part 28. The reaction of nucleophilic reagents with the cationic bis(acetylene) molybdenum complexes $[Mo(CO)(RC_2R')_2(\eta\text{-}C_5H_5)][BF_4]$; *X*-ray crystal structures of $[Mo\{C(Me){=}C(Me)C(O)C(Me){=}CHMe\}(CO)_2(\eta\text{-}C_5H_5)]$ and $[Mo\{\eta^3{:}\eta^2\text{-}HBu^tC{\cdots}CH{\cdots}C{-}O{-}C(O)C(Bu^t){=}CH\}(CO)(\eta\text{-}C_5H_5)]$, 1625–34
Syntheses of some organogoldtriosmium clusters; *X*-ray crystal structure of $[Os_3(CO)_8(PPh_3)\{Au(PPh_3)\}(2\text{-}NHC_5H_4N)]$, 1661–6
Crystal structure of dimeric *N*-lithiohexamethyldisilazane etherate, $[(Et_2O)Li\{\mu\text{-}N(SiMe_3)_2\}_2Li(OEt_2)]$, 1671–4
Mono-, bi-, and tri-nuclear bis(diphenylphosphino)methane gold complexes. Crystal and molecular structures of [bis(diphenylphosphino)methane]bis(pentafluorophenyl)gold(III) perchlorate and 1,2:2,3-di-μ-[bis(diphenylphosphino)methane]-1,3-dichlorotrigold(I) chlorotris(pentafluorophenyl)aurate(III), 1679–86
Investigation into diphosphine oxides as ligands in diorganotin(IV) adducts. Part 2. Synthesis, spectroscopic characterization, and *X*-ray crystal structure of *cis*-1,2-bis(diphenylphosphoryl)ethylenetin complexes, 1687–94
Bi-imidazole (H_2bim) and bibenzimidazole η^3-allylic complexes of palladium(II). Mono- and tetra-nuclear palladium(II) and heteronuclear palladium(II)–rhodium(I) complexes. Crystal structure of $[Pd_4(\eta^3\text{-}C_3H_5)_4(\mu\text{-}bim)_2]{\cdot}CH_2Cl_2$, 1729–38
Reaction of bis(morpholinoselenocarbonyl) triselenide with iodine. Existence of a 1:1 charge-transfer precursory adduct in solution in an oxidative reaction. Isolation and crystal structure of the

CRYSTAL STRUCTURE (contd.)
new (*N*-morpholinecarbodiselenoato)selenium(II) iodide, 1763–70
Characterization of a zinc(II) complex of a 15-membered macrocyclic ligand in the solid state and in solution: *X*-ray structure of (6,7,8,13,14,15,16,17,18,19-decahydro-5*H*-[*e*,*n*][1,4,8,12]-tetra-azacyclopentadecine)iodozinc(II) iodide, 1789–92
Properties and structural characterization of the mixed-ligand complex oxydiacetato(2,2′:6′,2″-terpyridyl)copper(II) dihydrate, 1797–800
Mono-, bi-, and tri-nuclear η-cyclopentadienyl–rhodium complexes obtained from $[Rh_2(\eta\text{-}C_5H_5)_2(\mu\text{-}CO)(CO)_2]$. Crystal structure of $[\{Rh(\eta\text{-}C_5H_5)(\mu\text{-}CO)\}_3]\cdot 0.24Me_2CO$, 1813–8
Synthesis and crystal and molecular structure of $[(\eta\text{-}C_5H_5)Rh(\mu\text{-}CO)_2Rh(PPh_3)(\eta\text{-}C_5H_5)]$ an asymmetric bimetallic complex with a polar rhodium–rhodium bond, 1819–24
Novel hetero trinuclear complexes triply bridged by carbon disulphide; *X*-ray crystal structure of the complex $[(OC)_2(\eta^5\text{-}C_5H_5)FeC(=S)SFe(\eta^5\text{-}C_5H_5)(CO)_2W(CO)_5]$, 1849–56
Complexation of alkali- and alkaline-earth-metal cations by a conjugated tetraimine macrocyclic ligand: synthesis, sodium-23 nuclear magnetic resonance spectra, and the *X*-ray structure of a twelve-co-ordinate barium(II) 'sandwich' complex, 1857–64
Stereochemistry of metal complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecanepalladium(II) dichloride dihydrate, 1865–8
Synthesis and crystal structure of bis(1,4,7-triazacyclononane-*NN*′)platinum(II) dibromide dihydrate and its facile oxidation by oxygen: characterisation of bis(1,4,7-triazacyclononane-*NN*′*N*″)platinum(IV) tetraperchlorate, 1869–72
Intramolecular co-ordination by a hydroxy-group to methylmercury(II). Synthesis and characterization of complexes $[HgMe(L)]NO_3$ containing polydentate ligands (L), and the crystal structure of the tris(*N*-methylimidazol-2-yl)methanol complex, 1873–8
Reduction–oxidation properties of organotransition-metal complexes. Part 17. The reaction of $[Rh(CO)(PPh_3)(\eta\text{-}C_5H_5)]$ with one-electron oxidants: fulvalene complex and silver adduct formation, and the *X*-ray crystal structure of $[Ag\{Rh(CO)(PPh_3)(\eta\text{-}C_5H_5)\}_2][PF_6]\cdot C_6H_5Me$, 1879–86
Octahedrally co-ordinated zinc and cadmium compounds with five-membered heterocyclic OS_3N_2 ligands, 1891–4
Lewis-base adducts of Group 1B metal(I) compounds. Part 1. Synthesis and structure of $CuIL_n$ complexes (L = nitrogen base, $n \leqslant 1.5$), 1905–16
Lewis-base adducts of Group 1B metal(I) compounds. Part 2. Synthesis and structure of $CuIL_2$ complexes (L = nitrogen base), 1917–28
The reaction of S_2NAsF_6 with halogens: preparation and *X*-ray crystal structure of bis(difluorothio)nitronium hexafluoroarsenate(v), $(SF_2)_2NAsF_6$; preparation of $(SBr)_2NAsF_6$, and vibrational spectrum and normal-co-ordinate analysis of the $(SX)_2N^+$ (X = Cl or Br) cations, 1961–8
Unprecedented bridging mode of the triethylphosphine–carbon disulphide adduct $PEt_3\cdot CS_2$. *X*-Ray crystal structure of the binuclear silver(I) complex $[\{Ag(S_2CPEt_3)(\mu\text{-}S_2CPEt_3)\}_2][ClO_4]_2$, 1969–72
Crystal structures of the α alums $CsM[SO_4]_2\cdot 12H_2O$ (M = Rh or Ir), 1973–6
An aryltellurium mixed halide anion. Preparation and crystal and molecular structure of $[NBu^n_4][PhTeCl_3I]$, 2015–8
Tertiary phosphine adducts of manganese(II) dialkyls. Part 1. Synthesis, properties and structures of alkyl-bridged dimers, 2025–30
Metallaborane chemistry. Part 13. Direct insertion of a platinum nucleophile into *nido*-5,6-$C_2B_8H_{12}$: synthesis and structural elucidation of [9-H-9,9-$(Et_3P)_2$-$\mu_{10,11}$-H-7,8,9-$C_2PtB_8H_{10}$] and [9-H-9,10-$(Et_3P)_2$-7,8,9-$C_2PtB_8H_9$], 2063–70
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 20. Complexation of carbon–metal triple bonds with low-valent species; crystal structures of the bimetal complexes $[CrW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_4(\eta\text{-}C_5H_5)(\eta\text{-}C_6Me_6)]$ and $[CoW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_5(\eta\text{-}C_5H_5)(\eta\text{-}C_5Me_5)]$, 2075–82
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 21. Reactivity of μ-(methoxy-*p*-tolylmethylene) and μ-(*p*-to'ylmethylidyne) groups at a platinum–tungsten centre. *X*-Ray crystal structure of $[PtW\{\mu\text{-}C(OMe)C_6H_4Me\text{-}4\}(\mu\text{-}Ph_2PCH_2PPh_2)(CO)_5]$, 2083–90
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 22. Synthesis and some reactions of [bis(diphenylphosphino)methane]-pentacarbonyl-μ-[methoxy(methyl)methylene]platinumtungsten and the crystal structure of $[PtW(\mu\text{-}C\quad CH_2)(Ph_2PCH_2PPh_2)(CO)_5]$, 2091–8
Organic chemistry of dinuclear metal centres. Part 4. μ-Carbene and μ-vinyl complexes of ruthenium from allenes, 2099–108
Synthesis and reactions of osmium(III) chloro carboxylates. *X*-Ray crystal structure of tetra(μ-n-butyrato)-dichlorodiosmium(III) (*Os–Os*), 2109–16
Complexes containing mercury–molybdenum bonds: new compounds of the type $[HgX\{trans\text{-}Mo(CO)_2L(\eta^5\text{-}C_5H_5)\}]$ (L = arsine or phosphine). Crystal and molecular structure of $[Hg(CN)\{trans\text{-}Mo(CO)_2(AsMe_2Ph)(\eta^5\text{-}C_5H_5)\}]$, 2117–20
Crystal structure of bis(benzo[*h*]quinolin-10-yl-*C*^{10},*N*)dicarbonylruthenium(II), 2121–4
The crystal structure of the compound *meso*,*meso*′-ethylenebis[octaethylporphyrinatonickel(II)], 2127–30
Investigation into aroylhydrazones as chelating agents. Part 4. Synthesis and spectroscopic characterization of Co^{II}, Ni^{II}, Cu^{II}, and Zn^{II} complexes of 2,6-diacetylpyridine bis(2-thenoylhydrazone) and [illegible]stal structure of bis[2,6-diacetylpyridine bis(2-the[illegible]razonato)(2−)]dizinc(II), 2155–8
X-Ray and electrochemical investigation on a series of cobalt(II) complexes with quinquedentate ligands and their reactivity towards dioxygen, 2159–66
X-Ray crystal structures of some adducts of dimeric copper(II) acetate. Nature of the copper–copper interaction, 2167–74
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 7. Preparation and characterisation of some ruthenium complexes: crystal and molecular structure of η-cyclopentadienyl[η-1,2,3,4,5-pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, $[Ru(\eta\text{-}C_5H_5)\{\eta\text{-}C_5(CO_2Me)_5\}]$, 2183–90
The synthesis, reactivity, and crystal and molecular structure of $[Rh_3(\mu\text{-}PPh_2)_3(\mu\text{-}Cl)_2(\mu\text{-}CO)(CO)_3]$, an unusual 50-electron closed trinuclear cluster derivative of rhodium, 2229–34
Compartmental ligands. Part 7. The reactions of 1,2-diaminobenzene and *cis*-1,2-diaminocyclohexane with heptane-2,4,6-trione and 1-(*o*-hydroxyphenyl)butane-1,3-dione. The crystal structures of 1-(*o*-aminophenyl)-2,6-dimethyl-4-pyridone hemihydrate and {3,3′-(*cis*-1,2-cyclohexanediyldi-imino)bis[1-(*o*-hydroxyphenyl)but-2-enonato]-(*N*,*N*′,*O*^{1},*O*$^{1\prime}$)}copper(II), 2241–50
The reactions of tetrahydrothiophene (tht) with tribromosulphidoniobium(v) and trichlorosulphidoniobium(v) and the crystal structures of three of the products $Nb_2Cl_4S_3\cdot 4tht$, $Nb_2Br_4S_3\cdot 4tht$, and $NbBr_3S\cdot 2tht$, 2251–6
Some reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with arenes; the molecular structure of $[Os_3H_2(CO)_9(C_6H_4)]$, 2257–62
Synthesis, properties, and *X*-ray structural characterization of [tris(2-diphenylphosphinoethyl)phosphine]nickel(I) perchlorate and triphenylphosphine[tris(2-diphenylarsinoethyl)amine]nickel(I) perchlorate, 2263–8
Crystal and molecular structures of dinitritobis(pyridine)zinc(II), bis(2-methylpyridine)dinitritozinc(II), and dinitritobis(quinoline)nickel(II), 2273–80
The reactions of acetone and of diacetone alcohol with $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I_2]$. The formation of $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I(OEt)]$ and the structures of $[\{Mo[HB(3,5\text{-}Me_2C_3HN_2)_3](NO)I\}_2O]$ and a bicyclic salt $[C_6H_3Me_5N_2(OH)][I_3(I_3)_4]$, 2287–92
Diastereomeric chiral diphosphine chloro(η^5-cyclopentadienyl)ruthenium(II) complexes and the crystal structure of $[(S)RuCl(\eta^5\text{-}C_5H_5)\{(R)Ph_2PCH(Me)CH_2PPh_2\}]$, 2293–8
Reactions of $[Ru_3C(CO)_{15}]$ involving bridging ligands: crystal and molecular structures of the complexes $[Ru_5(H)C(CO)_{14}(SEt)]$, $[Ru_5(H)C(CO)_{13}(PPh_3)(SEt)]$, $[Ru_5(H)C(CO)_{12}(PPh_3)(SEt)]$, and $[Ru_5C(CO)_{13}(PPh_3)\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}I)]$, 2311–22
The crystal structure and electronic properties of *catena*-bis(2,2′-bipyridyl)-μ-tetrafluoroborato-copper(II) tetrafluoroborate and *catena*-bis(2,2′-bipyridyl)-μ-perchlorato-copper(II) perchlorate, 2333–8
Reaction of triruthenium dodecacarbonyl with nitrobenzene and structure of μ_3-phenylnitrene-triruthenium decacarbonyl, $[Ru_3(CO)_{10}(\mu_3\text{-}NPh)]$, 2339–42
Cluster chemistry. Part 18. Isocyanide complexes derived from $[Ru_3(CO)_{12}]$: crystal and molecular structures of $[Ru_3(CO)_{12-n}(CNBu^t)_n]$ (n = 1 or 2), 2365–74

CRYSTAL STRUCTURE (contd.)
Cluster chemistry. Part 19. Crystal and molecular structures of the complexes $[Ru_3(CO)_{11}\{P(C_6H_{11})_3\}]$, $[Ru_3(CO)_{10}\{P(OMe)_3\}_2]$, and $[Ru_3(CO)_9(PMe_3)_3]$: two examples of disordered metal cores within ordered ligand atom polyhedra, 2375–84
Cluster chemistry. Part 20. Preparation, *X*-ray crystal structures, and some reactions of $[Fe_3(CO)_{11}(CNBu^t)]$ and $[Fe_3(CO)_9(\mu_3\text{-}\eta^2\text{-}CNBu^t)]$, 2385–90
Reactivity of the rhodium(III) formamidinato-complex $[Rh(\eta\text{-}C_5Me_5)Cl(p\text{-}MeC_6H_4N{:::}CH{:::}NC_6H_4Me\text{-}p)]$ with CO and heterocumulenes. Crystal and molecular structure of the thioureido-complex $[Rh(\eta\text{-}C_5Me_5)Cl\{PhN{:::}C[N(C_6H_4Me\text{-}p)]\text{—}CH{=}NC_6H_4Me\text{-}p\}{:::}S]$, 2391–6
Cyclic carbene complexes of molybdenum and tungsten. Crystal and molecular structure of $[MoI(CO)_2\{\overline{CO(CH_2)_2CH_2}\}(\eta\text{-}C_5H_5)]$, 2397–404
Synthesis, characterization, and crystal structure analysis of pentane-2,4-dionato(1,4,7,10-tetra-azacyclododecane)cobalt(III) diperchlorate monohydrate and its brominated complex (3-bromopentane-2,4-dionato)(1,4,7,10-tetra-azacyclododecane)cobalt(III) diperchlorate hemihydrate, 2405–10
Synthesis and *X*-ray crystal structure of trichlorotris[1-phenyl-3-(2-pyridyl)-2-thiourea-*S*]bismuth(III) and di-μ-chloro-tetrachlorotetrakis(*NN'*-diethylimidazolidine-2-thione-*S*)dibismuth(III), 2425–8
Synthesis and characterization of cyclometallated complexes of benzalazines. Crystal and molecular structure of $[\{Pd(p\text{-}ClC_6H_3CH{=}N\text{—})Cl(PEt_3)_2\}_2]$, 2441–6
The reductive activation of $[M_3C(CO)_{13}]$ (M = Ru or Os) and subsequent reactions of the dianion $[Os_5C(CO)_{14}]^{2-}$, carbonylation of $[M_3C(CO)_{15}]$ (M = Ru or Os), and the crystal structures of $[Os_5C(CO)_{16}]$, $[N(PPh_3)_2]_2[Os_5C(CO)_{14}]$, and $[Os_5C(CO)_{14}\{Au(PPh_3)\}_2]$, 2447–58
Electrophilic behaviour of nitrosyls: the Boedeker reaction, the reactions of sulphite with nitrosyls, and the crystal and molecular structure of *cis*-bis(2,2'-bipyridine)chloro(nitrosylsulphito)ruthenium, 2465–72
Mixed oxidation state confacial bioctahedral complexes of tungsten possessing strong metal—metal interactions. Part 2. Synthesis, *X*-ray crystal structure and electron spin resonance studies of the W^{III}/W^{IV} complex $[AsPh_4]_2[Cl_3W(\mu\text{-}Cl)(\mu\text{-}SPh)_2WCl_3]\cdot 1.4CH_2Cl_2$, 2479–86
Crystal structure of the complex *cis*-oxobis[piperidine *N*-oxido(1—)-*NO*]thiomolybdenum(VI), containing a *cis*-$MoOS^{2+}$ group, 2495–500
The preparation and characterisation of cationic formyl complexes of ruthenium(II); crystal and molecular structure of the complex *trans*-bis[1,2-bis(diphenylphosphino)ethane-*PP'*]carbonyl(deuteriоformyl)ruthenium(II) hexafluoroantimonate—dichloromethane(1/1), 2501–8
Preparation, crystal structure and attempts to cyclometallate *trans*-bis(D-camphor oxime-*N*)dichloropalladium(II), 2509–12
Crystal and molecular structure of the reversible dioxygen adduct of [*NN'*-4-methyl-4-azaheptane-1,7-diylbis(salicylideneiminato)]cobalt(II), 2563–8
Diphosphine and diarsine complexes of chromium(III). Crystal and molecular structure of $[NPr^n_4][Cr(cis\text{-}Ph_2PCHCHPPh_2)Cl_4]$, 2573–80
The synthesis and reactions of some cyclopentadienylplatinum complexes. Crystal structure of $[Pt_2\{\mu\text{-}C(Ph)C(Ph)C(O)\}(\eta\text{-}C_5H_5)_2]$, 2585–92
Replacement of hydrido-ligands in triruthenium complexes by triphenylphosphinegold groups. Crystal structures of $[AuRu_3(\mu\text{-}COMe)(CO)_{10}(PPh_3)]$, $[AuRu_3(\mu\text{-}H)_2(\mu_3\text{-}COMe)(CO)_9(PPh_3)]$, and $[Au_2Ru_3(\mu_3\text{-}COMe)(CO)_9(PPh_3)_3]$, 2599–608
Tertiary phosphine adducts of manganese(II) dialkyls. Part 2. Synthesis, properties, and structures of monomeric complexes, 2631–8
Reaction of $[Os_3(CO)_{12}]$ with acetylenes: the *X*-ray crystal structure of $[Os_3(CO)_{17}(HCCH)]$, 2645–50
Organoimido-complexes of tungsten-(VI) -(V), and -(IV): crystal and molecular structures of $[W(NPh)Cl_3(PPh_3)_2]$ and $[W(NPh)Cl_2(PMe_3)_3]$, 2651–6
Organic chemistry of dinuclear metal centres. Part 6. μ-Vinylidene and μ-ethylidyne diruthenium complexes: crystal structures of *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CCH_2)(\eta\text{-}C_5H_5)_2]$ and *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CMe)(\eta\text{-}C_5H_5)_2][BF_4]$, 2661–8
The accommodation of oxygen clusters in hyperstoicheiometric uranium dioxide and its effects on crystal structure, 2673–8
Structural characterization of a binuclear tin adduct: μ-oxalato-bis[nitratodiphenyl(triphenylarsine oxide)tin(IV)], 2689–92
A comment on the crystal structure and electronic properties of bis(2,9-dimethyl-1,10-phenanthroline)nitratocopper(II) trichloroacetate trichloroacetic acid, 2693–4
CYANIDE
Cyano- and halogeno-bridged transition-metal complexes. Structural comparisons of neutral and cationic oligomers, 1793–6
Cyanide ion as a four-electron donating bridging ligand in a dimanganese compound, 2669–72
CYANO
X-Ray crystal structure of a unique cyano-bridged cyclic palladium(II) trimer, 1305–8
Electron-transfer kinetics and mechanism of di-imine bond formation in tetracyano(ethylenediamine)ferrate(II), 2051–6
$Pb_{0.77}K_{0.23}[Pt(CN)_4]\cdot 1.5H_2O$: A new type of partially oxidised tetracyanoplatinate salt, 2529–30
CYANOGEN
The reactivity of cyanogen towards compounds containing active hydrogens at carbon atoms. Part 3. Synthesis of bis[1-cyano-2-(1-iminoethyl)butane-1,3-dionato]copper(II) from cyanogen and bis(acetylacetonato)copper(II): kinetics, thermodynamics and *X*-ray crystal structure, 1217–24
CYCLISATION
Intramolecular nucleophilic attack at the α-carbon atom of a μ_3-alkynyl ligand in a triosmium cluster, 1807–10
CYCLOALKADIENE
Reactions of manganese atoms with cyclic dienes and cycloheptatriene: crystal structure of carbonylbis(1—4-η-cyclohexa-1,3-diene)manganese, 901–4
CYCLOHEPTATRIENE
Preparation and *X*-ray crystal structure of $[(OC)_3Mo\{P_2[MeNC(O)NMe]_2\}_3Mo(CO)_3]$, 855–6
The reaction of arenediazonium ions with cycloheptatriene (cht) and with $[Fe(CO)_3(\eta^4\text{-cht})]$: azo-coupling *versus* hydrazone formation, 1465–8
CYCLOHEXANEDIAMINETETRA-ACETIC ACID
Mechanism of the bromate ion oxidation of the cobalt(II) complex of *trans*-cyclohexane-1,2-diamine-*NNN'N'*-tetra-acetic acid, 1015–6
CYCLOHEXENE
Chlorination of cyclohexene by copper(II) chloride, 1373–6
CYCLO-OCTADIENE
The chemistry of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—6-η-cyclo-octa-1,3,5-triene)ruthenium(0): preparation and *X*-ray crystal structure of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—4-η-cyclo-octa-1,3,5-triene)(trimethyl phosphite)ruthenium(0), 1553–6
CYCLO-OCTATETRAENE
The reaction of co-ordinated cyclo-octatetraene with arenediazonium ions: azo-coupling *vs.* arylation, 111–6
Photochemistry of tricarbonyl(η⁴-cyclo-octatetraene)iron in a methane matrix at 12 K. Infrared spectroscopic evidence for photoisomerisation and carbon monoxide ejection reactions, 1351–6
CYCLO-OCTATRIENE
The reactions of $[Fe(CO)_{3-n}\{P(OMe)_3\}_n(\eta^5\text{-}C_8H_8R'')]^+$ with halide ions: ring opening of η⁵-bicyclo-octadienyl (R'' = H), and methyl halide elimination of η⁵-cyclo-octatrienyl (R'' = N_2R, where R = aryl) complexes, 117–20
CYCLOPALLADATION
Synthesis and characterization of cyclometallated complexes of benzalazines. Crystal and molecular structure of $[\{Pd(p\text{-}ClC_6H_3CH{=}N\text{—})Cl(PEt_3)_2\}_2]$, 2441–6
CYCLOPENTADIENE
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 4. Some silver(I) complexes: crystal and molecular structures of $[\{Ag[C_5(CO_2Me)_5](OH_2)\}_n]\cdot 1.5nH_2O$, $[\{Ag[C_5(CO_2Me)_5](PPh_3)\}_2]$, and $[Ag\{C_5(CO_2Me)_5\}(PPh_3)_2]$, 799–808
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 5. Preparation and crystal and molecular structures of $[Au\{C_5(CO_2Me)_5\}(PPh_3)]$ and $[Au(PPh_3)_2][C_5(CO_2Me)_5]\cdot MeOH$, 809–14
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 6. Some first-row transition-metal derivatives: crystal and molecular structures of $[Fe\{C_5(CO_2Me)_5\}_2(MeOH)_2]$, $[Co\{C_5(CO_2Me)_5\}_2(OH_2)_2]$, and $[Cu\{C_5(CO_2Me)_5\}_2(MeOH)_2]$,

CYCLOPENTADIENE (contd.)
815–22
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 7. Preparation and characterisation of some ruthenium complexes: crystal and molecular structure of η-cyclopentadienyl[η-1,2,3,4,5-pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, $[Ru(\eta\text{-}C_5H_5)\{\eta\text{-}C_5(CO_2Me)_5\}]$, 2183–90
CYCLOPENTADIENYL
Transfer of cyclopentadienyl groups between platinum atoms, 359–62
Bis(η-cyclopentadienyl)molybdenum chemistry: synthesis and reactions of ring-functionalised compounds, 861–4
Gas-phase ultraviolet photoelectron spectra of $[\{Ni(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_2R_2)]$ (R = H or CF_3) complexes, 869–72
Paramagnetic transition-metal carbonyls and cyanides. Part 10. Electron addition to various carbonyl(η⁵-cyclopentadienyl)metal halides; an electron spin resonance study, 1377–84
Mono-, bi-, and tri-nuclear η-cyclopentadienyl–rhodium complexes obtained from $[Rh_2(\eta\text{-}C_5H_5)_2(\mu\text{-}CO)(CO)_2]$. Crystal structure of $[\{Rh(\eta\text{-}C_5H_5)(\mu\text{-}CO)\}_3]\cdot 0.24Me_2CO$, 1813–8
Synthesis and crystal and molecular structure of $[(\eta\text{-}C_5H_5)Rh(\mu\text{-}CO)_2Rh(PPh_3)(\eta\text{-}C_5H_5)]$ an asymmetric bimetallic complex with a polar rhodium–rhodium bond, 1819–24
Electron spin resonance studies of some bis(cyclopentadienyl) complexes of vanadium(IV) and niobium(IV), 2057–62
The synthesis and reactions of some cyclopentadienylplatinum complexes. Crystal structure of $[Pt_2\{\mu\text{-}C(Ph)C(Ph)C(O)\}(\eta\text{-}C_5H_5)_2]$, 2585–92
CYCLOTRIPHOSPHANE
Substituent effects on the bonding properties in cyclotriphosphanes and related compounds. Polarization of Hückel *versus* Möbius orbitals, 2411–4
CYCLOTRIPHOSPHAZANE
1,3,5-Triethylcyclotriphosph(III)azanes and related compounds, 425–32
DECOMPOSITION
Alkali-induced decomposition of hydrogen peroxide, 2353–8
DIAZABUTADIENE
Spectroscopic and theoretical studies of $[Fe(CO)_3$(1,4-diaza-1,3-butadiene)] complexes; *X*-ray structure and magnetic circular dichroism and resonance-Raman spectra of [1,2-bis(2′,6′-diisopropylphenylimino)ethane-*NN*′]tricarbonyliron, 439–46
DIAZENIDE
Hydrazido-, diazenido- and amido-derivatives of lithium: a theoretical study related to nitrogen fixation reactions, 455–62
DIAZONIUM
The reaction of co-ordinated cyclo-octatetraene with arenediazonium ions: azo-coupling *vs.* arylation, 111–6
The reaction of arenediazonium ions with cycloheptatriene (cht) and with $[Fe(CO)_3(\eta^4\text{-cht})]$: azo-coupling *versus* hydrazone formation, 1465–8
DIETHYLENETRIAMINE
Kinetics of anation in platinum(II) and palladium(II) complexes of *N*-alkylated diethylenetriamine, 195–8
DIHYDROFURAN
Preparation and *X*-ray crystal-structure determinations of structural isomers of ferrocenyl-substituted dihydrofurans, 1367–72
DI-IMINE
Reactions of ruthenium triphenylphosphine complexes with diazadienes. Part 3. Preparation, characterization, *X*-ray crystal structure, and reactivity of a formally ruthenium(0) tris(α-di-imine) complex, 941–6
Redox-induced reactions of nickel maleonitriledithiolate αα′-di-imine complexes, 1019–22
Resonance Raman spectra of copper(I) complexes with α-di-imine ligands, 1635–40
Electron-transfer kinetics and mechanism of di-imine bond formation in tetracyano(ethylenediamine)ferrate(II), 2051–6
DIMER
X-Ray crystal structures of some adducts of dimeric copper(II) acetate. Nature of the copper–copper interaction, 2167–74
DIMETALLACYCLE
Organic chemistry of dinuclear metal centres. Part 5. Generation of hydrocarbons from methylene chains linking two metal centres. Evidence for a dimetallacycle intermediate, 2435–40
DIMETHYLGLYOXIME
Studies in nickel(IV) chemistry. Part 1. Preparation, characterization, and kinetics of formation of tris(dimethylglyoximato)nickelate(IV) in aqueous alkaline media, 1225–32
Studies in nickel(IV) chemistry. Part 2. Kinetics of proton-assisted decomposition of tris(dimethylglyoximato)nickelate-(IV) with concomitant intramolecular electron transfer in aqueous media, 1233–8
Studies in nickel(IV) chemistry. Part 3. Kinetics of metal(II) ion-mediated acid decomposition of tris(dimethylglyoximato)nickelate(IV) in aqueous medium, 1239–46
DINUCLEAR
Dinuclear metal complexes. Part 2. Synthesis, characterisation, and electrochemical studies of macrocyclic dicopper(II) complexes, 2429–34
Organic chemistry of dinuclear metal centres. Part 5. Generation of hydrocarbons from methylene chains linking two metal centres. Evidence for a dimetallacycle intermediate, 2435–40
Bimetallic systems. Part 2. Synthesis and interconversion of monodentate- and bridging-bis(diphenylphosphino)methane platinum, diplatinum, and mercury–platinum acetylides, 2487–94
DIOXANE
Preparation of monomeric neutral or anionic tris(polyfluorophenyl)thallium(III) and of anionic heteronuclear tris(polyfluorophenyl)thallium–metal carbonyl complexes, 1127–30
DIOXYGENASE
Studies on the oxygenolysis of 9,10-phenanthrenequinone by CuXL (X = Cl or Br; L = pyridine, 2,2′-bipyridine, and 1,10-phenanthroline) complexes, 1995–2000
DIPHOSPHANE
Nuclear magnetic resonance investigation of diastereoisomerism in the unsymmetrical tetra-alkyldiphosphanes $R^1R^2PPMeEt$ (R^1R^2 = Bu^tPr^i, Bu^tEt, Bu^tMe, Pr^iEt, and Pr^i_2), 585–8
DISILAZANE
Crystal structure of dimeric *N*-lithiohexamethyldisilazane etherate, $[(Et_2O)Li\{\mu\text{-}N(SiMe_3)_2\}_2Li(OEt_2)]$, 1671–4
DITHIADIAZACYCLOHEXADECANE
Stereochemistry of metal complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecanepalladium(II) dichloride dihydrate, 1865–8
DITHIOCARBAMATO
Solution chemistry and reactivity of tris(*N*,*N*-dialkyldithiocarbamato)oxomolybdenum(IV) cationic complexes, 2135–8
DITHIOLATE
Studies on nickel, palladium, and platinum dithiolates, 165–8
DITHIONATE
Redox-active planar complexes. Electrochemical investigations of palladium and platinum bis(dithioacetylacetonate) complexes and their structural analogues, 1587–92
DITHIONITRONIUM
The reaction of S_2NAsF_6 with halogens: preparation and *X*-ray crystal structure of bis(difluorothio)nitronium hexafluoroarsenate(V), $(SF_2)_2NAsF_6$; preparation of $(SBr)_2NAsF_6$, and vibrational spectrum and normal-co-ordinate analysis of the $(SX)_2N^+$ (X = Cl or Br) cations, 1961–8
DITHIOPHOSPHATE
Aspects of the inorganic chemistry of rubber vulcanisation. Part 4. Dialkyl- and diaryl-dithiophosphate and -dithiophosphinate complexes of zinc: phosphorus-31 nuclear magnetic resonance spectral studies and structures of $[NMe_4]$-$[Zn\{S_2P(OC_6H_4Me\text{-}p)_2\}_3]$ and $[NEt_4][Zn(S_2PPh_2)_3]$, 627–34
DITHIZONE
Crystal structure of indium(III) dithizonate, 1109–14
EDTA
Kinetics and equilibria in the redox reaction between ethylenedinitrilotetra-acetate complexes of iron(III) and vanadium(III) in aqueous solution, 1449–60
ELECTROCHEMISTRY
Reduction–oxidation properties of organotransition-metal complexes. Part 15. Synthesis, electrochemistry, and reactivity of the radical cations $[Co(CO)_{2-n}L_n(\eta\text{-}C_5R_5)]^+$ (*n* = 1 or 2, L = phosphine, R = H or Me), 121–6
Reduction–oxidation properties of organotransition-metal complexes. Part 16. Nitrosyl-bridged dicobalt complexes $[\{Co(\eta\text{-}NO)(\eta\text{-}C_5R_5)\}_2]^z$ (R = H or Me, *z* = 0 to +2) and $[Co_2(\mu\text{-}CO)(\mu\text{-}NO)(\eta\text{-}C_5Me_5)_2]^z$ (*z* = 0 or +1): synthesis,

ELECTROCHEMISTRY (contd.)
electrochemistry, and relative reactivity, 295–300
One-electron cyclic voltammetric reduction potentials of some molybdo-oxaziridines, 401–4
Synthesis, characterisation, and electrochemical studies of a dioxo-bridged molybdenum(v) glycinate. Generation of an oxo-bridged Mo^{V}–Mo^{VI} species, 857–60
Electron-transfer processes and electrodeposition involving the iron hexacyanoferrates studied voltammetrically, 991–4
Electrochemical reduction of the dichloro(3,6-diazaoctane-1,8-diamine)rhodium(III) cation, *cis*-α-$[Rh(trien)Cl_2]^+$, 1029–34
Electrochemical studies of group 3 alkyl derivatives. Part 1. Synthesis of trimethylgallium adducts, 1047–50
Redox-active planar complexes. Electrochemical investigations of palladium and platinum bis(dithioacetylacetonate) complexes and their structural analogues, 1587–92
Electron-transfer kinetics and mechanism of di-imine bond formation in tetracyano(ethylenediamine)ferrate(II), 2051–6
X-Ray and electrochemical investigation on a series of cobalt(II) complexes with quinquedentate ligands and their reactivity towards dioxygen, 2159–66
Oxidation and reduction of copper(II) complexes with saturated poly-aza macrocycles of varying size and denticity, 2191–6
Chemistry of ruthenium. Part 10. Triazene 1-oxide complexes of bis(2,2′-bypyridine)ruthenium-(II) and -(III). Synthesis, spectra, and electrochemistry, 2197–204
Triple halide-bridged diruthenium complexes in higher oxidation states, 2307–10
Dinuclear metal complexes. Part 2. Synthesis, characterisation, and electrochemical studies of macrocyclic dicopper(II) complexes, 2429–34

ELECTROLYSIS
Reactions in mixed non-aqueous systems containing sulphur dioxide. Part 3. The electrolytic dissolution of metals, 1363–6

ELECTRON DIFFRACTION
Determination of the molecular structures of bis(methylsilyl) ether and bis(dimethylsilyl) ether in the gas phase by electron diffraction, 265–70
The molecular structure of germyl monothioacetate in the gas phase, determined by electron diffraction, 835–8
Gas-phase molecular structures of bis(difluorophosphino) sulphide, $S(PF_2)_2$, bis(difluorophosphino) selenide, $Se(PF_2)_2$, and difluoro(methylthio)phosphine, $PF_2(SMe)$, determined by electron diffraction, 1989–94

ELECTRONIC
Crystal structure and electronic properties of bis(2,2′-bipyridyl)cyanocopper(II) nitrate dihydrate: a correlation of the in-plane angular distortion with the splitting of the electronic spectrum, 199–204
The ultra-violet photoelectron spectra of gas-phase and condensed bismuth halides and antimony trifluoride, 635–8
Electron, infrared, and resonance-Raman spectra of linear-chain mixed-valence complexes of platinum with 1,2-diaminopropane, 761–6
Gas-phase ultraviolet photoelectron spectra of $[\{Ni(\eta\text{-}C_3H_5)\}_2(\mu\text{-}C_2R_2)]$ (R = H or CF_3) complexes, 869–72
The electronic absorption spectrum and structure of the emitting state of the tris(2,2′-bipyridyl)ruthenium(II) complex ion, 1801–4
Structure and bonding in linear-bridged species: electronic, Raman, and resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{Cl(PMe_2Ph)_4Re(N_2)\}_2MoCl_4]$, 2005–10
Studies of the electronic properties of the tetrathiotungstate(VI) ion, $[WS_4]^{2-}$, by low-temperature absorption and resonance Raman spectroscopy, 2019–24
Electronic, resonance-Raman, and infrared spectroscopic studies of the thiometalate complexes $[NEt_4]_2[(PhS)_2FeS_2MS_2]$, M = Mo or W, 2299–302
Infrared and electronic spectra of matrix isolated chalcogenide halides of tungsten(VI), WYX_4 (Y = S or Se; X = F, Cl, or Br), 2625–30
A comment on the crystal structure and electronic properties of bis(2,9-dimethyl-1,10-phenanthroline)nitratocopper(II) trichloroacetate trichloroacetic acid, 2693–4
Infrared and ultraviolet–visible spectroscopic studies on manganese heptoxide (Mn_2O_7), 2699–702

ELECTRONIC EXCHANGE
The single-crystal electron spin resonance spectra of dichloro- and dibromo-oxobis(*N,N,N′,N′*-tetramethylurea)vanadium(IV); weak two-dimensional exchanging systems, 1695–704
The single-crystal electron spin resonance spectrum of *N,N,N′,N′*-tetramethylethylenediaminedium aquabis(malonato)oxovanadate(IV) dihydrate, a weak two-dimensional exchanging system, 1705–12

ELECTRON MICROSCOPY
Ordering phenomena in U_4O_{9-y} crystals studied by transmission electron microscopy, 589–90

ELECTRON TRANSFER
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(NC)_5FeCNCo(CN)_5]^{3-}$ and $[Fe(CN)_6]^{3-}$, 1949–54

ELECTROPHILE
η^5-Cyclopentadienylrhodium(I) complexes containing diphosphines and their reactions with the electrophiles H^+ and Me^+. Crystal and molecular structure of $[Rh(\eta\text{-}C_5H_5)(CO)(Ph_2PCH_2PPh_2)]$, a complex with a unidentate bis(diphenylphosphino)methane ligand, 433–8
Electrophilic attack on the $[\mu_3$-acetyl-$C^1(Fe^1:Fe^2)O(Fe^1:Fe^3)]$-nonacarbonyl-*triangulo*-triferrate(1–) anion by fluoroboric acid and methyl fluorosulphate. Carbon–oxygen bond cleavage to give μ_3-ethylidyne and μ-methoxo-groups. *X*-Ray crystal structures of $Fe_3(CO)_9(\mu_3\text{-}MeCO)(\mu\text{-}H)$, $Fe_3(CO)_9(\mu_3\text{-}CMe)(\mu_3\text{-}OMe)$, and $Fe_3(CO)_9(\mu_3\text{-}OMe)(\mu_3\text{-}COMe)$, 1557–64
Synthetic and mechanistic studies of electrophilic attack by the cations $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-dienyl})]^+$(dienyl = C_6H_7 or 2-$MeOC_6H_6$) on aryltrimethyl-silanes and -stannanes, 1721–8
Reactivity of η^2-CS_2Me metal complexes as electrophiles, 2419–24
Electrophilic behaviour of nitrosyls: the Boedeker reaction, the reactions of sulphite with nitrosyls, and the crystal and molecular structure of *cis*-bis(2,2′-bipyridine)chloro(nitrosylsulphito)ruthenium, 2465–72

ELECTROSYNTHESIS
Electrosynthesis and resonance-Raman spectrum of phthalocyaninatoiron(II), 1193–6

EMISSION
Solvent dependence of the optical activity associated with tris(DD-dicampholylmethanato)europium(III), 1165–70

ENANTIOSELECTIVITY
Approaches to enantioselective syntheses using tricarbonyl(diene)iron complexes, 1401–10

ENTHALPY
Standard enthalpies of formation of diamine(dicarboxylato)platinum(II) complexes and of bis(pentane-2,4-dionato)platinum(II): the mean Pt—O bond dissociation enthalpies, 2657–60

EQUILIBRIUM
Equilibrium and structural studies of silicon(IV) and aluminium(III) in aqueous solution. Part 9. A potentiometric study of mono- and poly-nuclear aluminium(III) citrates, 2513–8

EQUILIBRIUM CONSTANT
Thermodynamics of extraction equilibria. Part 6. A further study of the method for determination of equilibrium constants of extraction processes, 591–4

E.S.R.
Synthesis and magnetochemical, spectroscopic, and structural studies of new tris(*NN*-dialkyldiselenocarbamato)iron(IV) tetrafluoroborate complexes, 25–30
Electron spin resonance determination of formation constants of copper(II) dipeptide complexes, 409–14
Electron spin resonance study of copper(II) ions in powder and crystals of aquatris(L-glutamato)cadmium(II) monohydrate, 489–94
Electron spin resonance spectra of reduced $[Fe_2S_2(SC_6H_4Y\text{-}p)_4]^{2-}$(Y = Cl, H, or Me) complexes and their selenium-ligated homologues, 737–48
Paramagnetic transition-metal carbonyls and cyanides. Part 9. An electron spin resonance study of the radiolysis of some iron carbonyls: the anions $[Fe(CO)_5]^-$ and $[Fe(CO)_4]^-$, 1171–4
Thermodynamic and spectroscopic properties of mixed-ligand complexes of copper(II) with pyridine, 2,2′-bipyridyl, and 2,2′:6′,2″-terpyridyl in aqueous solution, 1279–84
Paramagnetic transition-metal carbonyls and cyanides. Part 10. Electron addition to various carbonyl(η^5-cyclopentadienyl)metal halides; an electron spin resonance study, 1377–84
Physico-chemical study of copper(II) and cobalt(II) chelates of tetra-2,3-pyridinoporphyrazine, 1391–400
Manganese(II) ions as stereochemical probes in reactions of zinc halides with pyrazine, 1469–72

E.S.R. (contd.)
The single-crystal electron spin resonance spectra of dichloro- and dibromo-oxobis(*N,N,N′,N′*-tetramethylurea)vanadium(IV); weak two-dimensional exchanging systems, 1695–704
The single-crystal electron spin resonance spectrum of *N,N,N′,N′*-tetramethylethylenediaminedium aquabis(malonato)oxovanadate(IV) dihydrate, a weak two-dimensional exchanging system, 1705–12
Single-crystal electron spin resonance spectrum of dichloro-oxobis(triphenylphosphine oxide)vanadium(IV), a monomeric oxovanadium(IV) compound, 1713–20
Characterization of a zinc(II) complex of a 15-membered macrocyclic ligand in the solid state and in solution: *X*-ray structure of (6,7,8,13,14,15,16,17,18,19-decahydro-5*H*-[*e,n*][1,4,8,12]-tetra-azacyclopentadecine)iodozinc(II) iodide, 1789–92
Equilibria and speciation of metal complexes important in hydrometallurgy. Part 3. Studies of the copper(II) complexes of 5-nonylsalicylaldoxime (Acorga P50), the effect of 4-nonylphenol and the formation of five-co-ordinate adducts with nitrogenous bases, 2043–6
Electron spin resonance studies of some bis(cyclopentadienyl) complexes of vanadium(IV) and niobium(IV), 2057–62
Photoreduction of polymolybdates(VI) in aqueous solutions containing acetic acid, 2205–10
The high-spin ground state of quadridentate salicylaldehyde Schiff-base complexes of cobalt(II) in *N*-heterocyclic solvents, 2281–6
Mixed oxidation state confacial bioctahedral complexes of tungsten possessing strong metal–metal interactions. Part 2. Synthesis, *X*-ray crystal structure and electron spin resonance studies of the W^{III}/W^{IV} complex $[AsPh_4]_2[Cl_3W(\mu\text{-}Cl)(\mu\text{-}SPh)_2WCl_3]\cdot 1.4CH_2Cl_2$, 2479–86
An electron spin resonance study of the dinitrogen tetroxide radical cation, 2533–6
Tertiary phosphine adducts of manganese(II) dialkyls. Part 2. Synthesis, properties, and structures of monomeric complexes, 2631–8
Electron spin resonance studies on bis(chloroalkoxy)bis(η-cyclopentadienyl)vanadium(IV) complexes, 2695–8
ETHANOL
Rhodium-catalysed decomposition of hydroxymercurated ethylene to ethanol and acetate, 1319–24
ETHER
Crystal structure of dimeric *N*-lithiohexamethyldisilazane etherate, $[(Et_2O)Li\{\mu\text{-}N(SiMe_3)_2\}_2Li(OEt_2)]$, 1671–4
ETHYLENE
Rhodium-catalysed decomposition of hydroxymercurated ethylene to ethanol and acetate, 1319–24
ETHYLENEDIAMINE
Nuclear magnetic resonance studies of transition-metal complexes of ethylenediamine-*NNN′N′*-tetramethylphosphonate in aqueous solution, 601–6
Thermodynamic studies on the addition of molecular oxygen to cobalt(II) complexes. Part 1. The cobalt(II)–ethylenediamine–oxygen system in aqueous solution at 25 °C, 1247–52
ETHYLIDYNE
Organic chemistry of dinuclear metal centres. Part 6. μ-Vinylidene and μ-ethylidyne diruthenium complexes: crystal structures of *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CCH_2)(\eta\text{-}C_5H_5)_2]$ and *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CMe)(\eta\text{-}C_5H_5)_2][BF_4]$, 2661–8
EUROPIUM
Magnetic exchange interactions in perovskite solid solutions. Part 1. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Co_xO_3$ ($0 < x < 1$), 873–8
A Mössbauer spectroscopic study of the iodides of europium (1982, 2409), 1027–8
Solvent dependence of the optical activity associated with tris(DD-dicampholylmethanato)europium(III), 1165–70
Magnetic exchange interactions in perovskite solid solutions. Part 2. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Cr_xO_3$ ($0 < x < 1$), 2031–4
EXAFS
Evolution of α-Cr_2O_3 from hydrous chromium oxides: magnetic susceptibility and extended *X*-ray absorption fine structure studies, 1895–900
EXCHANGE
Transition metal–phosphide chemistry: synthesis of $[M(\eta\text{-}C_5H_5)_2(PR_2)_2]$ (M = Zr, R = Ph; M = Hf, R = Ph or cyclo-C_6H_{11}) and $[\{M(\eta\text{-}C_5H_5)_2(PR_2)\}_2]$ (M = Ti, R = Ph or Me; M = Zr or Hf, R = Me), and their reactions with protic and halogen-containing species, 2555–60
EXCITATION PROFILE
Studies of the electronic properties of the tetrathiotungstate(VI) ion, $[WS_4]^{2-}$, by low-temperature absorption and resonance Raman spectroscopy, 2019–24
EXCITED STATE
Resonance Raman spectra of copper(I) complexes with α-di-imine ligands, 1635–40
The electronic absorption spectrum and structure of the emitting state of the tris(2,2′-bipyridyl)ruthenium(II) complex ion, 1801–4
EXTRACTION
Thermodynamics of extraction equilibria. Part 6. A further study of the method for determination of equilibrium constants of extraction processes, 591–4
FERRITE
Transformation of γ-FeO(OH) to Fe_3O_4 by adsorption of iron(II) ion on γ-FeO(OH), 189–94
Formation of zinc(II)-bearing ferrites from γ-FeO(OH), 987–90
Formation of molybdenum-bearing ferrites, $Fe_{3-x}Mo_xO_4$ (x = 0.04—0.19), in aqueous suspension by air oxidation, 1197–8
FERROCENE
Preparation and *X*-ray crystal-structure determinations of structural isomers of ferrocenyl-substituted dihydrofurans, 1367–72
FLASH PHOTOLYSIS
The electronic absorption spectrum and structure of the emitting state of the tris(2,2′-bipyridyl)ruthenium(II) complex ion, 1801–4
FLUORIDE
Apparent short potassium–hydrogen distances in potassium fluoride–malonic acid: a reply, 187–8
The formation of $K[B_2O_4(OH)_4]\cdot 2H_2O$ from H_3BO_3 and KF in aqueous solution, 1811–2
The ultraviolet photoelectron spectra and electronic structure of gas-phase and condensed SnF_2 and PbF_2, 2211–4
Interaction between uranium tetrafluoride oxide and the pentafluorides of arsenic, niobium, tantalum, and bismuth, 2303–6
FLUORINE
The preparation and crystal structure of the 3:1 adduct of antimony trifluoride and antimony pentafluoride containing the ($Sb_3F_8^+$), 619–26
A fluorine-19 nuclear magnetic resonance study of the strong hydrogen bond between aliphatic diols or acids and alkali metal fluorides, 683–8
FLUORO
Preparation and properties of difluorophosphino-derivatives of phosphorus(V) hydroxy-compounds, 245–8
Mono-, bi-, and tri-nuclear bis(diphenylphosphino)methane gold complexes. Crystal and molecular structures of [b is (diphenylphosphino)methane]bis(pentafluorophenyl)gold(III) perchlorate and 1,2:2,3-di-μ-[bis(diphenylphosphino)methane]-1,3-dichlorotrigold(I) chlorotris(pentafluorophenyl)aurate(III), 1679–86
The reaction of S_2NAsF_6 with halogens: preparation and *X*-ray crystal structure of bis(difluorothio)nitronium hexafluoroarsenate(V), $(SF_2)_2NAsF_6$; preparation of $(SBr)_2NAsF_6$, and vibrational spectrum and normal-co-ordinate analysis of the $(SX)_2N^+$ (X = Cl or Br) cations, 1961–8
Preparation and properties of difluorophosphino-derivatives of phosphorus(III) hydroxy-compounds, 1983–8
Gas-phase molecular structures of bis(difluorophosphino) sulphide, $S(PF_2)_2$, bis(difluorophosphino) selenide, $Se(PF_2)_2$, and difluoro(methylthio)phosphine, $PF_2(SMe)$, determined by electron diffraction, 1989–94
FLUOROMETALLATE
Thermochemistry of the potassium hexafluorometallates(III) of the elements from scandium to gallium, 1977–82
Thermochemistry of the potassium hexafluorometallates(III) of the elements from scandium to gallium (1983, 1977)., 2703
FLUOROPHENYL
Preparation of monomeric neutral or anionic tris(polyfluorophenyl)thallium(III) and of anionic heteronuclear tris(polyfluorophenyl)thallium–metal carbonyl complexes, 1127–30
FLUXIONAL
Trihapto–hexahapto fluxional behaviour of a macrocyclic ligand: template synthesis, proton nuclear magnetic resonance spectra, and the crystal and molecular structure

FLUXIONAL (contd.)
of an eleven-co-ordinate barium(II) complex, 1653–60
FLUXIONALITY
The fluxionality of (*Z*)-6,6,6-triphenyl-6-stannahexa-1,3-diene: evidence for symmetry-allowed suprafacial [1,5]-shifts in an organometallic compound, 729–32
FORCE CONSTANT
Crystal structure and normal co-ordinate analysis of diaqua(oxydiacetato)sulphatothorium(IV) monohydrate, 1–8
FORMAMIDINATO
Reactivity of the rhodium(III) formamidinato-complex [Rh(η-C_5Me_5)Cl(*p*-MeC_6H_4N ⋯ CH⋯ NC_6H_4Me-*p*)] with CO and heterocumulenes. Crystal and molecular structure of the thioureido-complex [Rh(η-C_5Me_5)Cl{PhN ⋯ C[N(C_6H_4Me-*p*)—CH = NC_6H_4Me-*p*] ⋯ S}], 2391–6
FORMATION CONSTANT
Electron spin resonance determination of formation constants of copper(II) dipeptide complexes, 409–14
Formation of mixed-ligand complexes of zinc(II) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 447–52
Equilibria in aqueous solutions of some chromium(2+) complexes, 1335–8
Bromo-complexes of cobalt(II) in acetone, 1565–70
Formation and hydrolysis of a diaqua(ethane-1,2-diamine)palladium(II) complex of ethyl glycinate, 1675–8
Solution chemistry of *NN'*-ethylenebis(salicylideneiminato)iron(III). Part 1. Deprotonation equilibria and reversible decomposition in acid medium of *NN'*-ethylenebis(salicylideneimine). Stability constant of *NN'*-ethylenebis(salicylideneiminato)iron(III), 1743–8
Solution chemistry of *NN'*-ethylenebis(salicylideneiminato)iron(III). Part 2. Formation equilibria of μ-oxo-bis[*NN'*-ethylenebis(salicylideneiminato)iron(III)] and catecholato[*NN'*-ethylenebis(salicylideneiminato)]ferrate(III), 1749–54
FORMYL
The preparation and characterisation of cationic formyl complexes of ruthenium(II); crystal and molecular structure of the complex *trans*-bis[1,2-bis(diphenylphosphino)ethane-*PP'*]carbonyl(deuterioformyl)ruthenium(II) hexafluoroantimonate–dichloromethane(1/1), 2501–8
FULVALENE
Reduction–oxidation properties of organotransition-metal complexes. Part 17. The reaction of [Rh(CO)(PPh_3)(η-C_5H_5)] with one-electron oxidants: fulvalene complex and silver adduct formation, and the *X*-ray crystal structure of [Ag{Rh(CO)(PPh_3)(η-C_5H_5)}$_2$][PF_6]·C_6H_5Me, 1879–86
FURAN
Preparation and *X*-ray crystal-structure determinations of structural isomers of ferrocenyl-substituted dihydrofurans, 1367–72
GALLIUM
Electrochemical studies of group 3 alkyl derivatives. Part 1. Synthesis of trimethylgallium adducts, 1047–50
GAS PHASE
The molecular structure of germyl monothioacetate in the gas phase, determined by electron diffraction, 835–8
GERMANIUM
Formation of $MgGeO_3$ from the hydrate prepared by hydrolysis of magnesium and germanium oxides, 2139–42
GERMYL
The molecular structure of germyl monothioacetate in the gas phase, determined by electron diffraction, 835–8
GLUTAMATE
Electron spin resonance study of copper(II) ions in powder and crystals of aquatris(L-glutamato)cadmium(II) monohydrate, 489–94
GLYCINATE
Formation and hydrolysis of a diaqua(ethane-1,2-diamine)palladium(II) complex of ethyl glycinate, 1675–8
GLYCINE
Synthesis, characterisation, and electrochemical studies of a dioxo-bridged molybdenum(V) glycinate. Generation of an oxo-bridged Mo^{V}–Mo^{VI} species, 857–60
GOLD
2,2'-Bibenzimidazolate anions as bridging ligands in cationic heteronuclear gold(I)–rhodium(I) complexes. Crystal structure of [$(Ph_3P)_2Au_2$(μ-bbzim)Rh(cod)][ClO_4]·$CHCl_3$, 323–30
Formation of new halogeno mixed-metal clusters by oxidative addition of triphenylphosphinegold(I) halides to [$Ru_3C(CO)_{13}$]: crystal and molecular structures of [$Ru_3C(CO)_{15}${μ-Au(PPh_3)}Cl] and [$Ru_3C(CO)_{14}${μ-Au(PPh_3)}(μ-Br)], 787–98
Au(PPh_3)}(μ-Br)], 787–98
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 5. Preparation and crystal and molecular structures of [Au{$C_5(CO_2Me)_5$}(PPh_3)] and [Au(PPh_3)$_2$][$C_5(CO_2Me)_5$]·MeOH, 809–14
Complexes containing the diradical 1,2,3,4-tetraphenylbuta-1,3-diene-1,4-diyl; crystal structure of [AuCl(C_4Ph_4)(phen)], 1131–6
Synthesis and reactivity of isocyanatogoldtriosmium clusters, 1179–84
Effects of geometric configuration and steric hindrance on rates and mechanisms of oxidation of diaminedichloroplatinum(II) complexes by tetrachloroaurate(III) ions, 1285–90
Proton, carbon-13, and phosphorus-31 nuclear magnetic resonance studies of (2,3,4,6-Tetra-*O*-acetyl-1-thio-β-D-glucopyranosato-*S*)(triethylphosphine)gold (Auranofin), a novel antiarthritic agent, 1331–4
Syntheses of some organogoldtriosmium clusters; *X*-ray crystal structure of [$Os_3(CO)_9(PPh_3)${Au(PPh_3)}(2-NHC_5H_4N)], 1661–6
Mono-, bi-, and tri-nuclear bis(diphenylphosphino)methane gold complexes. Crystal and molecular structures of [bis(diphenylphosphino)methane]bis(pentafluorophenyl)gold(III) perchlorate and 1,2:2,3-di-μ-[bis(diphenylphosphino)methane]-1,3-dichlorotrigold(I) chlorotris(pentafluorophenyl)aurate(III), 1679–86
Vibrational and nuclear quadrupole resonance spectra of some complexes of ICl_4^- and $AuCl_4^-$. Part 2. Trichlorochalcogen tetrachloroaurates [ACl_3][$AuCl_4$] (A = S, Se, or Te), 1837–40
Gold-197 Mössbauer spectra of organogold(I) compounds, 2071–4
Kinetics and mechanism for reduction of tetrabromoaurate(III) by uridine, 2329–32
The reductive activation of [$M_3C(CO)_{13}$] (M = Ru or Os) and subsequent reactions of the dianion [$Os_3C(CO)_{14}]^{2-}$, carbonylation of [$M_3C(CO)_{13}$] (M = Ru or Os), and the crystal structures of [$Os_3C(CO)_{10}$], [N(PPh_3)$_2$]$_2$[$Os_3C(CO)_{14}$], and [$Os_3C(CO)_{14}${Au(PPh_3)}$_2$], 2447–58
Replacement of hydrido-ligands in triruthenium complexes by triphenylphosphinegold groups. Crystal structures of [$AuRu_3$(μ-COMe)(CO)$_{10}$(PPh_3)], [$AuRu_3$(μ-H)$_2$(μ$_3$-COMe)(CO)$_9$(PPh_3)], and [Au_2Ru_3(μ$_3$-COMe)(CO)$_9$(PPh_3)$_3$], 2599–608
GUANIDINE
Azomethine derivatives. Part 20. Crystal and molecular structures of the lithioketimine [{Li(N = CBu^t_2)}$_6$] and lithioguanidine [{Li[N = $C(NMe_2)_2$]}$_6$]; electron-deficient bridging of Li_3 triangles by methyleneamino-nitrogen atoms, 1309–18
HAFNIUM
Transition metal–phosphide chemistry: synthesis of [M(η-C_5H_5)$_2$(PR_2)$_2$] (M = Zr, R = Ph; M = Hf, R = Ph or cyclo-C_6H_{11}) and [{M(η-C_5H_5)$_2$(PR_2)}$_2$] (M = Ti, R = Ph or Me; M = Zr or Hf, R = Me), and their reactions with protic and halogen-containing species, 2555–60
HALIDE
Cyano- and halogeno-bridged transition-metal complexes. Structural comparisons of neutral and cationic oligomers, 1793–6
The reaction of organic dihalides with organyltelluride (RTe^-) anions: telluronium salts and charge-transfer complexes, 2143–6
The reactions of tetrahydrothiophene (tht) with tribromosulphidoniobium(V) and trichlorosulphidoniobium(V) and the crystal structures of three of the products $Nb_2Cl_4S_3$·4tht, $Nb_2Br_4S_3$·4tht, and $NbBr_3S$·2tht, 2251–6
HALOALKYL
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
HALOTELLURATE
An aryltellurium mixed halide anion. Preparation and crystal and molecular structure of [NBu^n_4][$PhTeCl_3I$], 2015–8
HEPTANETRIONE
Compartmental ligands. Part 4. The crystal and molecular structures of some oxovanadium(IV) complexes of acyclic ligands derived from heptane-2,4,6-trione and α,ω-alkanediamines, 371–80
HETEROCUMULENE
Reactivity of the rhodium(III) formamidinato-complex [Rh(η-C_5Me_5)Cl(*p*-MeC_6H_4N ⋯ CH⋯ NC_6H_4Me-*p*)] with CO and heterocumulenes. Crystal and molecular structure of the

HETEROCUMULENE (contd.)
thioureido-complex [Rh(η-C_5Me_5)Cl{PhN ⋯ C[N(C_6H_4Me-*p*)—CH=NC_6H_4Me-*p*] ⋯ S}], 2391–6
HETERONUCLEAR
Synthesis and crystal and molecular structure of [Fe_2Rh_2(μ-PPh_2)$_4$(μ-CO)$_2$(CO)$_6$], an unusual straight-chain tetranuclear compound, 1607–12
HETEROPOLYANION
Kinetics of the base decomposition of dodecatungstophosphate(3−) in weakly alkaline solutions, 2609–12
HEXACYANOFERRATE
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants [$(NC)_5FeCNCo(CN)_5$]$^{3-}$ and [$Fe(CN)_6$]$^{3-}$, 1949–54
Salt and medium effects in the oxidation of iodide by hexacyanoferrate(III), 2679–84
HEXAFLUOROBUTYNE
Olefin–acetylene metal complexes. The formation of some 1,4-diene complexes of rhodium(I) by the reactions of rhodium(I) olefin–hexafluorobut-2-yne complexes with 2,4-dimethylpenta-2,3-diene, propene, and cyclopropane, 1887–90
Olefin–acetylene metal complexes: reactions of olefin–hexafluorobut-2-yne complexes of rhodium(I) with nitrogen, phosphorus, arsenic, and antimony donor ligands, 2459–64
HIGH PRESSURE
High-pressure effects on the proton nuclear magnetic resonance spectra of palladium(II) complexes of cyclic sulphides. Estimation of activation volumes for inversion about sulphur, 1473–4
HIGH-SPIN
The high-spin ground state of quadridentate salicylaldehyde Schiff-base complexes of cobalt(II) in *N*-heterocyclic solvents, 2281–6
HISTIDINE
Studies on transition-metal–peptide complexes. Part 8. Parent and mixed-ligand complexes of histidine-containing dipeptides, 1545–52
HÜCKEL
Substituent effects on the bonding properties in cyclotriphosphanes and related compounds. Polarization of Hückel *versus* Möbius orbitals, 2411–4
HYDRATE
The nature of water in hydrazine salt hydrates, 2047–50
HYDRAZIDE
Nitrosyl complexes of molybdenum and tungsten. Part 17. Hydrazido(1−) complexes of [tris(3,5-dimethylpyrazolyl)-borato]molybdenum, related tungsten compounds, and the structures of *NN*-dimethylhydrazido(1−)- and *N*-methyl-*N*-phenylhydrazido(1−)-(iodo(nitrosyl)[tris(3,5-dimethylpyrazol-1-yl)borato]molybdenum, 71–80
Structural studies of binuclear sulphido-bridged complexes of tungsten. Preparation and *X*-ray crystal structures of [S_2W(μ-S)$_2$W(NNMe$_2$)$_2$(PPh$_3$)] and [{W(SBu^t)$_2$(PMe$_2$Ph)}$_2$(μ-S)$_2$]·CH_2Cl_2, 1489–94
HYDRAZIDO
Hydrazido-, diazenido- and amido-derivatives of lithium: a theoretical study related to nitrogen fixation reactions, 455–62
HYDRAZINE
Tin-119 nuclear magnetic resonance study of trimethylstannylhydrazines, 97–100
Kinetics and mechanism of the oxidation of hydrazine with iron(III) in acidic perchlorate media, 547–52
Mechanisms of reduction of *trans*-cyclohexane-1,2-diamine-*NNN′N′*-tetra-acetatomanganate(III) by hydrazine, hydroxylamine, and substituted benzene-1,2-diols, 689–96
Chromium(II) chemistry. Part 15. Synthesis and magnetic properties of piperazinium, hydrazinium, and monoaryl and other substituted ammonium tetrachlorochromates, 1081–4
The nature of water in hydrazine salt hydrates, 2047–50
HYDRAZOIC ACID
Decomposition of hydrazoic acid in nitric acid, 257–60
HYDRAZONE
Investigation into aroylhydrazones as chelating agents. Part 3. Synthesis and spectroscopic characterization of complexes of Mn^{II}, Co^{II}, Ni^{II}, Cu^{II}, and Zn^{II} with 2,6-diacetylpyridine bis(benzoylhydrazone) and *X*-ray structure of aquachloro[2,6-diacetylpyridine bis(benzoylhydrazone)]manganese(II) chloride, 721–8
Chemistry of ruthenium. Part 9. Electrophilic addition of a ruthenium nitrosyl complex to alkylidenearylhydrazones. Arylazo-oximates of bis(2,2′-bipyridyl)ruthenium(II), 961–6
The reaction of arenediazonium ions with cycloheptatriene (cht) and with [$Fe(CO)_3$(η^4-cht)]: azo-coupling *versus* hydrazone formation, 1465–8
Regiospecific metallation in palladium–hydrazone complexes, 1483–8
Investigation into aroylhydrazones as chelating agents. Part 4. Synthesis and spectroscopic characterization of Co^{II}, Ni^{II}, Cu^{II}, and Zn^{II} complexes of 2,6-diacetylpyridine bis(2-thenoylhydrazone) and *X*-ray crystal structure of bis[2,6-diacetylpyridine bis(2-thenoylhydrazonato)(2−)]dizinc(II), 2155–8
HYDRIDE
Substitution and insertion reactions of the dinuclear manganese μ-hydride complex [M_2(μ-H)(μ-PPh_2)(CO)$_8$]; crystal structures of the complexes [Mn_2(μ-σ:η^2-CH=CH_2)(μ-PPh_2)(CO)$_7$] and [Mn_2(μ-H)(μ-PPh_2)(CO)$_6$(CNBu^t)$_2$], 205–16
Electron-rich cations: preparation and hydride reductions of the cations [Fe(η^5-C_5H_5){PhP($CH_2CH_2PPh_2$)$_2$}]$^+$ [Fe(η^5-C_5H_5){MeC(CH_2PPh_2)$_3$}]$^+$, and [Fe(η^5-C_5H_5){C(CH_2PPh_2)$_4$}]$^+$, 981–6
η-Arenetungsten chemistry: η-allyl, η-butadiene, tertiary phosphine, and hydrido derivatives, 1075–80
HYDROGENATION
Polymer-supported complexes. Part 4. Decarbonylation of polystyrene-anchored dicarbonyl rhodium(I) complexes and applications as catalysts in cyclohexene hydrogenation, 419–24
HYDROGEN BOND
Apparent short potassium–hydrogen distances in potassium fluoride–malonic acid: a reply, 187–8
Crown ethers as second-sphere ligands. The interactions of transition-metal ammines with 18-crown-6 and dibenzo-18-crown-6, 607–14
A fluorine-19 nuclear magnetic resonance study of the strong hydrogen bond between aliphatic diols or acids and alkali metal fluorides, 683–8
HYDROGEN TRANSFER
Synthesis and crystal structures of *cis*- and *trans*-dimethyl-di-μ-methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV), 1441–8
HYDROLYSIS
The hydrolysis of metal ions. Part 5. Thorium(IV), 31–4
The hydrolysis of metal ions. Part 6. Scandium(III), 35–6
Hydrolysis of imines. Part 2. Kinetics and mechanism of hydrolysis of *N*-salicylidene-2-aminopyridine in the presence and absence of copper(II) ion. A study of the catalytic effect of some mixed-ligand complexes of copper(II), 1503–10
Formation and hydrolysis of a diaqua(ethane-1,2-diamine)palladium(II) complex of ethyl glycinate, 1675–8
The hydrolysis of metal ions. Part 7. Beryllium(II), 2001–4
Formation of $MgGeO_3$ from the hydrate prepared by hydrolysis of magnesium and germanium oxides, 2139–42
Kinetics of the base decomposition of dodecatungstophosphate(3−) in weakly alkaline solutions, 2609–12
HYDROMETALLURGY
Equilibria and speciation of metal complexes important in hydrometallurgy. Part 3. Studies of the copper(II) complexes of 5-nonylsalicylaldoxime (Acorga P50), the effect of 4-nonylphenol and the formation of five-co-ordinate adducts with nitrogenous bases, 2043–6
HYDROPHOBIC
Study of ternary complexes of copper(II) containing tertiary amines and adenosine-5′-triphosphate in dioxan–water medium, 1901–4
HYDROXYL
Photoreduction of polymolybdates(VI) in aqueous solutions containing acetic acid, 2205–10
HYDROXYLAMINE
Mechanisms of reduction of *trans*-cyclohexane-1,2-diamine-*NNN′N′*-tetra-acetatomanganate(III) by hydrazine, hydroxylamine, and substituted benzene-1,2-diols, 689–96
Stoicheiometry and kinetics of the oxidation of hydroxylamine by peroxomonophosphoric acid in acidic perchlorate solutions and catalysis by iron(III) and iodide or iodine, 1831–6
IMIDAZOLINETHIONE
Reduction of OsO_4 by some imidazolidine-2-thiones. *X*-Ray crystal structure of *trans*-dichlorotetrakis(*NN′*-diethylimidazolidine-2-thione)osmium(IV) diperchlorate, 1261–4

IMIDE
Organoimido-complexes of tungsten-(VI) -(V), and -(IV): crystal and molecular structures of $[W(NPh)Cl_3(PPh_3)_2]$ and $[W(NPh)Cl_2(PMe_3)_3]$, 2651–6

IMINE
Hydrolysis of imines. Part 2. Kinetics and mechanism of hydrolysis of *N*-salicylidene-2-aminopyridine in the presence and absence of copper(II) ion. A study of the catalytic effect of some mixed-ligand complexes of copper(II), 1503–10

INDIUM
Crystal structure of indium(III) dithizonate, 1109–14

INSERTION
Reactivity of cyclopalladated compounds. Part 7. Syntheses of metallobicyclic compounds and their reactions with acetylenes. *X*-Ray crystal and molecular structures of the compounds $[(\overbrace{NMe_2CH_2C_6H_4}^{})P\overbrace{d\{C(CF_3)=C(CF_3)(C_6H_4CH_2\overbrace{NMe_2}^{})\}}^{}]$ and $[\{(\overbrace{NMe_2CH_2C_6H_4}^{})C(CF_3)=C(CF_3)\}\overbrace{Pd\{C(CF_3)=C(CF_3)\text{-}(CH_2C_9H_6\overbrace{N}^{})\}}^{}]$, 1535–44
Reactivity of the rhodium(III) formamidinato-complex $[Rh(\eta\text{-}C_5Me_5)Cl(p\text{-}MeC_6H_4N{:::}CH{:::}NC_6H_4Me\text{-}p)]$ with CO and heterocumulenes. Crystal and molecular structure of the thioureido-complex $[Rh(\eta\text{-}C_5Me_5)Cl\{PhN{:::}C[N(C_6H_4Me\text{-}p)\text{—}CH{=}NC_6H_4Me\text{-}p]{:::}S\}]$, 2391–6
Reactions of methyl complexes of iron(II) with Lewis bases, 2593–8

INTERSTITIAL
Multinuclear variable-temperature nuclear magnetic resonance study of rhodium carbonyl clusters containing encapsulated heteroatoms: ligand and metal polyhedral rearrangements, 1941–8

INVERSION
High-pressure effects on the proton nuclear magnetic resonance spectra of palladium(II) complexes of cyclic sulphides. Estimation of activation volumes for inversion about sulphur, 1473–4

IODIDE
A Mössbauer spectroscopic study of the iodides of europium (1982, 2409), 1027–8
Salt and medium effects in the oxidation of iodide by hexacyanoferrate(III), 2679–84

IODINE
Iodine-127 Mössbauer study of iodine(III) interhalogen cations and related compounds, 885–8
A kinetic and mechanistic study of the reaction between bis-*p*-ethoxyphenyl ditelluride and molecular iodine in solution, 1071–4
Reaction of bis(morpholinoselenocarbonyl) triselenide with iodine. Existence of a 1 : 1 charge-transfer precursory adduct in solution in an oxidative reaction. Isolation and crystal structure of the new (*N*-morpholinecarbodiselenoato)selenium(II) iodide, 1763–70
Stoicheiometry and kinetics of the oxidation of hydroxylamine by peroxomonophosphoric acid in acidic perchlorate solutions and catalysis by iron(III) and iodide or iodine, 1831–6

IONIZATION ENERGY
Metal–metal bond length variations and the electronic structure of dichromium(II) and dimolybdenum(II) complexes, 1085–90

I.R.
Crystal structure and normal co-ordinate analysis of diaqua(oxydiacetato)sulphatothorium(IV) monohydrate, 1–8
Matrix isolation studies of the bonding of acetyl groups in the co-ordinatively unsaturated species acetyltetracarbonylmanganese and acetylmonocarbonyl(η-cyclopentadienyl)iron, 615–8
Spectroscopic studies on C_2 hydrocarbon fragments. Part 1. Vibrational studies of cluster-bound vinyl and vinylidene ligands, 639–44
Investigation into aroylhydrazones as chelating agents. Part 3. Synthesis and spectroscopic characterization of complexes of Mn^{II}, Co^{II}, Ni^{II}, Cu^{II}, and Zn^{II} with 2,6-diacetylpyridine bis(benzoylhydrazone) and *X*-ray structure of aquachloro[2,6-diacetylpyridine bis(benzoylhydrazone)]manganese(II) chloride, 721–8
Electron, infrared, and resonance-Raman spectra of linear-chain mixed-valence complexes of platinum with 1,2-diaminopropane, 761–6
Matrix isolation studies on alkali metal arsenates: the characterisation of molecular $CsAsO_3$, 851–4
Structural studies of matrix-isolated alkali metal chlorates; an example of tridentate co-ordination by the chlorate ion, 1185–8
Photochemistry of (η³-allyl)tricarbonylcobalt in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of (η³-allyl)dicarbonylcobalt, (η³-allyl)dicarbonyl(dinitrogen)cobalt, (σ-allyl)tetracarbonylcobalt, and tetracarbonylcobalt complexes, 1291–8
Photochemistry of tricarbonyl(η⁴-cyclo-octatetraene)iron in a methane matrix at 12 K. Infrared spectroscopic evidence for photoisomerisation and carbon monoxide ejection reactions, 1351–6
Matrix isolation studies on alkali metal perrhenates: the shape and vibrational assignments of caesium perrhenate, $CsReO_4$, 1461–4
Vibrational and nuclear quadrupole resonance spectra of some complexes of ICl_4^- and $AuCl_4^-$. Part 2. Trichlorochalcogen tetrachloroaurates $[ACl_3][AuCl_4]$ (A = S, Se, or Te), 1837–40
Evolution of α-Cr_2O_3 from hydrous chromium oxides: magnetic susceptibility and extended *X*-ray absorption fine structure studies, 1895–900
Structure and bonding in linear-bridged species: electronic, Raman, and resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{Cl(PMe_2Ph)_4Re(N_2)\}_2MoCl_4]$, 2005–10
The nature of water in hydrazine salt hydrates, 2047–50
The co-ordination of small molecules by manganese(II) phosphine complexes. Part 1. The reversible co-ordination of dioxygen by $[MnX_2(PR_3)]$ (X = Cl, Br, or I; R_3 = Bu^n_3 or $PhBu^n_2$) complexes in solution and an infrared criterion for predicting dioxygen binding activity in the di-isothiocyanato(phosphine)manganese(II) complexes, 2147–54
Electronic, resonance-Raman, and infrared spectroscopic studies of the thiometalate complexes $[NEt_4]_2[(PhS)_2FeS_2MS_2]$, M = Mo or W, 2299–302
Matrix isolation studies on ytterbium dichloride: a non-linear molecule. Observation of isotopic structure on ν_1 and ν_3, 2343–4
Infrared and electronic spectra of matrix isolated chalcogenide halides of tungsten(VI), WYX_4 (Y = S or Se; X = F, Cl, or Br), 2625–30
Infrared and ultraviolet–visible spectroscopic studies on manganese heptoxide (Mn_2O_7), 2699–702

IRIDIUM
Iridium nitrosyl complexes of 9,10-phenanthrenequinone di-imine. Crystal structure of $[Ir(NO)\{HNC_{14}H_8N(PPh_3)\}(PPh_3)][PF_6]$, a species containing a phosphazene–imido-ligand, 779–82
Synthesis and *X*-ray crystal structure of a tri-iridium cluster, $[Ir_3(CO)_6(Ph)(\mu_3\text{-}PPh)(\mu\text{-dppm})]$, 1479–82
Structural and mechanistic studies of co-ordination compounds. Part 38. Syntheses and characterization of several quadridentate macrocyclic amine complexes of iridium(III), 1647–52
Iridium(III) complexes of diphenylphosphinous acid and secondary phosphites, 1755–62
Crystal structures of the α alums $CsM[SO_4]_2{\cdot}12H_2O$ (M = Rh or Ir), 1973–6

IRON
Synthesis and magnetochemical, spectroscopic, and structural studies of new tris(*NN*-dialkyldiselenocarbamato)iron(IV) tetrafluoroborate complexes, 25–30
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 15. Reactions of the complex $[W(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (R = C_6H_4Me-4) with iron carbonyls; crystal structures of $[Fe_2W(\mu_3\text{-}CR)(\mu\text{-}CO)(CO)_8(\eta\text{-}C_5H_5)]$ and $[FeW_2(\mu\text{-}RC_2R)(CO)_5L(\eta\text{-}C_5H_5)_2]$ (L = CO or O), 101–10
The reaction of co-ordinated cyclo-octatetraene with arenediazonium ions: azo-coupling *vs.* arylation, 111–6
The reactions of $[Fe(CO)_{3-n}\{P(OMe)_3\}_n(\eta^5\text{-}C_8H_8R'')]^+$ with halide ions: ring opening of η⁵-bicyclo-octadienyl (R'' = H), and methyl halide elimination of η⁵-cyclo-octatrienyl (R'' = N_2R, where R = aryl) complexes, 117–20
Iron complexes of *N*-substituted thiosalicylideneimines. Part 1. Synthesis and reactions with oxygen and carbon monoxide, 143–52
Influence of ligand modification on the kinetics of the reactions of iron(III) porphyrins with hydrogen peroxide in aqueous solutions, 161–4
Synthesis and characterization of *cis*-di-iodotetrakis(trimethylsilyl isocyanide)iron(II), $[FeI_2(CNSiMe_3)_4]$, 181–2
Transformation of γ-FeO(OH) to Fe_3O_4 by adsorption of iron(II) ion on γ-FeO(OH), 189–94
Resonance Raman investigation of the electronic transitions of

IRON (contd.)
some iron(II) and copper(II) α-di-imine complexes, 305–10
Kinetics and mechanisms of the reactions of nickel(II), cobalt(II), copper(II), and iron(III) with 1,1,1-trifluoropentane-2,4-dione, 331–6
Rates and activation parameters for dimethyl sulphoxide exchange with hexakis(dimethyl sulphoxide)-nickel(II), - cobalt(II), and -iron(III) ions, 353–8
Spectroscopic and theoretical studies of $[Fe(CO)_3(1,4\text{-diaza-}1,3\text{-butadiene})]$ complexes; *X*-ray structure and magnetic circular dichroism and resonance-Raman spectra of [1,2-bis(2′,6′-di-isopropylphenylimino)ethane-*NN*′]tricarbonyliron, 439–46
Formation of a bridged vinylidenedi-iron complex by nucleophilic attack on a carbonyl ligand of $[Fe_2(CO)_4(\eta\text{-}C_5H_5)_2]$, and the synthesis and *X*-ray crystal structure of $[(OC)_3Fe(\mu\text{-}Ph_2PCHPPh_2)FeH(CO)_3]$, 499–506
Kinetics and mechanism of the oxidation of hydrazine with iron(III) in acidic perchlorate media, 547–52
Matrix isolation studies of the bonding of acetyl groups in the co-ordinatively unsaturated species acetyltetracarbonylmanganese and acetylmonocarbonyl(η-cyclopentadienyl)iron, 615–8
Electron spin resonance spectra of reduced $[Fe_2S_2(SC_6H_4Y\text{-}p)_4]^{2-}$ (Y = Cl, H, or Me) complexes and their selenium-ligated homologues, 737–48
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 6. Some first-row transition-metal derivatives: crystal and molecular structures of $[Fe\{C_5(CO_2Me)_5\}_2(MeOH)_2]$, $[Co\{C_5(CO_2Me)_5\}_2(OH_2)_2]$, and $[Cu\{C_5(CO_2Me)_5\}_2(MeOH)_2]$, 815–22
Novel synthesis of tris(acetylacetonato)iron(III), 839–40
Magnetic exchange interactions in perovskite solid solutions. Part 1. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Co_xO_3$ ($0 < x < 1$), 873–8
Iron complexes of *N*-substituted thiosalicylideneimines. Part 2. Magnetic and Mössbauer spectral studies of iron(II) complexes, 879–84
Metal dimers as catalysts. Part 6. The use of $[\{Fe(CO)_2(\eta^5\text{-}C_5H_5)\}_2]$ as a catalyst in the metal carbonyl substitution reaction, 947–54
Electron-rich cations: preparation and hydride reductions of the cations $[Fe(\eta^5\text{-}C_5H_5)\{PhP(CH_2CH_2PPh_2)_2\}]^+$ $[Fe(\eta^5\text{-}C_5H_5)\{MeC(CH_2PPh_2)_3\}]^+$, and $[Fe(\eta^5\text{-}C_5H_5)\{C(CH_2PPh_2)_4\}]^+$, 981–6
Formation of zinc(II)-bearing ferrites from γ-FeO(OH), 987–90
Electron-transfer processes and electrodeposition involving the iron hexacyanoferrates studied voltammetrically, 991–4
Studies on mixed metal(II)–iron(II) chloride systems. Part 2. Mössbauer and *X*-ray powder diffraction data for the potassium and rubidium $M'M''_xFe_{1-x}Cl_3{\cdot}2H_2O$ (M′ = K or Rb; M″ = Mn, Co, or Ni; $x = 0.5$) systems, 1039–46
Paramagnetic transition-metal carbonyls and cyanides. Part 9. An electron spin resonance study of the radiolysis of some iron carbonyls: the anions $[Fe(CO)_3]^-$ and $[Fe(CO)_4]^-$, 1171–4
Electrosynthesis and resonance-Raman spectrum of phthalocyaninatoiron(II), 1193–6
Formation of molybdenum-bearing ferrites, $Fe_{3-x}Mo_xO_4$ ($x = 0.04$—0.19), in aqueous suspension by air oxidation, 1197–8
Photochemistry of tricarbonyl(η⁴-cyclo-octatetraene)iron in a methane matrix at 12 K. Infrared spectroscopic evidence for photoisomerisation and carbon monoxide ejection reactions, 1351–6
The reaction of a bridged vinylidenedi-iron complex with cobalt, iron, and manganese carbonyl species; *X*-ray crystal structures of the complexes $[Fe_3(\mu_3\text{-}CMe)(\mu\text{-}CO)_2(CO)_6(\eta\text{-}C_5H_5)]$ and $[Co_2Fe(\mu_4\text{-}C{=}CH_2)(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5H_5)]$, 1357–62
The reaction of 1,1′-biphenyl-2,2′-diol with iron(III) and the crystal structure of piperidinium bis[μ-(1,1′-biphenyl-2,2′-diolato-*O*,μ-*O*′)-(1,1′-biphenyl-2,2′-diolato-*O*,*O*′)ferrate(III)]-ethanol(1/2), 1385–90
Approaches to enantioselective syntheses using tricarbonyl(diene)iron complexes, 1401–10
Organic chemistry of dinuclear metal centres. Part 3. μ-Carbene complexes of iron and ruthenium from alkynes *via* μ-vinyl cations, 1417–26
Structural chemistry of binuclear metal centres. Crystal and molecular structures of the μ-vinyl and μ-methylcarbene complexes $[Fe_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CHCH_2)(\eta\text{-}C_5H_5)_2][BF_4]$ and $[Fe_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CHMe)(\eta\text{-}C_5H_5)_2]$, 1427–32
Bimetallic iron–rhodium anionic carbonyl clusters: $[Fe_xRh(CO)_z]^-$ ($x = 10$ or 11), $[FeRh_4(CO)_{15}]^{2-}$, $[Fe_2Rh_4(CO)_{16}]^{2-}$, and $[FeRh_5(CO)_{16}]^-$, 1433–40
Kinetics and equilibria in the redox reaction between ethylenedinitrilotetra-acetate complexes of iron(III) and vanadium(III) in aqueous solution, 1449–60
The reaction of arenediazonium ions with cycloheptatriene (cht) and with $[Fe(CO)_3(\eta^4\text{-cht})]$: azo-coupling *versus* hydrazone formation, 1465–8
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
Complex formation between polymers containing the 2,2′-bipyridyl group and iron(II), 1511–4
Electrophilic attack on the $[\mu_3\text{-acetyl-}C^1(Fe^1{:}Fe^2)O(Fe^1{:}Fe^3)]$-nonacarbonyl-*triangulo*-triferrate(1–) anion by fluoroboric acid and methyl fluorosulphate. Carbon–oxygen bond cleavage to give μ_3-ethylidyne and μ-methoxo-groups. *X*-Ray crystal structures of $Fe_3(CO)_9(\mu_3\text{-}MeCO)(\mu\text{-}H)$, $Fe_3(CO)_9(\mu_3\text{-}CMe)(\mu_3\text{-}OMe)$, and $Fe_3(CO)_9(\mu_3\text{-}OMe)(\mu_3\text{-}COMe)$, 1557–64
Synthesis and crystal and molecular structure of $[Fe_2Rh_2(\mu\text{-}PPh_2)_4(\mu\text{-}CO)_2(CO)_6]$, an unusual straight-chain tetranuclear compound, 1607–12
Synthetic and mechanistic studies of electrophilic attack by the cations $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-dienyl})]^+$(dienyl = C_6H_7 or 2-$MeOC_6H_6$) on aryltrimethyl-silanes and -stannanes, 1721–8
Solution chemistry of *NN*′-ethylenebis(salicylideneiminato)iron(III). Part 1. Deprotonation equilibria and reversible decomposition in acid medium of *NN*′-ethylenebis(salicylideneimine). Stability constant of *NN*′-ethylenebis(salicylideneiminato)iron(III), 1743–8
Solution chemistry of *NN*′-ethylenebis(salicylideneiminato)iron(III). Part 2. Formation equilibria of μ-oxo-bis[*NN*′-ethylenebis(salicylideneiminato)iron(III)] and catecholato[*NN*′-ethylenebis(salicylideneiminato)]ferrate(III), 1749–54
Stereochemistry of 5-substituted η⁴-cyclopentadiene transition-metal complexes, 1805–6
Stoicheiometry and kinetics of the oxidation of hydroxylamine by peroxomonophosphoric acid in acidic perchlorate solutions and catalysis by iron(III) and iodide or iodine, 1831–6
Novel hetero trinuclear complexes triply bridged by carbon disulphide; *X*-ray crystal structure of the complex $[(OC)_2(\eta^5\text{-}C_5H_5)FeC(=S)SFe(\eta^5\text{-}C_5H_5)(CO)_2W(CO)_5]$, 1849–56
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(NC)_5FeCNCo(CN)_5]^{3-}$ and $[Fe(CN)_6]^{3-}$, 1949–54
Magnetic exchange interactions in perovskite solid solutions. Part 2. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Cr_xO_3$ ($0 < x < 1$), 2031–4
Chemistry of iron complexes. Part 1. Synthesis, characterization, and structures of iron(III) complexes with bis(tertiary phosphine oxides), 2039–42
Electron-transfer kinetics and mechanism of di-imine bond formation in tetracyano(ethylenediamine)ferrate(II), 2051–6
Cluster chemistry. Part 20. Preparation, *X*-ray crystal structure, and some reactions of $[Fe_3(CO)_{11}(CNBu^t)]$ and $[Fe_3(CO)_9(\mu_3\text{-}\eta^2\text{-}CNBu^t)]$, 2385–90
Organic chemistry of dinuclear metal centres. Part 5. Generation of hydrocarbons from methylene chains linking two metal centres. Evidence for a dimetallacycle intermediate, 2435–40
Studies on mixed metal(II)—iron(II) chloride systems. Part 3. Mössbauer and *X*-ray powder diffraction data on $M_xFe_{1-x}Cl_2{\cdot}yH_2O$ (M = Mn, Co, or Ni; $x = 0.5$ or 0.75; $y = 4$ or 6), 2581–4
Reactions of methyl complexes of iron(II) with Lewis bases, 2593–8
Salt and medium effects in the oxidation of iodide by hexacyanoferrate(III), 2679–84
Studies on the solubility of 2,2′-bipyridyl, 1,10-phenanthroline, and their tris iron(II) perchlorates in methanol–water mixtures, and the determination of the 'medium effect' of ions, 2685–8

ISOCYANATO
Synthesis and reactivity of isocyanatogoldtriosmium clusters, 1179–84

ISOCYANIDE
Synthesis and characterization of *cis*-di-iodotetrakis(trimethylsilyl isocyanide)iron(II), $[FeI_2(CNSiMe_3)_4]$, 181–2

ISOCYANIDE (contd.)
Cluster chemistry. Part 18. Isocyanide complexes derived from $[Ru_3(CO)_{12}]$: crystal and molecular structures of $[Ru_3(CO)_{12-n}(CNBu^t)_n]$ (n = 1 or 2), 2365–74
Cluster chemistry. Part 20. Preparation, *X*-ray crystal structures, and some reactions of $[Fe_3(CO)_{11}(CNBu^t)]$ and $[Fe_3(CO)_9(\mu_3\text{-}\eta^2\text{-}CNBu^t)]$, 2385–90
ISOMERISM
Trifluoroacetate complexes of cobalt(II), nickel(II), and copper(II) with pyridine-type ligands. Part 5. Dynamic nuclear magnetic resonance studies of *cis–trans* isomerism, 153–60
Nuclear quadrupole resonance and stereochemistry. Part 8. *cis–trans* Isomerism in octahedral $SnCl_4L_2$ complexes, 495–8
The fluxionality of (*Z*)-6,6,6-triphenyl-6-stannahexa-1,3-diene: evidence for symmetry-allowed suprafacial [1,5]-shifts in an organometallic compound, 729–32
ISOTHIOCYANATE
The *X*-ray crystal structure determination of tetraphenylarsonium tris(η^3-cyclopentadienyl)di-isothiocyanatouranate(IV), 45–50
ISOTOPE EFFECT
Matrix isolation studies on alkali metal perrhenates: the shape and vibrational assignments of caesium perrhenate, $CsReO_4$, 1461–4
KETIMINE
Azomethine derivatives. Part 20. Crystal and molecular structures of the lithioketimine $[\{Li(N{=}CBu^t_2)\}_6]$ and lithioguanidine $[\{Li[N{=}C(NMe_2)_2]\}_6]$; electron-deficient bridging of Li_3 triangles by methyleneamino-nitrogen atoms, 1309–18
KINETICS
Light-induced electron-transfer reactions. Part 1. Kinetics of formation of hydrogen peroxide by irradiation with visible light of aqueous solutions containing tris(2,2′-bipyridine)ruthenium(II), oxalic acid, manganese(II), and oxygen, 37–44
Mechanism of the base-catalysed substitution of halide for methoxide in the reactions of *trans*-$[W(NH)X(Ph_2PCH_2\text{-}CH_2PPh_2)_2]^+$ (X = Cl, Br, or I), 51–60
Influence of ligand modification on the kinetics of the reactions of iron(III) porphyrins with hydrogen peroxide in aqueous solutions, 161–4
Kinetics of anation in platinum(II) and palladium(II) complexes of *N*-alkylated diethylenetriamine, 195–8
Decomposition of hydrazoic acid in nitric acid, 257–60
The decomposition of nitroamine (NH_2NO_2) in concentrated acids, 261–4
Inner-sphere oxidation of diaqua(nitrilotriacetato)cobaltate(II) by periodate in acetate medium. Isokinetic relationship for the oxidation of (aminopolycarboxylato)cobalt(II) complexes by periodate, 317–22
Kinetics and mechanisms of the reactions of nickel(II), cobalt(II), copper(II), and iron(III) with 1,1,1-trifluoropentane-2,4-dione, 331–6
Influence of electrolytic dissociation upon rates of reactions. Part 10. Acid-catalysed aquations of some penta-ammine (carboxylato)cobalt(III) ions in aqueous solutions, 337–42
Rates and activation parameters for dimethyl sulphoxide exchange with hexakis(dimethyl sulphoxide)-nickel(II), - cobalt(II), and - iron(III) ions, 353–8
Electron spin resonance determination of formation constants of copper(II) dipeptide complexes, 409–14
Formation of mixed-ligand complexes of zinc(II) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 447–52
Kinetics and mechanism of the oxidation of hydrazine with iron(III) in acidic perchlorate media, 547–52
Thermodynamics of extraction equilibria. Part 6. A further study of the method for determination of equilibrium constants of extraction processes, 591–4
Mechanisms of reduction of *trans*-cyclohexane-1,2-diamine-*NNN′N′*-tetra-acetatomanganate(III) by hydrazine, hydroxylamine, and substituted benzene-1,2-diols, 689–96
Kinetics and mechanism of hydrogen peroxide oxidation by silver(III) in aqueous alkaline media, 749–54
The *cis* effect of phosphines and phosphites in the reactions of chloro(1,2-diaminoethane)phosphine- and chloro(1,2-diaminoethane)triethyl phosphite-platinum(II) cations with nucleophiles, 775–8
Axial ligation constants of copper(II) macrocyclic tetra-amine complexes, 995–8
Kinetics of solvolysis of the *trans*-dichlorotetra(4-methylpyridine)cobalt(III) ion in water and in water–propan-2-ol mixtures, 1035–8
A kinetic and mechanistic study of the reaction between bis-*p*-ethoxyphenyl ditelluride and molecular iodine in solution, 1071–4
Effects of electrolytic dissociation upon rates of reactions. Part 11. Metal ion catalysed rates of aquation of penta-ammineoxalatocobalt(III), 1175–8
The reactivity of cyanogen towards compounds containing active hydrogens at carbon atoms. Part 3. Synthesis of bis[1-cyano-2-(1-iminoethyl)butane-1,3-dionato]copper(II) from cyanogen and bis(acetylacetonato)copper(II): kinetics, thermodynamics and *X*-ray crystal structure, 1217–24
Studies in nickel(IV) chemistry. Part 1. Preparation, characterization, and kinetics of formation of tris(dimethylglyoximato)nickelate(IV) in aqueous alkaline media, 1225–32
Studies in nickel(IV) chemistry. Part 2. Kinetics of proton-assisted decomposition of tris(dimethylglyoximato)nickelate-(IV) with concomitant intramolecular electron transfer in aqueous media, 1233–8
Studies in nickel(IV) chemistry. Part 3. Kinetics of metal(II) ion-mediated acid decomposition of tris(dimethylglyoximato)nickelate(IV) in aqueous medium, 1239–46
The chemistry of quadrivalent lanthanoids. Part 2. Preparation and properties of cerium tetrachloride complexes and a comparison with their uranium analogues, 1265–70
Effects of geometric configuration and steric hindrance on rates and mechanisms of oxidation of diaminedichloroplatinum(II) complexes by tetrachloroaurate(III) ions, 1285–90
Equilibria in aqueous solutions of some chromium(2+) complexes, 1335–8
Kinetics and equilibria in the redox reaction between ethylenedinitrilotetra-acetate complexes of iron(III) and vanadium(III) in aqueous solution, 1449–60
High-pressure effects on the proton nuclear magnetic resonance spectra of palladium(II) complexes of cyclic sulphides. Estimation of activation volumes for inversion about sulphur, 1473–4
Hydrolysis of imines. Part 2. Kinetics and mechanism of hydrolysis of *N*-salicylidene-2-aminopyridine in the presence and absence of copper(II) ion. A study of the catalytic effect of some mixed-ligand complexes of copper(II), 1503–10
Structural and mechanistic studies of co-ordination compounds. Part 37. Ligand-substitution kinetics of some halogeno tetra-amine complexes of cobalt(III), ruthenium(II), and ruthenium(III), 1641–6
Kinetics and mechanism of the interaction of *cis*-diamminediaquaplatinum(II) with organocobalamins, 1929–34
Kinetics and mechanism of cadmium(II) ion assisted incorporation of manganese(II) into 5,10,15,20-tetrakis(4-sulphonatophenyl)porphyrinate(4−), 1955–60
Electron-transfer kinetics and mechanism of di-imine bond formation in tetracyano(ethylenediamine)ferrate(II), 2051–6
Kinetics and mechanism for reduction of tetrabromoaurate(III) by uridine, 2329–32
Alkali-induced decomposition of hydrogen peroxide, 2353–8
Solvent effects on the kinetics of oxidation of cysteinatobis(ethylenediamine)cobalt(III) ion by peroxodisulphate, 2359–64
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 6. Competitive inhibition of the $[Co(phen)_3]^{3+}$ (phen = 1,10-phenanthroline) oxidation of parsley plastocyanin PCu(I) by redox-inactive complexes, 2543–8
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 7. Effects of pH and redox-inactive $[Pr(NH_3)_6]^{4+}$ on reactions of parsley plastocyanin with different inorganic redox partners, 2549–54
Kinetics of the base decomposition of dodecatungstophosphate(3−) in weakly alkaline solutions, 2609–12
Salt and medium effects in the oxidation of iodide by hexacyanoferrate(III), 2679–84
KOLBE
Photoreduction of polymolybdates(VI) in aqueous solutions containing acetic acid, 2205–10
LANTHANOID
NN-Dialkylcarbamato-complexes of 4*f* elements, 483–8
The chemistry of quadrivalent lanthanoids. Part 2. Preparation and properties of cerium tetrachloride complexes and a comparison

LANTHANIOD (contd.)
with their uranium analogues, 1265–70
LEAD
Triorganotin and triorganolead derivatives of *N*-acetylamino-acids, 595–600
Solid-state properties of materials of the type Cs_4MX_6 (where M = Sn or Pb and X = Cl or Br), 767–70
Lead-207 chemical shift data for bivalent lead compounds: thermodynamics of the equilibrium $Pb(O_2CCH_3)_2 \rightleftharpoons [Pb(O_2CCH_3)]^+ + O_2CCH_3^-$ in aqueous solution in the temperature range 303—323 K, 1845–8
The ultraviolet photoelectron spectra and electronic structure of gas-phase and condensed SnF_2 and PbF_2, 2211–4
Lead tetra-acetate oxidation of metallic copper to Cu^{2+}: an unusual oxidation, 2531–2
LEWIS BASE
Lewis-base adducts of Group 1B metal(I) compounds. Part 1. Synthesis and structure of $CuIL_n$ complexes (L = nitrogen base, $n \leq 1.5$), 1905–16
Lewis-base adducts of Group 1B metal(I) compounds. Part 2. Synthesis and structure of $CuIL_2$ complexes (L = nitrogen base), 1917–28
LIGATION CONSTANT
Axial ligation constants of copper(II) macrocyclic tetra-amine complexes, 995–8
LINKAGE ISOMERISATION
Nitrito–nitro linkage isomerisation of the penta-amminecobalt(III) complex in liquid ammonia, 1739–42
LITHIUM
Hydrazido-, diazenido- and amido-derivatives of lithium: a theoretical study related to nitrogen fixation reactions, 455–62
Azomethine derivatives. Part 20. Crystal and molecular structures of the lithioketimine $[\{Li(N=CBu^t_2)\}_6]$ and lithioguanidine $[\{Li[N=C(NMe_2)_2]\}_6]$; electron-deficient bridging of Li_3 triangles by methyleneamino-nitrogen atoms, 1309–18
Crystal structure of dimeric *N*-lithiohexamethyldisilazane etherate, $[(Et_2O)Li\{\mu\text{-}N(SiMe_3)_2\}]_2Li(OEt_2)]$, 1671–4
LUMINESCENCE
Solvent dependence of the optical activity associated with tris(DD-dicampholylmethanato)europium(III), 1165–70
MACROCYCLE
Synthesis of a macrocyclic metal complex incorporating peripheral hydroxyethyl tails: the *X*-ray structure of $[Mn(L^1)Cl][BF_4]\cdot 4H_2O$, 177–80
Crystal and molecular structure of a new eight-membered tetraphospha-macrocycle, $(-\overline{PCPh=CMeCMe=C}-)_4$, 841–6
Axial ligation constants of copper(II) macrocyclic tetra-amine complexes, 995–8
Chemistry of structurally developed macrocycles. Part 2. Synthesis and complexing properties of *N*,*N*′,*N*″,*N*‴-tetra(3-aminopropyl)-1,4,8,11-tetra-azacyclotetradecane with nickel(II), 1149–52
Stability, electronic spectra, and structure of transition-metal ion complexes of a novel mixed-donor (nitrogen–sulphur) macrocycle, 1-thia-4,7-diazacyclononane, 1601–6
Structural and mechanistic studies of co-ordination compounds. Part 38. Syntheses and characterization of several quadridentate macrocyclic amine complexes of iridium(III), 1647–52
Trihapto–hexahapto fluxional behaviour of a macrocyclic ligand: template synthesis, proton nuclear magnetic resonance spectra, and the crystal and molecular structure of an eleven-co-ordinate barium(II) complex, 1653–60
Properties and structural characterization of the mixed-ligand complex oxydiacetato(2,2′:6′,2″-terpyridyl)copper(II) dihydrate, 1797–800
Complexation of alkali- and alkaline-earth-metal cations by a conjugated tetraimine macrocyclic ligand: synthesis, sodium-23 nuclear magnetic resonance spectra, and the *X*-ray structure of a twelve-co-ordinate barium(II) 'sandwich' complex, 1857–64
Stereochemistry of metal complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecanepalladium(II) dichloride dihydrate, 1865–8
Properties of (1,4,7,10,13-penta-azacyclohexadecane)nickel(III) in aqueous solutions: a pulse radiolytic study, 2125–6
Oxidation and reduction of copper(II) complexes with saturated poly-aza macrocycles of varying size and denticity, 2191–6
Synthesis, characterization, and crystal structure analysis of pentane-2,4-dionato(1,4,7,10-tetra-azacyclododecane)cobalt(III) diperchlorate monohydrate and its brominated complex (3-bromopentane-2,4-dionato)(1,4,7,10-tetra-azacyclododecane)cobalt(III) diperchlorate hemihydrate, 2405–10
Dinuclear metal complexes. Part 2. Synthesis, characterisation, and electrochemical studies of macrocyclic dicopper(II) complexes, 2429–34
Orbital levels of crown ethers and related macrocycles studied by ultraviolet photoelectron spectroscopy; relationship to complexation studies, 2519–24
Dicopper(II) complexes of an N_6O_2 macrocycle and seven-co-ordinate manganese(II), iron (II), cobalt(II), nickel(II), copper(II), and zinc(II) complexes of its N_4O_2 open-chain precursor, 2525–8
Syntheses of *NN*′-bis(4′-benzo[15-crown-5])diaminoglyoxime and its complexes with copper(II), nickel(II), cobalt(II), cobalt(III), paladium(II), platinum(II), and uranyl(VI), 2537–42
MAGNESIUM
Formation of $MgGeO_3$ from the hydrate prepared by hydrolysis of magnesium and germanium oxides, 2139–42
MAGNETIC EXCHANGE
Magnetic exchange interactions in perovskite solid solutions. Part 2. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Cr_xO_3$ ($0 < x < 1$), 2031–4
Magnetic exchange interactions in perovskite solid solutions. Part 3. Tin-119 Mössbauer spectra of doped iron perovskite solid solutions, 2035–8
MAGNETIC SUSCEPTIBILITY
Evolution of $\alpha\text{-}Cr_2O_3$ from hydrous chromium oxides: magnetic susceptibility and extended *X*-ray absorption fine structure studies, 1895–900
MAGNETITE
Transformation of $\gamma\text{-}FeO(OH)$ to Fe_3O_4 by adsorption of iron(II) ion on $\gamma\text{-}FeO(OH)$, 189–94
MAGNETOCHEMISTRY
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3-hydroxy-4-[4′-(3″,4″-dichlorophenyl)-4′-hydroxy-2′-azabut-1′-en-1′-yl]-5-hydroxymethyl-2-methylpyridine (H_2L^2), $[(CuL^2)_4]\cdot 9CH_3OH$, 657–70
Iron complexes of *N*-substituted thiosalicylideneimines. Part 2. Magnetic and Mössbauer spectral studies of iron(II) complexes, 879–84
Chromium(II) chemistry. Part 15. Synthesis and magnetic properties of piperazinium, hydrazinium, and monoaryl and other substituted ammonium tetrachlorochromates, 1081–4
MALEONITRILEDITHIOLATE
Redox-induced reactions of nickel maleonitriledithiolate αα′-diimine complexes, 1019–22
MALIC ACID
Molybdenum(VI) complexes with malic acid: their inter-relationships, and the crystal structure of dicaesium bis[(*S*)-malato(2–)]-*cis*-dioxomolybdate(VI)–water (1/1), 1299–304
MALONIC ACID
Apparent short potassium–hydrogen distances in potassium fluoride–malonic acid: a reply, 187–8
MANGANESE
Synthesis of a macrocyclic metal complex incorporating peripheral hydroxyethyl tails: the *X*-ray structure of $[Mn(L^1)Cl][BF_4]\cdot 4H_2O$, 177–80
Substitution and insertion reactions of the dinuclear manganese μ-hydride complex $[M_2(\mu\text{-}H)(\mu\text{-}PPh_2)(CO)_8]$; crystal structures of the complexes $[Mn_2(\mu\text{-}\sigma:\eta^2\text{-}CH=CH_2)(\mu\text{-}PPh_2)(CO)_7]$ and $[Mn_2(\mu\text{-}H)(\mu\text{-}PPh_2)(CO)_6(CNBu^t)_2]$, 205–16
Matrix isolation studies of the bonding of acetyl groups in the co-ordinatively unsaturated species acetyltetracarbonylmanganese and acetylmonocarbonyl(η-cyclopentadienyl)iron, 615–8
Mechanisms of reduction of *trans*-cyclohexane-1,2-diamine-*NNN*′*N*′-tetra-acetatomanganate(III) by hydrazine, hydroxylamine, and substituted benzene-1,2-diols, 689–96
Investigation into aroylhydrazones as chelating agents. Part 3. Synthesis and spectroscopic characterization of complexes of Mn^{II}, Co^{II}, Ni^{II}, Cu^{II}, and Zn^{II} with 2,6-diacetylpyridine bis(benzoylhydrazone) and *X*-ray structure of aquachloro[2,6-diacetylpyridine bis(benzoylhydrazone)]manganese(II) chloride, 721–8
Reactions of manganese atoms with cyclic dienes and cycloheptatriene: crystal structure of carbonylbis(1—4-η-cyclohexa-1,3-diene)manganese, 901–4

MANGANESE (contd.)
The reaction of a bridged vinylidenedi-iron complex with cobalt, iron, and manganese carbonyl species; *X*-ray crystal structures of the complexes $[Fe_3(\mu_3\text{-}CMe)(\mu\text{-}CO)_2(CO)_6(\eta\text{-}C_5H_5)]$ and $[Co_2Fe(\mu_4\text{-}C{=}CH_2)(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5H_5)]$, 1357–62
Manganese(II) ions as stereochemical probes in reactions of zinc halides with pyrazine, 1469–72
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
Kinetics and mechanism of cadmium(II) ion assisted incorporation of manganese(II) into 5,10,15,20-tetrakis(4-sulphonatophenyl)porphyrinate(4−), 1955–60
Tertiary phosphine adducts of manganese(II) dialkyls. Part 1. Synthesis, properties and structures of alkyl-bridged dimers, 2025–30
The co-ordination of small molecules by manganese(II) phosphine complexes. Part 1. The reversible co-ordination of dioxygen by $[MnX_2(PR_3)]$ (X = Cl, Br, or I; R_3 = Bu^n_3 or $PhBu^n_2$) complexes in solution and an infrared criterion for predicting dioxygen binding activity in the di-isothiocyanato(phosphine)manganese(II) complexes, 2147–54
Tertiary phosphine adducts of manganese(II) dialkyls. Part 2. Synthesis, properties, and structures of monomeric complexes, 2631–8
Cyanide ion as a four-electron donating bridging ligand in a dimanganese compound, 2669–72
Infrared and ultraviolet–visible spectroscopic studies on manganese heptoxide (Mn_2O_7), 2699–702

MATRIX ISOLATION
Matrix isolation studies of the bonding of acetyl groups in the co-ordinatively unsaturated species acetyltetracarbonylmanganese and acetylmonocarbonyl(η-cyclopentadienyl)iron, 615–8
Matrix isolation studies on alkali metal arsenates: the characterisation of molecular $CsAsO_3$, 851–4
Structural studies of matrix-isolated alkali metal chlorates; an example of tridentate co-ordination by the chlorate ion, 1185–8
Photochemistry of (η^3-allyl)tricarbonylcobalt in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of (η^3-allyl)dicarbonylcobalt, (η^3-allyl)dicarbonyl(dinitrogen)cobalt, (σ-allyl)tetracarbonylcobalt, and tetracarbonylcobalt complexes, 1291–8
Photochemistry of tricarbonyl(η^4-cyclo-octatetraene)iron in a methane matrix at 12 K. Infrared spectroscopic evidence for photoisomerisation and carbon monoxide ejection reactions, 1351–6
Matrix isolation studies on alkali metal perrhenates: the shape and vibrational assignments of caesium perrhenate, $CsReO_4$, 1461–4
Matrix isolation studies on ytterbium dichloride: a non-linear molecule. Observation of isotopic structure on ν_1 and ν_3, 2343–4
Infrared and electronic spectra of matrix isolated chalcogenide halides of tungsten(VI), WYX_4 (Y = S or Se; X = F, Cl, or Br), 2625–30

MEDIUM EFFECT
Salt and medium effects in the oxidation of iodide by hexacyanoferrate(III), 2679–84
Studies on the solubility of 2,2'-bipyridyl, 1,10-phenanthroline, and their tris iron(II) perchlorates in methanol–water mixtures, and the determination of the 'medium effect' of ions, 2685–8

MEMBRANE
Precipitation within unilamellar vesicles. Part 2. Membrane control of ion transport, 771–4

MERCURY
Synthesis of novel mercury(I) complexes containing a linear chain Co–Hg–Hg–Co. *X*-Ray crystal structure of the complex $[\{Co[N(CH_2CH_2PPh_2)_3]\}_2(\mu\text{-}Hg_2)]\cdot thf$, 349–52
Rhodium-catalysed decomposition of hydroxymercurated ethylene to ethanol and acetate, 1319–24
Intramolecular co-ordination by a hydroxy-group to methylmercury(II). Synthesis and characterization of complexes $[HgMe(L)]NO_3$ containing polydentate ligands (L), and the crystal structure of the tris(*N*-methylimidazol-2-yl)methanol complex, 1873–8
Complexes containing mercury–molybdenum bonds: new compounds of the type $[HgX\{trans\text{-}Mo(CO)_2L(\eta^5\text{-}C_5H_5)\}]$ (L = arsine or phosphine). Crystal and molecular structure of $[Hg(CN)\{trans\text{-}Mo(CO)_2(AsMe_2Ph)(\eta^5\text{-}C_5H_5)\}]$, 2117–20
Bimetallic systems. Part 2. Synthesis and interconversion of monodentate- and bridging-bis(diphenylphosphino)methane platinum, diplatinum, and mercury–platinum acetylides, 2487–94

METALLABORANE
Metallaborane chemistry. Part 13. Direct insertion of a platinum nucleophile into *nido*-$5,6\text{-}C_2B_8H_{12}$: synthesis and structural elucidation of $[9\text{-}H\text{-}9,9\text{-}(Et_3P)_2\text{-}\mu_{10,11}\text{-}H\text{-}7,8,9\text{-}C_2PtB_8H_{10}]$ and $[9\text{-}H\text{-}9,10\text{-}(Et_3P)_2\text{-}7,8,9\text{-}C_2PtB_9H_9]$, 2063–70

METALLACYCLE
Reactivity of cyclopalladated compounds. Part 7. Syntheses of metallobicyclic compounds and their reactions with acetylenes. *X*-Ray crystal and molecular structures of the compounds $[(\overline{NMe_2CH_2C_6H_4})\overline{Pd\{C(CF_3){=}C(CF_3)(C_6H_4CH_2NMe_2)\}}]$ and $[\{(\overline{NMe_2CH_2C_6H_4})C(CF_3){=}C(CF_3)\}\overline{Pd\{C(CF_3){=}C(CF_3)(CH_2C_9H_6N)\}}]$, 1535–44

METALLACYCLOPENTADIENE
Co-ordinatively unsaturated acetylene complexes of molybdenum and tungsten: reactions of $[MCl(CF_3C{\equiv}CCF_3)_2(\eta^5\text{-}C_5H_5)]$ (M = Mo or W) with octacarbonyldicobalt leading to binuclear metallacyclopentadiene complexes, 1667–70

METALLACYCLOPENTANE
Preparation and properties of metallacyclopentane and dineopentyl derivatives of molybdenocene and tungstenocene. *X*-Ray crystal and molecular structure of bis(η-cyclopentadienyl)molybdenacyclopentane, 967–74

METALLATION
Metallation of aliphatic carbon atoms. Part 1. Synthesis and characterization of the cyclopalladated complexes of 2-neopentylpyridine, 897–900
Regiospecific metallation in palladium–hydrazone complexes, 1483–8

METALLOCENE
Transition metal–phosphide chemistry: synthesis of $[M(\eta\text{-}C_5H_5)_2(PR_2)_2]$ (M = Zr, R = Ph; M = Hf, R = Ph or cyclo-C_6H_{11}) and $[\{M(\eta\text{-}C_5H_5)_2(PR_2)\}_2]$ (M = Ti, R = Ph or Me; M = Zr or Hf, R = Me), and their reactions with protic and halogen-containing species, 2555–60

METALLOPROTEIN
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 6. Competitive inhibition of the $[Co(phen)_3]^{3+}$ (phen = 1,10-phenanthroline) oxidation of parsley plastocyanin PCu(I) by redox-inactive complexes, 2543–8
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 7. Effects of pH and redox-inactive $[Pr(NH_3)_6]^{4+}$ on reactions of parsley plastocyanin with different inorganic redox partners, 2549–54

METHOXYPALLADATION
Decomposition of the product of methoxypalladation of dichloro(2,2-dimethylbut-3-enyl methyl sulphide)palladium(II). Identification of an α-alkoxyalkylpalladium(II) intermediate, 127–32

METHYLENE
Synthesis and crystal structures of *cis*- and *trans*-dimethyl-di-μ-methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV), 1441–8

MIXED VALENCE
The synthesis, *X*-ray crystal structure, and electronic and vibrational characterisation of the mixed-valence, iodine-bridged complex $[Pt^{II}(diene)I][Pt^{IV}(dien)I_3]I_2$, 1583–6
Co-ordination chemistry of higher oxidation states. Part 7. Nickel(III) and nickel(II)–nickel(IV) complexes of ethylenediamine and related ligands. A clarification, 2131–4
Triple halide-bridged diruthenium complexes in higher oxidation states, 2307–10
Mixed oxidation state confacial bioctahedral complexes of tungsten possessing strong metal–metal interactions. Part 2. Synthesis, *X*-ray crystal structure and electron spin resonance studies of the W^{III}/W^{IV} complex $[AsPh_4]_2[Cl_3W(\mu\text{-}Cl)(\mu\text{-}SPh)_2WCl_3]\cdot 1.4CH_2Cl_2$, 2479–86

MNDO
Bonding in clusters. Part 6. An evaluation of Stone's theory of bonding in *closo*-borane anions, through MNDO calculations, 975–80

MOBIUS
Substituent effects on the bonding properties in cyclotriphosphanes and related compounds. Polarization of Hückel *versus* Möbius orbitals, 2411–4
MODEL
Studies on the oxygenolysis of 9,10-phenanthrenequinone by CuXL (X = Cl or Br; L = pyridine, 2,2′-bipyridine, and 1,10-phenanthroline) complexes, 1995–2000
MOLECULAR STRUCTURE
Gas-phase molecular structures of bis(difluorophosphino) sulphide, $S(PF_2)_2$, bis(difluorophosphino) selenide, $Se(PF_2)_2$, and difluoro(methylthio)phosphine, $PF_2(SMe)$, determined by electron diffraction, 1989–94
MOLYBDATE
Photoreduction of polymolybdates(VI) in aqueous solutions containing acetic acid, 2205–10
MOLYBDENUM
Synthesis and *X*-ray structure of the tetrameric molybdenum complex $[C_{16}H_{13}N_2S_2]^+{}_2[Mo_4Cl_4O_8(OEt)_4]^{2-}$, 65–70
Nitrosyl complexes of molybdenum and tungsten. Part 17. Hydrazido(1−) complexes of [tris(3,5-dimethylpyrazolyl)-borato]molybdenum, related tungsten compounds, and the structures of *NN*-dimethylhydrazido(1−)-and *N*-methyl-*N*-phenylhydrazido(1−)-(iodo(nitrosyl)[tris(3,5-dimethylpyrazol-1-yl)borato]molybdenum, 71–80
Arylamido and aryloxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, some mixed alkoxy/aryloxy and aryloxy/monoalkylamido species, and the structures of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(NHC_6H_4R\text{-}p)]$ (R = Me and OMe), 81–90
Mono- and bis-thiolato, mixed thiolato–monoalkylamido, and thiolato–alkoxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, and the crystal and molecular structure of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(SC_6H_{11})]$, 91–6
The reactivity of molybdenum and tungsten trioxide vapours towards organic and inorganic compounds at −196 °C, 239–44
Alkyne ligands as three-electron donors: crystal structures of $[Mo(CO)(MeC_2Me)_2(\eta\text{-}C_5H_5)][BF_4]$ and $[Mo(NCMe)(MeC_2Me)_2(\eta\text{-}C_5H_5)][BF_4]$, 271–6
Preparation and crystal structure of $[Mo\{S_2P(OMe)_2\}_3]$ and an improved route to $[MoCl_3(thf)_3]$, 397–8
One-electron cyclic voltammetric reduction potentials of some molybdo-oxaziridines, 401–4
Polymer-supported complexes. Part 3. Synthesis of a polystyrene-anchored molybdenum(V) dithiocarbamato-derivative and its applications in reactions involving t-butyl hydroperoxide, 415–8
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 16. Synthesis of the trimetal compounds $[M_2M'(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(\eta\text{-}C_5H_5)_3]$ (M = Mo or W, M′ = W; M = M′ = Mo), 513–8
Crevice co-ordination: binding of a ligand molecule in a molecular crevice. Crystal and molecular structures of μ-oxo-μ-pyridine-μ-sulphido-bis[(*OO′*-di-isopropyl phosphorodithioato)oxomolybdenum(V)] and μ-oxo-μ-pyridazine-μ-sulphido-bis[(*OO′*-di-isopropyl phosphorodithioato)oxomolybdenum(V)], 649–56
Preparation, crystal structure, and spectroscopic studies of $[NPr^n_4]_2[(PhS)CuS_2MoS_2]$ and $[NPr^n_4]_2[(PhS)CuS_2MoS_2Cu(SPh)]$, containing benzenethiolatocopper(I)–tetrathiomolybdate(VI) complex anions, 713–20
Preparation and *X*-ray crystal structure of $[(OC)_3Mo\{P_2[MeNC(O)NMe]_2\}_3Mo(CO)_3]$, 855–6
Synthesis, characterisation, and electrochemical studies of a dioxo-bridged molybdenum(V) glycinate. Generation of an oxo-bridged Mo^V–Mo^{VI} species, 857–60
Bis(η-cyclopentadienyl)molybdenum chemistry: synthesis and reactions of ring-functionalised compounds, 861–4
Reactions of co-ordinated ligands. Part 27. Formation of η^3-allyl and σ-vinyl complexes by nucleophilic attack on cationic molybdenum monoacetylene complexes. Molecular structures of $[Mo(CO)(PEt_3)(\eta^3\text{-}anti\text{-}1\text{-}MeC_3H_4)(\eta^5\text{-}C_9H_7)]$ and $[Mo\{P(OMe)_3\}_3\{\sigma\text{-}(E)\text{-}CH{=}CHBu^t\}(\eta\text{-}C_5H_5)]$, 927–40
Preparation and properties of metallacyclopentane and dineopentyl derivatives of molybdenocene and tungstenocene. *X*-Ray crystal and molecular structure of bis(η-cyclopentadienyl)molybdenacyclopentane, 967–74
Metal–metal bond length variations and the electronic structure of dichromium(II) and dimolybdenum(II) complexes, 1085–90
Reductive preparation of bis(arene)metal complexes from metal halides in solution using potassium atoms, 1123–6
Syntheses and structural studies of dinitrosylmolybdenum complexes, 1137–42
Cationic metal nitrosyl complexes. Part 5. Synthesis of dinitrosylmolybdenum compounds, 1143–8
Formation of molybdenum-bearing ferrites, $Fe_{3-x}Mo_xO_4$ (x = 0.04—0.19), in aqueous suspension by air oxidation, 1197–8
Molybdenum(VI) complexes with malic acid: their inter-relationships, and the crystal structure of dicaesium bis[(*S*)-malato(2−)]-*cis*-dioxomolybdate(VI)–water (1/1), 1299–304
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
Reductive nitrosylation of tetraoxometallates. Part 3. Generation of $\{Mo(NO)\}^4$, $\{Mo(NO)_2\}^4$, and $\{Mo(NO)_2\}^6$ moieties: synthesis of 2,2′-bipyridine, 1,10-phenanthroline, thiocyanato-, and diethyldithiocarbamato-complexes of mono- and di-nitrosylmolybdenum directly from MoO_4^{2-} in aqueous and aerobic media, 1593–600
Reactions of co-ordinated ligands. Part 28. The reaction of nucleophilic reagents with the cationic bis(acetylene) molybdenum complexes $[Mo(CO)(RC_2R')_2(\eta\text{-}C_5H_5)][BF_4]$; *X*-ray crystal structures of $[Mo\{C(Me){=}C(Me)C(O)C(Me){=}CHMe\}(CO)_2(\eta\text{-}C_5H_5)]$ and $[Mo\{\eta^3\text{:}\eta^2\text{-}HBu^tC{=}CH{-}C{=}O{-}C(O)C(Bu^t){=}CH\}(CO)(\eta\text{-}C_5H_5)]$, 1625–34
Co-ordinatively unsaturated acetylene complexes of molybdenum and tungsten: reactions of $[MCl(CF_3C{\equiv}CCF_3)_2(\eta^5\text{-}C_5H_5)]$ (M = Mo or W) with octacarbonyldicobalt leading to binuclear metallacyclopentadiene complexes, 1667–70
Co-ordinatively unsaturated alkyne complexes of molybdenum and tungsten. Reactions of $[MCl(CF_3C{\equiv}CCF_3)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W) with heterocyclic thiolates leading to η^2-vinyl complexes, 1783–8
A spectroscopic investigation of cerium molybdenum oxides, 1825–30
Structure and bonding in linear-bridged species: electronic, Raman, and resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{Cl(PMe_2Ph)_4Re(N_2)\}_2MoCl_4]$, 2005–10
Complexes containing mercury–molybdenum bonds: new compounds of the type $[HgX\{trans\text{-}Mo(CO)_2L(\eta^5\text{-}C_5H_5)\}]$ (L = arsine or phosphine). Crystal and molecular structure of $[Hg(CN)\{trans\text{-}Mo(CO)_2(AsMe_2Ph)(\eta^5\text{-}C_5H_5)\}]$, 2117–20
Solution chemistry and reactivity of tris(*N*,*N*-dialkyldithiocarbamato)oxomolybdenum(IV) cationic complexes, 2135–8
The reactions of acetone and of diacetone alcohol with $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I_2]$. The formation of $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I(OEt)]$ and the structures of $[\{Mo[HB(3,5\text{-}Me_2C_3HN_2)_3](NO)I\}_2O]$ and a bicyclic salt $[C_6H_3Me_3N_2(OH)][I_3(I_3)_4]$, 2287–92
Electronic, resonance-Raman, and infrared spectroscopic studies of the thiometalate complexes $[NEt_4]_2[(PhS)_2FeS_2MS_2]$, M = Mo or W, 2299–302
Cyclic carbene complexes of molybdenum and tungsten. Crystal and molecular structure of $[MoI(CO)_2\{CO(CH_2)_2CH_2\}(\eta\text{-}C_5H_5)]$, 2397–404
Crystal structure of the complex *cis*-oxobis[piperidine *N*-oxido(1−)-*NO*]thiomolybdenum(VI), containing a *cis*-$MoOS^{2+}$ group, 2495–500
MONTMORILLONITE
Chirality recognition of a clay surface modified by an optically active metal chelate, 679–82
MOSSBAUER
Synthesis and magnetochemical, spectroscopic, and structural studies of new tris(*NN*-dialkyldiselenocarbamato)iron(IV) tetrafluoroborate complexes, 25–30
The Mössbauer recoil-free fraction and structure. Part 3. Triorganotin arylazobenzoates, 363–70

MOSSBAUER (contd.)
Magnetic exchange interactions in perovskite solid solutions. Part 1. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Co_xO_3$ ($0 < x < 1$), 873–8
Iron complexes of *N*-substituted thiosalicylideneimines. Part 2. Magnetic and Mössbauer spectral studies of iron(II) complexes, 879–84
Iodine-127 Mössbauer study of iodine(III) interhalogen cations and related compounds, 885–8
A Mössbauer spectroscopic study of the iodides of europium (1982, 2409), 1027–8
Studies on mixed metal(II)–iron(II) chloride systems. Part 2. Mössbauer and *X*-ray powder diffraction data for the potassium and rubidium $M'M''_xFe_{1-x}Cl_3{\cdot}2H_2O$ (M' = K or Rb; M'' = Mn, Co, or Ni; $x = 0.5$) systems, 1039–46
Oxy- and thio-phosphorus acid derivatives of tin. Part 12. A Mössbauer spectroscopic investigation of the structures and polymorphic behaviour of diorganotin(IV) phenylphosphonates and –arsonates, 1523–8
Magnetic exchange interactions in perovskite solid solutions. Part 2. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Cr_xO_3$ ($0 < x < 1$), 2031–4
Magnetic exchange interactions in perovskite solid solutions. Part 3. Tin-119 Mössbauer spectra of doped iron perovskite solid solutions, 2035–8
Gold-197 Mössbauer spectra of organogold(I) compounds, 2071–4
The reaction of organic dihalides with organyltelluride (RTe^-) anions: telluronium salts and charge-transfer complexes, 2143–6
Studies on mixed metal(II)—iron(II) chloride systems. Part 3. Mössbauer and *X*-ray powder diffraction data on $M_xFe_{1-x}Cl_2{\cdot}yH_2O$ (M = Mn, Co, or Ni; $x = 0.5$ or 0.75; $y = 4$ or 6), 2581–4
NEOCUPROINE
2,9-Dimethyl-1,10-phenanthroline copper(I) complexes with some sulphur-containing amino acids, 2269–72
NEUTRON DIFFRACTION
X-Ray and neutron diffraction studies on $[Ru_4(CO)_8(\mu\text{-}H)_4\{P(OCH_3)_3\}_4]$ at 293 and 20 K: characterisation of the vibrational behaviour of two-co-ordinate hydrogen atoms, 463–74
Spin density and structure of aquabis(2,2′-bipyridine)di-μ-hydroxo-sulphatodicopper(II) tetrahydrate at 4.2 K, 703–12
NICKEL
Trifluoroacetate complexes of cobalt(II), nickel(II), and copper(II) with pyridine-type ligands. Part 5. Dynamic nuclear magnetic resonance studies of *cis–trans* isomerism, 153–60
Studies on nickel, palladium, and platinum dithiolates, 165–8
Kinetics and mechanisms of the reactions of nickel(II), cobalt(II), copper(II), and iron(III) with 1,1,1-trifluoropentane-2,4-dione, 331–6
Rates and activation parameters for dimethyl sulphoxide exchange with hexakis(dimethyl sulphoxide)-nickel(II), - cobalt(II), and - iron(III) ions, 353–8
Synthesis of 1-oxidopyridinium-2-thiolato- and pyridine-2-thiolato-complexes of nickel, palladium, and platinum, 783–6
Gas-phase ultraviolet photoelectron spectra of $[\{Ni(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_2R_2)]$ (R = H or CF_3) complexes, 869–72
Redox-induced reactions of nickel maleonitriledithiolate αα′-diimine complexes, 1019–22
Chemistry of structurally developed macrocycles. Part 2. Synthesis and complexing properties of *N*,*N*′,*N*″,*N*‴-tetra(3-aminopropyl)-1,4,8,11-tetra-azacyclotetradecane with nickel(II), 1149–52
First potentiometric determination of stability constants of nickel(II) complexes with tetra-azacycloalkanes, 1189–92
Studies in nickel(IV) chemistry. Part 1. Preparation, characterization, and kinetics of formation of tris(dimethylglyoximato)nickelate(IV) in aqueous alkaline media, 1225–32
Studies in nickel(IV) chemistry. Part 2. Kinetics of proton-assisted decomposition of tris(dimethylglyoximato)nickelate-(IV) with concomitant intramolecular electron transfer in aqueous media, 1233–8
Studies in nickel(IV) chemistry. Part 3. Kinetics of metal(II) ion-mediated acid decomposition of tris(dimethylglyoximato)nickelate(IV) in aqueous medium, 1239–46
Studies on transition-metal–peptide complexes. Part 8. Parent and mixed-ligand complexes of histidine-containing dipeptides, 1545–52
Redox-active planar complexes. Electrochemical investigations of palladium and platinum bis(dithioacetylacetonate) complexes and their structural analogues, 1587–92
Stability, electronic spectra, and structure of transition-metal ion complexes of a novel mixed-donor (nitrogen–sulphur) macrocycle, 1-thia-4,7-diazacyclononane, 1601–6
Reactivity of η^2-trithiocarbonate metal complexes as nucleophiles. Intramolecular mobility of the trithiocarbonate group in $\mu\text{-}CS_3$ binuclear complexes, 1777–82
Intermolecular exchanges of tertiary phosphine ligands (L) between *trans*-$[NiRXL_2]$ (R = CCl CCl_2, C_6Cl_5, or $C_6H_2Me_3$-2,4,6) and of halide ligands (X) between *trans*-$[MRXL_2]$ (M = Ni, Pd, or Pt), 1841–4
Properties of (1,4,7,10,13-penta-azacyclohexadecane)nickel(III) in aqueous solutions: a pulse radiolytic study, 2125–6
The crystal structure of the compound *meso*,*meso*′-ethylenebis[octaethylporphyrinatonickel(II)], 2127–30
Co-ordination chemistry of higher oxidation states. Part 7. Nickel(III) and nickel(II)–nickel(IV) complexes of ethylenediamine and related ligands. A clarification, 2131–4
Synthesis, properties, and *X*-ray structural characterization of [tris(2-diphenylphosphinoethyl)phosphine]nickel(I) perchlorate and triphenylphosphine[tris(2-diphenylarsinoethyl)amine]nickel(I) perchlorate, 2263–8
Crystal and molecular structures of dinitritobis(pyridine)zinc(II), bis(2-methylpyridine)dinitritozinc(II), and dinitritobis(quinoline)nickel(II), 2273–80
Reactivity of $\eta^2\text{-}CS_3Me$ metal complexes as electrophiles, 2419–24
Direct synthesis of bis(acetylacetonato)nickel(II) dihydrate and isolation of α,α,β,β-tetra-acetylethane as the oxidation product of acetylacetone, 2561–2
NIOBIUM
Electron spin resonance studies of some bis(cyclopentadienyl) complexes of vanadium(IV) and niobium(IV), 2057–62
The reactions of tetrahydrothiophene (tht) with tribromosulphidoniobium(V) and trichlorosulphidoniobium(V) and the crystal structures of three of the products $Nb_2Cl_4S_3{\cdot}4tht$, $Nb_2Br_4S_3{\cdot}4tht$, and $NbBr_3S{\cdot}2tht$, 2251–6
Interaction between uranium tetrafluoride oxide and the pentafluorides of arsenic, niobium, tantalum, and bismuth, 2303–6
NITRENE
Reaction of triruthenium dodecacarbonyl with nitrobenzene and structure of μ_3-phenylnitrene-triruthenium decacarbonyl, $[Ru_3(CO)_{10}(\mu_3\text{-}NPh)]$, 2339–42
NITRIC ACID
Decomposition of hydrazoic acid in nitric acid, 257–60
NITRIDE
Rhodium carbonyl clusters with interstitial nitrogen atoms. Part 1. Crystal and molecular structure of the bis(triphenylphosphine)iminium salt of the anion ennea-μ-carbonyl-hexacarbonyl-μ_6-nitrido-*polyhedro*-hexarhodate(1—), 253–6
NITRITO
Nitrito–nitro linkage isomerisation of the penta-amminecobalt(III) complex in liquid ammonia, 1739–42
Crystal and molecular structures of dinitritobis(pyridine)zinc(II), bis(2-methylpyridine)dinitritozinc(II), and dinitritobis(quinoline)nickel(II), 2273–80
NITRO
Nitrito–nitro linkage isomerisation of the penta-amminecobalt(III) complex in liquid ammonia, 1739–42
NITROAMINE
The decomposition of nitroamine (NH_2NO_2) in concentrated acids, 261–4
NITROGEN
Tetrakis(tetrasulphur tetranitrogen dioxide)silver hexafluoroarsenate(V), 405–8
Reactions of tetrasulphur tetranitride with titanium and vanadium tetrachlorides; crystal structure of $VCl_2(S_2N_2)$, 1207–10
Stability, electronic spectra, and structure of transition-metal ion complexes of a novel mixed-donor (nitrogen–sulphur) macrocycle, 1-thia-4,7-diazacyclononane, 1601–6
Octahedrally co-ordinated zinc and cadmium compounds with five-membered heterocyclic OS_3N_2 ligands, 1891–4
Metal complexes of sulphur–nitrogen chelating agents. Part 10. The chemistry of palladium(II) complexes with some monoanionic tridentate ligands of the type SNN, 1935–40

NITROGEN (contd.)
Structure and bonding in linear-bridged species: electronic, Raman, and resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{Cl(PMe_2Ph)_4Re(N_2)\}_2MoCl_4]$, 2005–10
An electron spin resonance study of the dinitrogen tetroxide radical cation, 2533–6
NITRONIUM
The reaction of S_2NAsF_6 with halogens: preparation and *X*-ray crystal structure of bis(difluorothio)nitronium hexafluoroarsenate(v), $(SF_2)_2NAsF_6$; preparation of $(SBr)_2NAsF_6$, and vibrational spectrum and normal-co-ordinate analysis of the $(SX)_2N^+$ (X = Cl or Br) cations, 1961–8
NITROSAMINE
Preparation of 1,1-diphenylthionitrosamine and *X*-ray crystal structures of two thionitrosamine complexes, 183–6
Apparent short potassium–hydrogen distances in potassium fluoride–malonic acid: a comment, 187–6
NITROSYL
Nitrosyl complexes of molybdenum and tungsten. Part 17. Hydrazido(1−) complexes of [tris(3,5-dimethylpyrazolyl)-borato]molybdenum, related tungsten compounds, and the structures of *NN*-dimethylhydrazido(1−)-and *N*-methyl-*N*-phenylhydrazido(1−)-(iodo(nitrosyl)[tris(3,5-dimethylpyrazol-1-yl)borato]molybdenum, 71–80
Arylamido and aryloxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, some mixed alkoxy/aryloxy and aryloxy/monoalkylamido species, and the structures of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(NHC_6H_4R\text{-}p)]$ (R = Me and OMe), 81–90
Mono- and bis-thiolato, mixed thiolato–monoalkylamido, and thiolato–alkoxy complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, and the crystal and molecular structure of $[Mo\{HB(3,5\text{-}Me_2C_3N_2H)_3\}(NO)I(SC_6H_{11})]$, 91–6
Reduction–oxidation properties of organotransition-metal complexes. Part 16. Nitrosyl-bridged dicobalt complexes $[\{Co(\eta\text{-}NO)(\eta\text{-}C_5R_5)\}_2]^z$ (R = H or Me, z = 0 to +2) and $[Co_2(\mu\text{-}CO)(\mu\text{-}NO)(\eta\text{-}C_5Me_5)_2]^z$ (z = 0 or +1): synthesis, electrochemistry, and relative reactivity, 295–300
Iridium nitrosyl complexes of 9,10-phenanthrenequinone di-imine. Crystal structure of $[Ir(NO)\{HNC_{14}H_8N(PPh_3)\}(PPh_3)][PF_6]$, a species containing a phosphazene–imido-ligand, 779–82
Chemistry of ruthenium. Part 9. Electrophilic addition of a ruthenium nitrosyl complex to alkylidenearylhydrazones. Arylazo-oximates of bis(2,2′-bipyridyl)ruthenium(II), 961–6
Syntheses and structural studies of dinitrosylmolybdenum complexes, 1137–42
Cationic metal nitrosyl complexes. Part 5. Synthesis of dinitrosylmolybdenum compounds, 1143–8
Reaction of $[Os_4(CO)_{12}H_3]^-$ with $[NO][PF_6]$ in the presence of trace amounts of water; *X*-ray determination of the molecular structures of $[Os_4(CO)_{12}H_3(\mu\text{-}OPO_3H_2)]$ and $[Os_4(CO)_{12}H_3(\mu\text{-}OH)]$ (2:1 ratio) in the one crystal, 1203–6
The reactions of acetone and of diacetone alcohol with $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I_2]$. The formation of $[Mo\{HB(3,5\text{-}Me_2C_3HN_2)_3\}(NO)I(OEt)]$ and the structures of $[\{Mo[HB(3,5\text{-}Me_2C_3HN_2)_3](NO)I\}_2O]$ and a bicyclic salt $[C_6H_3Me_5N_2(OH)][I_1(I_3)_4]$, 2287–92
Electrophilic behaviour of nitrosyls: the Boedeker reaction, the reactions of sulphite with nitrosyls, and the crystal and molecular structure of *cis*-bis(2,2′-bipyridine)chloro(nitrosylsulphito)ruthenium, 2465–72
NITROSYLATION
Reductive nitrosylation of tetraoxometallates. Part 3. Generation of $\{Mo(NO)\}^4$,$\{Mo(NO)_2\}^4$, and $\{Mo(NO)_2\}^6$ moieties: synthesis of 2,2′-bipyridine, 1,10-phenanthroline, thiocyanato-, and diethyldithiocarbamato-complexes of mono- and di-nitrosylmolybdenum directly from MoO_4^{2-} in aqueous and aerobic media, 1593–600
NITROUS OXIDE
Reactions of bis(η-cyclopentadienyl)vanadium derivatives with dinitrogen oxide (nitrous oxide), 399–400
N.M.R.
Tin-119 nuclear magnetic resonance study of trimethylstannylhydrazines, 97–100
Trifluoroacetate complexes of cobalt(II), nickel(II), and copper(II) with pyridine-type ligands. Part 5. Dynamic nuclear magnetic resonance studies of *cis*–*trans* isomerism, 153–60
Multinuclear magnetic resonance studies on $[Rh_4(CO)_{12-x}L_x]$ [L = $P(OPh)_3$, x = 1—4], 173–6
Nuclear magnetic resonance investigation of diastereoisomerism in the unsymmetrical tetra-alkyldiphosphanes $R^1R^2PPMeEt$ (R^1R^2 = Bu^tPr^i, Bu^tEt, Bu^tMe, Pr^iEt, and Pr^i_2), 585–8
Nuclear magnetic resonance studies of transition-metal complexes of ethylenediamine-*NNN′N′*-tetramethylphosphonate in aqueous solution, 601–6
Aspects of the inorganic chemistry of rubber vulcanisation. Part 4. Dialkyl- and diaryl-dithiophosphate and -dithiophosphinate complexes of zinc: phosphorus-31 nuclear magnetic resonance spectral studies and structures of $[NMe_4]$-$[Zn\{S_2P(OC_6H_4Me\text{-}p)_2\}_3]$ and $[NEt_4][Zn(S_2PPh_2)_3]$, 627–34
A fluorine-19 nuclear magnetic resonance study of the strong hydrogen bond between aliphatic diols or acids and alkali metal fluorides, 683–8
Preparation, crystal structure, and spectroscopic studies of $[NPr^n_4]_2[(PhS)CuS_2MoS_2]$ and $[NPr^n_4]_2[(PhS)CuS_2MoS_2Cu(SPh)]$, containing benzenethiolatocopper(I)–tetrathiomolybdate(VI) complex anions, 713–20
The fluxionality of (*Z*)-6,6,6-triphenyl-6-stannahexa-1,3-diene: evidence for symmetry-allowed suprafacial [1,5]-shifts in an organometallic compound, 729–32
Precipitation within unilamellar vesicles. Part 2. Membrane control of ion transport, 771–4
X-Ray crystal and molecular structure of *cis*(*NN′*), *trans*(*OO′*)-bis(2-aminoethanolato)-*cis*-dichloroplatinum(IV) dihydrate. The relationship of anti-tumour activity to ring closure, 823–6
Preparation and nuclear magnetic resonance study of salts of the platinum(II) anions $[Pt_2X_4(CO)_2]^{2-}$ (X = Cl, Br, or I), 1101–8
Proton, carbon-13, and phosphorus-31 nuclear magnetic resonance studies of (2,3,4,6-Tetra-*O*-acetyl-1-thio-β-D-glucopyranosato-*S*)(triethylphosphine)gold (Auranofin), a novel antiarthritic agent, 1331–4
Bimetallic iron–rhodium anionic carbonyl clusters: $[Fe_2Rh(CO)_x]^-$ (x = 10 or 11), $[FeRh_4(CO)_{15}]^{2-}$, $[Fe_2Rh_4(CO)_{16}]^{2-}$, and $[FeRh_5(CO)_{16}]^-$, 1433–40
High-pressure effects on the proton nuclear magnetic resonance spectra of palladium(II) complexes of cyclic sulphides. Estimation of activation volumes for inversion about sulphur, 1473–4
Properties and structural characterization of the mixed-ligand complex oxydiacetato(2,2′:6′,2″-terpyridyl)copper(II) dihydrate, 1797–800
Stereochemistry of 5-substituted η^4-cyclopentadiene transition-metal complexes, 1805–6
Lead-207 chemical shift data for bivalent lead compounds: thermodynamics of the equilibrium $Pb(O_2CCH_3)_2 \rightleftharpoons [Pb(O_2CCH_3)]^+ + O_2CCH_3^-$ in aqueous solution in the temperature range 303—323 K, 1845–8
Complexation of alkali- and alkaline-earth-metal cations by a conjugated tetraimine macrocyclic ligand: synthesis, sodium-23 nuclear magnetic resonance spectra, and the *X*-ray structure of a twelve-co-ordinate barium(II) 'sandwich' complex, 1857–64
Multinuclear variable-temperature nuclear magnetic resonance study of rhodium carbonyl clusters containing encapsulated heteroatoms: ligand and metal polyhedral rearrangements, 1941–8
Multinuclear nuclear magnetic resonance studies of trimethylplatinum(IV) complexes with organochalcogen ligands, 2345–52
Solvent dependence of the stereochemistry of base-catalyzed solvolysis of *trans*-$[Co(NH_3)_4(^{15}NH_3)X]^{3+/2+}$ (X = Me_2SO or Cl) ions, 2415–8
Synthesis and characterization of cyclometallated complexes of benzalazines. Crystal and molecular structure of $[\{Pd(p\text{-}ClC_6H_3CH{=}N\text{–})Cl(PEt_3)_2\}_2]$, 2441–6
Multinuclear (^1H, ^{27}Al, and ^{35}Cl) nuclear magnetic resonance studies of solutions of aluminium salts in methanol, aqueous methanol, and aqueous acetone, 2639–44
Cyanide ion as a four-electron donating bridging ligand in a dimanganese compound, 2669–72
NON-AQUEOUS SOLUTION
Reactions in mixed non-aqueous systems containing sulphur dioxide. Part 3. The electrolytic dissolution of metals, 1363–6
N.Q.R.
Nuclear quadrupole resonance and stereochemistry. Part 7. The axial and equatorial chlorine atoms in octahedral complexes of antimony pentachloride, $SbCl_3L$ (L = donor ligand), 19–24
Nuclear quadrupole resonance of several copper(I) complexes with

NON-AQUEOUS SOLUTION (contd.)
heterocyclic thioamido ligands. Crystal structure of chlorobis[tetrahydro-1*H*-pyrimidine-2-thione]copper(I), 301–4
Nuclear quadrupole resonance and stereochemistry. Part 8. *cis–trans* Isomerism in octahedral $SnCl_4L_2$ complexes, 495–8
A variable-temperature ^{79}Br nuclear quadrupole resonance and *X*-ray crystallographic investigation of dimethylammonium hexabromostannate(IV) $[NH_2Me_2]_2[SnBr_6]$, 1091–4
Vibrational and nuclear quadrupole resonance spectra of some complexes of ICl_4^- and $AuCl_4^-$. Part 2. Trichlorochalcogen tetrachloroaurates $[ACl_3][AuCl_4]$ (A = S, Se, or Te), 1837–40
NUCLEOPHILE
The *cis* effect of phosphines and phosphites in the reactions of chloro(1,2-diaminoethane)phosphine- and chloro(1,2-diaminoethane)trimethyl phosphite-platinum(II) cations with nucleophiles, 775–8
Reactivity of η^2-trithiocarbonate metal complexes as nucleophiles. Intramolecular mobility of the trithiocarbonate group in μ-CS_3 binuclear complexes, 1777–82
The preparation and characterisation of cationic formyl complexes of ruthenium(II); crystal and molecular structure of the complex *trans*-bis[1,2-bis(diphenylphosphino)ethane-*PP'*]carbonyl(deuterioformyl)ruthenium(II) hexafluoroantimonate–dichloromethane(1/1), 2501–8
NUCLEOTIDE
Study of ternary complexes of copper(II) containing tertiary amines and adenosine-5′-triphosphate in dioxan–water medium, 1901–4
OLIGOMER
Cyano- and halogeno-bridged transition-metal complexes. Structural comparisons of neutral and cationic oligomers, 1793–6
Heterometallic adducts of $[Rh_6(CO)_{15}C]^{2-}$, including the novel double- and triple-decker sandwich compounds $[Ag_n\{Rh_6(CO)_{15}C\}_2]^{(4-n)-}$ (n = 1 and 3) and $[Ag_n\{Rh_6(CO)_{15}C\}_3]^{(6-n)-}$ (n = 2 and 4) and the *X*-ray structural characterisation of $[PPh_4]_3[Ag\{Rh_6(CO)_{15}C\}_2]$, 2175–82
ONE-DIMENSIONAL METAL
Partially oxidised tetracyanoplatinate complexes containing both divalent and monovalent cations, 1411–6
Studies on partially oxidised ammonium and methyl-substituted ammonium bis(oxalato)platinates, 1771–6
$Pb_{0.77}K_{0.23}[Pt(CN)_4]\cdot 1.5H_2O$: A new type of partially oxidised tetracyanoplatinate salt, 2529–30
OPTICAL ACTIVITY
Solvent dependence of the optical activity associated with tris(DD-dicampholylmethanato)europium(III), 1165–70
OPTICAL ELECTRONEGATIVITY
Optical electronegativity, χ^*, of transition-metal ions in simple compounds, 1475–8
ORBITAL
Substituent effects on the bonding properties in cyclotriphosphanes and related compounds. Polarization of Hückel *versus* Möbius orbitals, 2411–4
Orbital levels of crown ethers and related macrocycles studied by ultraviolet photoelectron spectroscopy; relationship to complexation studies, 2519–24
ORTHOMETALLATION
Reaction of silver ion with $[ML_2X_2]$ (L = amine or phosphine; M = Pd or Pt; X = I, Cl, or SCN) leading to orthometallation and catalytic activity. *X*-Ray structure of *ab*-(2-aminomethyl)phenyl-*c*-carbonyl-*d*-iodoplatinum(II), 1619–24
Amidino-complexes of rhenium. Bidentate NN′- and *ortho*-metallated derivatives, 2613–24
OSCILLATING REACTION
The chemistry of vitamin B_{12}. Part 23. Decomposition of the cobalt(I) cobalamin B_{12s} in aqueous solution; a novel oscillating reaction, 2223–8
OSMIUM
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 17. Reactions of the compounds $[Ru_3(CO)_{12}]$, $[Os_3(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}]$, and $[Os_3(CO)_{10}(cyclo\text{-}C_8H_{14})_2]$ with $[W(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta\text{-}C_5H_5)]$; crystal structures of $[OsW_2\{\mu_3\text{-}C_2(C_6H_4Me\text{-}4)_2\}(CO)_7(\eta\text{-}C_5H_5)_2]$ (two isomers) and $[Os_3W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_{11}(\eta\text{-}C_5H_5)]$, 519–26
Spectroscopic studies on C_2 hydrocarbon fragments. Part 1. Vibrational studies of cluster-bound vinyl and vinylidene ligands, 639–44
Three isomeric triosmium clusters containing bridging ligands derived from the salicylaldimine $PhCH_2N{=}CHC_6H_4OH$-2, 1023–6
Synthesis and reactivity of isocyanatogoldtriosmium clusters, 1179–84
Synthesis of triosmium clusters containing amidine ligands: *X*-ray structural characterization of $[Os_3(\mu\text{-}H)(CO)_9\{NPhC(Ph)NH\}]$, 1199–202
Reaction of $[Os_4(CO)_{12}H_3]^-$ with $[NO][PF_6]$ in the presence of trace amounts of water; *X*-ray determination of the molecular structures of $[Os_4(CO)_{12}H_3(\mu\text{-}OPO_2H_2)]$ and $[Os_4(CO)_{12}H_3(\mu\text{-}OH)]$ (2:1 ratio) in the one crystal, 1203–6
Reduction of OsO_4 by some imidazolidine-2-thiones. *X*-Ray crystal structure of *trans*-dichlorotetrakis(*NN'*-diethylimidazolidine-2-thione)osmium(IV) diperchlorate, 1261–4
Synthesis, reactivity, and *X*-ray crystal structure of the cationic cluster complex $[Os_4H_3(CO)_{12}(NCMe)_2][BF_4]$, 1339–44
Syntheses of some organogoldtriosmium clusters; *X*-ray crystal structure of $[Os_3(CO)_9(PPh_3)\{Au(PPh_3)\}(2\text{-}NHC_5H_4N)]$, 1661–6
Intramolecular nucleophilic attack at the α-carbon atom of a μ_3-alkynyl ligand in a triosmium cluster, 1807–10
Synthesis and reactions of osmium(III) chloro carboxylates. *X*-Ray crystal structure of tetra(μ-n-butyrato)-dichlorodiosmium(III) (*Os–Os*), 2109–16
Some reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with arenes; the molecular structure of $[Os_3H_2(CO)_9(C_6H_4)]$, 2257–62
The reductive activation of $[M_3C(CO)_{15}]$ (M = Ru or Os) and subsequent reactions of the dianion $[Os_5C(CO)_{14}]^{2-}$, carbonylation of $[M_3C(CO)_{15}]$ (M = Ru or Os), and the crystal structures of $[Os_5C(CO)_{16}]$, $[N(PPh_3)_2]_2[Os_5C(CO)_{14}]$, and $[Os_5C(CO)_{14}\{Au(PPh_3)\}_2]$, 2447–58
Reaction of $[Os_3(CO)_{10}]$ with acetylenes: the *X*-ray crystal structure of $[Os_3(CO)_{17}(HCCH)]$, 2645–50
OXALATO
Effects of electrolytic dissociation upon rates of reactions. Part 11. Metal ion catalysed rates of aquation of penta-ammineoxalatocobalt(III), 1175–8
Studies on partially oxidised ammonium and methyl-substituted ammonium bis(oxalato)platinates, 1771–6
OXAZIRIDINE
One-electron cyclic voltammetric reduction potentials of some molybdo-oxaziridines, 401–4
OXIDATION
Inner-sphere oxidation of diaqua(nitrilotriacetato)cobaltate(II) by periodate in acetate medium. Isokinetic relationship for the oxidation of (aminopolycarboxylato)cobalt(II) complexes by periodate, 317–22
Kinetics and mechanism of the oxidation of hydrazine with iron(III) in acidic perchlorate media, 547–52
Kinetics and mechanism of hydrogen peroxide oxidation by silver(III) in aqueous alkaline media, 749–54
Mechanism of the bromate ion oxidation of the cobalt(II) complex of *trans*-cyclohexane-1,2-diamine-*NNN'N'*-tetra-acetic acid, 1015–6
Formation of molybdenum-bearing ferrites, $Fe_{3-x}Mo_xO_4$ (x = 0.04—0.19), in aqueous suspension by air oxidation, 1197–8
Effects of geometric configuration and steric hindrance on rates and mechanisms of oxidation of diaminedichloroplatinum(II) complexes by tetrachloroaurate(III) ions, 1285–90
Synthesis and crystal structure of bis(1,4,7-triazacyclononane-*NN'*)platinum(II) dibromide dihydrate and its facile oxidation by oxygen: characterisation of bis(1,4,7-triazacyclononane-*NN'N''*)platinum(IV) tetraperchlorate, 1869–72
Reduction–oxidation properties of organotransition-metal complexes. Part 17. The reaction of $[Rh(CO)(PPh_3)(\eta\text{-}C_5H_5)]$ with one-electron oxidants: fulvalene complex and silver adduct formation, and the *X*-ray crystal structure of $[Ag\{Rh(CO)(PPh_3)(\eta\text{-}C_5H_5)\}_2][PF_6]\cdot C_6H_5Me$, 1879–86
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(NC)_5FeCNCo(CN)_5]^{3-}$ and $[Fe(CN)_6]^{3-}$, 1949–54
Properties of (1,4,7,10,13-penta-azacyclohexadecane)nickel(III) in aqueous solutions: a pulse radiolytic study, 2125–6
Water oxidation to oxygen by cerium(IV) ions mediated by ruthenium dioxide catalyst, 2215–6
Lead tetra-acetate oxidation of metallic copper to Cu^{2+}: an unusual oxidation, 2531–2

OXIDATION (contd.)
Direct synthesis of bis(acetylacetonato)nickel(II) dihydrate and isolation of α,α,β,β-tetra-acetylethane as the oxidation product of acetylacetone, 2561–2
Salt and medium effects in the oxidation of iodide by hexacyanoferrate(III), 2679–84
OXIDE
The reactivity of molybdenum and tungsten trioxide vapours towards organic and inorganic compounds at −196 °C, 239–44
Precipitation within unilamellar vesicles. Part 1. Studies of silver(I) oxide formation, 311–6
Ordering phenomena in U_4O_{9-y} crystals studied by transmission electron microscopy, 589–90
Investigation into diphosphine oxides as ligands in diorganotin(IV) adducts. Part 1. Synthesis and spectroscopic characterization of 1,2-bis(diphenylphosphoryl)ethane tin complexes and *X*-ray structure of [1,2-bis(diphenylphosphoryl)ethane]di-n-butyldichlorotin(IV), 921–6
A spectroscopic investigation of cerium molybdenum oxides, 1825–30
Chemistry of iron complexes. Part 1. Synthesis, characterization, and structures of iron(III) complexes with bis(tertiary phosphine oxides), 2039–42
Formation of $MgGeO_3$ from the hydrate prepared by hydrolysis of magnesium and germanium oxides, 2139–42
Chemistry of ruthenium. Part 10. Triazene 1-oxide complexes of bis(2,2′-bypyridine)ruthenium-(II) and -(III). Synthesis, spectra, and electrochemistry, 2197–204
Crystal structure of the complex *cis*-oxobis[piperidine *N*-oxido(1−)-*NO*]thiomolybdenum(VI), containing a *cis*-$MoOS^{2+}$ group, 2495–500
An electron spin resonance study of the dinitrogen tetroxide radical cation, 2533–6
Infrared and ultraviolet–visible spectroscopic studies on manganese heptoxide (Mn_2O_7), 2699–702
OXIME
Preparation and crystal structure of diaquabis(1,2-naphthoquinone-2-oximato-*ON*)dioxouranium(VI)–trichloromethane (1/2) and aquabis(1,2-naphthoquinone-1-oximato-*ON*)(triphenylphosphine oxide)dioxouranium(VI), 697–702
Chemistry of ruthenium. Part 9. Electrophilic addition of a ruthenium nitrosyl complex to alkylidenearylhydrazones. Arylazo-oximates of bis(2,2′-bipyridyl)ruthenium(II), 961–6
Equilibria and speciation of metal complexes important in hydrometallurgy. Part 3. Studies of the copper(II) complexes of 5-nonylsalicylaldoxime (Acorga P50), the effect of 4-nonylphenol and the formation of five-co-ordinate adducts with nitrogenous bases, 2043–6
Syntheses of *NN′*-bis(4′-benzo[15-crown-5])diaminoglyoxime and its complexes with copper(II), nickel(II), cobalt(II), cobalt(III), paladium(II), platinum(II), and uranyl(VI), 2537–42
OXONIUM
The nature of water in hydrazine salt hydrates, 2047–50
OXYDIACETATE
Characterization of a zinc(II) complex of a 15-membered macrocyclic ligand in the solid state and in solution: *X*-ray structure of (6,7,8,13,14,15,16,17,18,19-decahydro-5*H*-[*e*,*n*][1,4,8,12]-tetra-azacyclopentadecine)iodozinc(II) iodide, 1789–92
OXYDIACETATO
Crystal structure and normal co-ordinate analysis of diaqua(oxydiacetato)sulphatothorium(IV) monohydrate, 1–8
OXYGEN
Vanadium antimonate, 9–12
Structural investigations of the vanadium–antimony–oxygen system, 13–8
Thermodynamic studies on the addition of molecular oxygen to cobalt(II) complexes. Part 1. The cobalt(II)–ethylenediamine–oxygen system in aqueous solution at 25 °C, 1247–52
The co-ordination of small molecules by manganese(II) phosphine complexes. Part 1. The reversible co-ordination of dioxygen by $[MnX_2(PR_3)]$ (X = Cl, Br, or I; R_3 = Bu^n_3 or $PhBu^n_2$) complexes in solution and an infrared criterion for predicting dioxygen binding activity in the di-isothiocyanato(phosphine)manganese(II) complexes, 2147–54
Crystal and molecular structure of the reversible dioxygen adduct of [*NN′*-4-methyl-4-azaheptane-1,7-diylbis(salicylideneiminato)]cobalt(II), 2563–8
The accommodation of oxygen clusters in hyperstoicheiometric uranium dioxide and its effects on crystal structure, 2673–8
OXYGENOLYSIS
Studies on the oxygenolysis of 9,10-phenanthrenequinone by CuXL (X = Cl or Br; L = pyridine, 2,2′-bipyridine, and 1,10-phenanthroline) complexes, 1995–2000
PALLADIUM
Decomposition of the product of methoxypalladation of dichloro(2,2-dimethylbut-3-enyl methyl sulphide)palladium(II). Identification of an α-alkoxyalkylpalladium(II) intermediate, 127–32
Co-ordination chemistry of higher oxidation states. Part 4. Palladium(IV) complexes of nitrogen, phosphorus, and arsenic donor ligands. Crystal and molecular structures of $[Pd(bipy)Cl_4]$ and $[Pd\{o\text{-}C_6H_4(AsMe_2)_2\}_2Cl_2][ClO_4]_2$, 133–42
Studies on nickel, palladium, and platinum dithiolates, 165–8
Kinetics of anation in platinum(II) and palladium(II) complexes of *N*-alkylated diethylenetriamine, 195–8
Synthesis of 1-oxidopyridinium-2-thiolato- and pyridine-2-thiolato-complexes of nickel, palladium, and platinum, 783–6
Synthesis and reactions of the heterobimetallic complex $[ClPd(\mu\text{-}Ph_2PCH_2PPh_2)_2PtCl]$, 889–96
Metallation of aliphatic carbon atoms. Part 1. Synthesis and characterization of the cyclopalladated complexes of 2-neopentylpyridine, 897–900
X-Ray crystal structure of a unique cyano-bridged cyclic palladium(II) trimer, 1905–8
High-pressure effects on the proton nuclear magnetic resonance spectra of palladium(II) complexes of cyclic sulphides. Estimation of activation volumes for inversion about sulphur, 1473–4
Regiospecific metallation in palladium–hydrazone complexes, 1483–8
Reactivity of cyclopalladated compounds. Part 7. Syntheses of metallobicyclic compounds and their reactions with acetylenes. *X*-Ray crystal and molecular structures of the compounds
$[(\overline{NMe_2CH_2C_6H_4})\overline{Pd\{C(CF_3)=C(CF_3)(C_6H_4CH_2\overline{NMe_2})\}}]$
and $[\{(\overline{NMe_2CH_2C_6H_4})C(CF_3)=C(CF_3)\}\overline{Pd\{C(CF_3)=C(CF_3)(CH_2C_9H_6\overline{N})\}}]$, 1535–44
Redox-active planar complexes. Electrochemical investigations of palladium and platinum bis(dithioacetylacetonate) complexes and their structural analogues, 1587–92
Reaction of silver ion with $[ML_2X_2]$ (L = amine or phosphine; M = Pd or Pt; X = I, Cl, or SCN) leading to orthometallation and catalytic activity. *X*-Ray structure of *ab*-(2-aminomethyl)phenyl-*c*-carbonyl-*d*-iodoplatinum(II), 1619–24
Formation and hydrolysis of a diaqua(ethane-1,2-diamine)palladium(II) complex of ethyl glycinate, 1675–8
Bi-imidazole (H_2bim) and bibenzimidazole η^3-allylic complexes of palladium(II). Mono- and tetra-nuclear palladium(II) and heteronuclear palladium(II)–rhodium(I) complexes. Crystal structure of $[Pd_4(\eta^3\text{-}C_3H_5)_4(\mu\text{-}bin_2)_2]\cdot CH_2Cl_2$, 1729–38
Cyano- and halogeno-bridged transition-metal complexes. Structural comparisons of neutral and cationic oligomers, 1793–6
Intermolecular exchanges of tertiary phosphine ligands (L) between *trans*-$[NiRXL_2]$ (R = CCl CCl_2, C_6Cl_5, or $C_6H_2Me_3$-2,4,6) and of halide ligands (X) between *trans*-$[MRXL_2]$ (M = Ni, Pd, or Pt), 1841–4
Stereochemistry of metal complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecanepalladium(II) dichloride dihydrate, 1865–8
Metal complexes of sulphur–nitrogen chelating agents. Part 10. The chemistry of palladium(II) complexes with some monoanionic tridentate ligands of the type SNN, 1935–40
Synthesis and characterization of cyclometallated complexes of benzalazines. Crystal and molecular structure of $[\{Pd(p\text{-}ClC_6H_3CH=N-)Cl(PEt_3)_2\}_2]$, 2441–6
Preparation, crystal structure and attempts to cyclometallate *trans*-bis(D-camphor oxime-*N*)dichloropalladium(II), 2509–12
PARTIAL OXIDATION
$Pb_{0.77}K_{0.23}[Pt(CN)_4]\cdot 1.5H_2O$: A new type of partially oxidised tetracyanoplatinate salt, 2529–30
PENTABORATE
The formation of $K[B_5O_6(OH)_4]\cdot 2H_2O$ from H_3BO_3 and KF in

PENTABORATE (contd.)
aqueous solution, 1811–2
PEPTIDE
Electron spin resonance determination of formation constants of copper(II) dipeptide complexes, 409–14
Crystal and molecular structure of (*cyclo*-L-methionylglycine)silver(I) nitrate, 453–4
Studies on transition-metal–peptide complexes. Part 8. Parent and mixed-ligand complexes of histidine-containing dipeptides, 1545–52
PERIODATE
Inner-sphere oxidation of diaqua(nitrilotriacetato)cobaltate(II) by periodate in acetate medium. Isokinetic relationship for the oxidation of (aminopolycarboxylato)cobalt(II) complexes by periodate, 317–22
PEROVSKITE
Magnetic exchange interactions in perovskite solid solutions. Part 1. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Co_xO_3$ ($0 < x < 1$), 873–8
Magnetic exchange interactions in perovskite solid solutions. Part 2. Iron-57 and ^{151}Eu Mössbauer spectra of $EuFe_{1-x}Cr_xO_3$ ($0 < x < 1$), 2031–4
Magnetic exchange interactions in perovskite solid solutions. Part 3. Tin-119 Mössbauer spectra of doped iron perovskite solid solutions, 2035–8
PEROXIDE
Light-induced electron-transfer reactions. Part 1. Kinetics of formation of hydrogen peroxide by irradiation with visible light of aqueous solutions containing tris(2,2′-bipyridine)ruthenium(II), oxalic acid, manganese(II), and oxygen, 37–44
Influence of ligand modification on the kinetics of the reactions of iron(III) porphyrins with hydrogen peroxide in aqueous solutions, 161–4
Polymer-supported complexes. Part 3. Synthesis of a polystyrene-anchored molybdenum(V) dithiocarbamato-derivative and its applications in reactions involving t-butyl hydroperoxide, 415–8
Kinetics and mechanism of hydrogen peroxide oxidation by silver(III) in aqueous alkaline media, 749–54
Alkali-induced decomposition of hydrogen peroxide, 2353–8
PEROXO
Structural and spectroscopic studies on peroxymetallacyclic complexes of platinum, 911–4
Stoicheiometry and kinetics of the oxidation of hydroxylamine by peroxomonophosphoric acid in acidic perchlorate solutions and catalysis by iron(III) and iodide or iodine, 1831–6
PEROXODISULPHATE
Solvent effects on the kinetics of oxidation of cysteinatobis(ethylenediamine)cobalt(III) ion by peroxodisulphate, 2359–64
PHASE
Solid-state properties of materials of the type Cs_4MX_6 (where M = Sn or Pb and X = Cl or Br), 767–70
PHENANTHROLINE
2,9-Dimethyl-1,10-phenanthroline copper(I) complexes with some sulphur-containing amino acids, 2269–72
Studies on the solubility of 2,2′-bipyridyl, 1,10-phenanthroline, and their tris iron(II) perchlorates in methanol–water mixtures, and the determination of the 'medium effect' of ions, 2685–8
A comment on the crystal structure and electronic properties of bis(2,9-dimethyl-1,10-phenanthroline)nitratocopper(II) trichloroacetate trichloroacetic acid, 2693–4
PHORPHYRIN
The crystal structure of the compound *meso,meso*′-ethylenebis[octaethylporphyrinatonickel(II)], 2127–30
PHOSPHA
Crystal and molecular structure of a new eight-membered tetraphospha-macrocycle, $(-\overline{PCPh=CMeCMe=C}-)_4$, 841–6
PHOSPHA-ALKYNE
Photoelectron spectra of the phospha-alkynes: 3,3-dimethyl-1-phosphabutyne $Bu^tC\equiv P$ and phenylphosphaethyne, $PhC\equiv P$, 755–60
PHOSPHATE
Preparation and properties of difluorophosphino-derivatives of phosphorus(V) hydroxy-compounds, 245–8
Azido- and thiocyanato-derivatives of some chlorofluorophosphate(V) ions, 1159–64
PHOSPHATO
Reaction of $[Os_4(CO)_{12}H_3]^-$ with $[NO][PF_6]$ in the presence of trace amounts of water; *X*-ray determination of the molecular structures of $[Os_4(CO)_{12}H_3(\mu\text{-}OPO_3H_2)]$ and $[Os_4(CO)_{12}H_3(\mu\text{-}OH)]$ (2:1 ratio) in the one crystal, 1203–6
PHOSPHAZENE
Iridium nitrosyl complexes of 9,10-phenanthrenequinone di-imine. Crystal structure of $[Ir(NO)\{HNC_{14}H_8N(PPh_3)\}(PPh_3)][PF_6]$, a species containing a phosphazene–imido-ligand, 779–82
PHOSPHIDE
Substitution and insertion reactions of the dinuclear manganese μ-hydride complex $[M_2(\mu\text{-}H)(\mu\text{-}PPh_2)(CO)_8]$; crystal structures of the complexes $[Mn_2(\mu\text{-}\sigma:\eta^2\text{-}CH=CH_2(\mu\text{-}PPh_2)(CO)_7]$ and $[Mn_2(\mu\text{-}H)(\mu\text{-}PPh_2)(CO)_6(CNBu^t)_2]$, 205–16
Transition metal–phosphide chemistry: synthesis of $[M(\eta\text{-}C_5H_5)_2(PR_2)_2]$ (M = Zr, R = Ph; M = Hf, R = Ph or cyclo-C_6H_{11}) and $[\{M(\eta\text{-}C_5H_5)_2(PR_2)\}_2]$ (M = Ti, R = Ph or Me; M = Zr or Hf, R = Me), and their reactions with protic and halogen-containing species, 2555–60
PHOSPHINE
Mechanism of the base-catalysed substitution of halide for methoxide in the reactions of *trans*-$[W(NH)X(Ph_2PCH_2CH_2PPh_2)_2]^+$ (X = Cl, Br, or I), 51–60
Oxygen, sulphur, and selenium abstraction from WCl_4Y (Y = O, S, or Se) by triphenylphosphine. Crystal and molecular structure of tetrachlorobis(triphenylphosphine)tungsten(IV), 61–4
Reduction–oxidation properties of organotransition-metal complexes. Part 15. Synthesis, electrochemistry, and reactivity of the radical cations $[Co(CO)_{2-n}L_n(\eta\text{-}C_5R_5)]^+$ (*n* = 1 or 2, L = phosphine, R = H or Me), 121–6
Multinuclear magnetic resonance studies on $[Rh_4(CO)_{12-x}L_x]$ [L = $P(OPh)_3$, *x* = 1—4], 173–6
Triphenylphosphine oxide complexes of actinide tetrahalides. Crystal and molecular structure of *trans*-tetrabromobis(triphenylphosphine oxide)uranium(IV), 343–8
1,3,5-Triethylcyclotriphosph(III)azanes and related compounds, 425–32
η⁵-Cyclopentadienylrhodium(I) complexes containing diphosphines and their reactions with the electrophiles H^+ and Me^+. Crystal and molecular structure of $[Rh(\eta\text{-}C_5H_5)(CO)(Ph_2PCH_2PPh_2)]$, a complex with a unidentate bis(diphenylphosphino)methane ligand, 433–8
Formation of a bridged vinylidenedi-iron complex by nucleophilic attack on a carbonyl ligand of $[Fe_2(CO)_4(\eta\text{-}C_5H_5)_2]$, and the synthesis and *X*-ray crystal structure of $[(OC)_3\overline{Fe(\mu\text{-}Ph_2PCHPPh_2)}FeH(CO)_3]$, 499–506
Nuclear magnetic resonance investigation of diastereoisomerism in the unsymmetrical tetra-alkyldiphosphanes $R^1R^2PPMeEt$ (R^1R^2 = Bu^tPr^i, Bu^tEt, Bu^tMe, Pr^iEt, and Pr^i_2), 585–8
Preparation and *X*-ray crystal structure of $[(OC)_3Mo\{P_2[MeNC(O)NMe]_2\}_3Mo(CO)_3]$, 855–6
Synthesis and reactions of the heterobimetallic complex $[ClPd(\mu\text{-}Ph_2PCH_2PPh_2)_2PtCl]$, 889–96
Structural and spectroscopic studies on peroxymetallacyclic complexes of platinum, 911–4
Investigation into diphosphine oxides as ligands in diorganotin(IV) adducts. Part 1. Synthesis and spectroscopic characterization of 1,2-bis(diphenylphosphoryl)ethane tin complexes and *X*-ray structure of [1,2-bis(diphenylphosphoryl)ethane]di-n-butyldichlorotin(IV), 921–6
Reactions of ruthenium triphenylphosphine complexes with diazadienes. Part 3. Preparation, characterization, *X*-ray crystal structure, and reactivity of a formally ruthenium(0) tris(α-di-imine) complex, 941–6
Electron-rich cations: preparation and hydride reductions of the cations $[Fe(\eta^5\text{-}C_5H_5)\{PhP(CH_2CH_2PPh_2)_2\}]^+$ $[Fe(\eta^5\text{-}C_5H_5)\{MeC(CH_2PPh_2)_3\}]^+$, and $[Fe(\eta^5\text{-}C_5H_5)\{C(CH_2PPh_2)_4\}]^+$, 981–6
Synthesis of chloro(trimethylphosphine)tris(trimethylsilylmethyl)-tungsten(IV); synthesis and molecular structure of di-μ-chloro-bis[dicarbonyl(trimethylphosphine)(1—2-η-trimethylsilylmethylcarbonyl)tungsten(II)], 1003–6
δ-hydrogen abstraction from alkyl and phosphine ligands co-ordinated to platinum(II); formation of benzoplatinacyclopentene complexes, 1051–8
η-Arenetungsten chemistry: η-allyl, η-butadiene, tertiary phosphine, and hydrido derivatives, 1075–80
Phosphine oxide and sulphoxide complexes of thorium(IV) and uranium(IV) halogenoacetates, 1153–8
Proton, carbon-13, and phosphorus-31 nuclear magnetic resonance

PHOSPHINE (contd.)
studies of (2,3,4,6-Tetra-*O*-acetyl-1-thio-β-D-glucopyranosato-*S*)(triethylphosphine)gold (Auranofin), a novel antiarthritic agent, 1331–4
Structural studies of binuclear sulphido-bridged complexes of tungsten. Preparation and *X*-ray crystal structures of $[S_2W(\mu\text{-}S)_2W(NNMe_2)_2(PPh_3)]$ and $[\{W(SBu^t)_2(PMe_2Ph)\}_2(\mu\text{-}S)_2]\cdot CH_2Cl_2$, 1489–94
Mono-, bi-, and tri-nuclear bis(diphenylphosphino)methane gold complexes. Crystal and molecular structures of [bis-(diphenylphosphino)methane]bis(pentafluorophenyl)gold(III) perchlorate and 1,2:2,3-di-μ-[bis(diphenylphosphino)methane]-1,3-dichlorotrigold(I) chlorotris(pentafluorophenyl)aurate(III), 1679–86
Investigation into diphosphine oxides as ligands in diorganotin(IV) adducts. Part 2. Synthesis, spectroscopic characterization, and *X*-ray crystal structure of *cis*-1,2-bis(diphenylphosphoryl)ethylenetin complexes, 1687–94
Intermolecular exchanges of tertiary phosphine ligands (L) between *trans*-$[NiRXL_2]$ (R = CCl CCl_2, C_6Cl_5, or $C_6H_2Me_3$-2,4,6) and of halide ligands (X) between *trans*-$[MRXL_2]$ (M = Ni, Pd, or Pt), 1841–4
Unprecedented bridging mode of the triethylphosphine–carbon disulphide adduct $PEt_3\cdot CS_2$. *X*-Ray crystal structure of the binuclear silver(I) complex $[\{Ag(S_2CPEt_3)(\mu\text{-}S_2CPEt_3)\}_2][ClO_4]_2$, 1969–72
Tertiary phosphine adducts of manganese(II) dialkyls. Part 1. Synthesis, properties and structures of alkyl-bridged dimers, 2025–30
Chemistry of iron complexes. Part 1. Synthesis, characterization, and structures of iron(III) complexes with bis(tertiary phosphine oxides), 2039–42
Complexes containing mercury–molybdenum bonds: new compounds of the type $[HgX\{trans\text{-}Mo(CO)_2L(\eta^5\text{-}C_5H_5)\}]$ (L = arsine or phosphine). Crystal and molecular structure of $[Hg(CN)\{trans\text{-}Mo(CO)_2(AsMe_2Ph)(\eta^5\text{-}C_5H_5)\}]$, 2117–20
The co-ordination of small molecules by manganese(II) phosphine complexes. Part 1. The reversible co-ordination of dioxygen by $[MnX_2(PR_3)]$ (X = Cl, Br, or I; R_3 = Bu^n_3 or $PhBu^n_2$) complexes in solution and an infrared criterion for predicting dioxygen binding activity in the di-isothiocyanato(phosphine)manganese(II) complexes, 2147–54
Synthesis, properties, and *X*-ray structural characterization of [tris(2-diphenylphosphinoethyl)phosphine]nickel(I) perchlorate and triphenylphosphine[tris(2-diphenylarsinoethyl)amine]nickel(I) perchlorate, 2263–8
Diastereomeric chiral diphosphine chloro(η^5-cyclopentadienyl)ruthenium(II) complexes and the crystal structure of $[(S)RuCl(\eta^5\text{-}C_5H_5)\{(R)Ph_2PCH(Me)CH_2PPh_2\}]$, 2293–8
The synthesis and properties of tris(diphosphine)- and bis(triphosphine)-chromium(III) cations and analogues with arsenic and sulphur donor ligands, 2569–72
Diphosphine and diarsine complexes of chromium(III). Crystal and molecular structure of $[NPr^n_4][Cr(cis\text{-}Ph_2PCHCHPPh_2)Cl_4]$, 2573–80
Tertiary phosphine adducts of manganese(II) dialkyls. Part 2. Synthesis, properties, and structures of monomeric complexes, 2631–8
Organoimido-complexes of tungsten-(VI) -(V), and -(IV): crystal and molecular structures of $[W(NPh)Cl_3(PPh_3)_2]$ and $[W(NPh)Cl_2(PMe_3)_3]$, 2651–6
PHOSPHINOUS ACID
Iridium(III) complexes of diphenylphosphinous acid and secondary phosphites, 1755–62
PHOSPHITE
The chemistry of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—6-η-cyclo-octa-1,3,5-triene)ruthenium(0): preparation and *X*-ray crystal structure of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—4-η-cyclo-octa-1,3,5-triene)(trimethyl phosphite)ruthenium(0), 1553–6
Iridium(III) complexes of diphenylphosphinous acid and secondary phosphites, 1755–62
PHOSPHONATE
Nuclear magnetic resonance studies of transition-metal complexes of ethylenediamine-*NNN'N'*-tetramethylphosphonate in aqueous solution, 601–6
Oxy- and thio-phosphorus acid derivatives of tin. Part 12. A Mössbauer spectroscopic investigation of the structures and polymorphic behaviour of diorganotin(IV) phenyl-phosphonates and -arsonates, 1523–8
PHOSPHORIC ACID
Stoicheiometry and kinetics of the oxidation of hydroxylamine by peroxomonophosphoric acid in acidic perchlorate solutions and catalysis by iron(III) and iodide or iodine, 1831–6
PHOSPHORODITHIOATE
Crevice co-ordination: binding of a ligand molecule in a molecular crevice. Crystal and molecular structures of μ-oxo-μ-pyridine-μ-sulphido-bis[(*OO'*-di-isopropyl phosphorodithioato)oxomolybdenum(V)] and μ-oxo-μ-pyridazine-μ-sulphido-bis[(*OO'*-di-isopropyl phosphorodithioato)oxomolybdenum(V)], 649–56
PHOSPHORUS
Preparation and properties of difluorophosphino-derivatives of phosphorus(V) hydroxy-compounds, 245–8
Aspects of the inorganic chemistry of rubber vulcanisation. Part 4. Dialkyl- and diaryl-dithiophosphate and -dithiophosphinate complexes of zinc: phosphorus-31 nuclear magnetic resonance spectral studies and structures of $[NMe_4]\text{-}[Zn\{S_2P(OC_6H_4Me\text{-}p)_2\}_3]$ and $[NEt_4][Zn(S_2PPh_2)_3]$, 627–34
The *cis* effect of phosphines and phosphites in the reactions of chloro(1,2-diaminoethane)phosphine- and chloro(1,2-diaminoethane)trimethyl phosphite-platinum(II) cations with nucleophiles, 775–8
Some [tris(trimethylsilyl)methyl]phosphorus derivatives, 905–10
Preparation and properties of difluorophosphino-derivatives of phosphorus(III) hydroxy-compounds, 1983–8
Gas-phase molecular structures of bis(difluorophosphino) sulphide, $S(PF_2)_2$, bis(difluorophosphino) selenide, $Se(PF_2)_2$, and difluoro(methylthio)phosphine, $PF_2(SMe)$, determined by electron diffraction, 1989–94
PHOTOCHEMISTRY
Light-induced electron-transfer reactions. Part 1. Kinetics of formation of hydrogen peroxide by irradiation with visible light of aqueous solutions containing tris(2,2'-bipyridine)ruthenium(II), oxalic acid, manganese(II), and oxygen, 37–44
Photochemistry of (η^3-allyl)tricarbonylcobalt in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of (η^3-allyl)dicarbonylcobalt, (η^3-allyl)dicarbonyl(dinitrogen)cobalt, (σ-allyl)tetracarbonylcobalt, and tetracarbonylcobalt complexes, 1291–8
Photochemistry of tricarbonyl(η^4-cyclo-octatetraene)iron in a methane matrix at 12 K. Infrared spectroscopic evidence for photoisomerisation and carbon monoxide ejection reactions, 1351–6
Photoreduction of polymolybdates(VI) in aqueous solutions containing acetic acid, 2205–10
PHOTOELECTRON
Synthesis and magnetochemical, spectroscopic, and structural studies of new tris(*NN*-dialkyldiselenocarbamato)iron(IV) tetrafluoroborate complexes, 25–30
The ultra-violet photoelectron spectra of gas-phase and condensed bismuth halides and antimony trifluoride, 635–8
Photoelectron spectra of the phospha-alkynes: 3,3-dimethyl-1-phosphabutyne $Bu^tC\equiv P$ and phenylphosphaethyne, $PhC\equiv P$, 755–60
Gas-phase ultraviolet photoelectron spectra of $[\{Ni(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_2R_2)]$ (R = H or CF_3) complexes, 869–72
A spectroscopic investigation of cerium molybdenum oxides, 1825–30
The ultraviolet photoelectron spectra and electronic structure of gas-phase and condensed SnF_2 and PbF_2, 2211–4
Orbital levels of crown ethers and related macrocycles studied by ultraviolet photoelectron spectroscopy; relationship to complexation studies, 2519–24
PHTHALOCYANINATO
Electrosynthesis and resonance-Raman spectrum of phthalocyaninatoiron(II), 1193–6
PIPERAZINE
Chromium(II) chemistry. Part 15. Synthesis and magnetic properties of piperazinium, hydrazinium, and monoaryl and other substituted ammonium tetrachlorochromates, 1081–4
PIPERIDINE
Crystal structure of the complex *cis*-oxobis[piperidine *N*-oxido(1−)-*NO*]thiomolybdenum(VI), containing a *cis*-$MoOS^{2+}$ group, 2495–500
PLASTOCYANIN
Kinetic studies on 1:1 electron-transfer reactions involving blue

PLASTOCYANIN (contd.)
copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(NC)_5FeCNCo(CN)_5]^{3-}$ and $[Fe(CN)_6]^{3-}$, 1949–54
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 6. Competitive inhibition of the $[Co(phen)_3]^{3+}$ (phen = 1,10-phenanthroline) oxidation of parsley plastocyanin PCu(I) by redox-inactive complexes, 2543–8
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 7. Effects of pH and redox-inactive $[Pr(NH_3)_6]^{4+}$ on reactions of parsley plastocyanin with different inorganic redox partners, 2549–54
PLATINAINDAN
δ-hydrogen abstraction from alkyl and phosphine ligands co-ordinated to platinum(II); formation of benzoplatinacyclopentene complexes, 1051–8
PLATINUM
Studies on nickel, palladium, and platinum dithiolates, 165–8
Kinetics of anation in platinum(II) and palladium(II) complexes of *N*-alkylated diethylenetriamine, 195–8
Transfer of cyclopentadienyl groups between platinum atoms, 359–62
An amido-bridged platinum olefin dimer. The synthesis, characterisation, and *X*-ray structure analysis of bis{chloro-μ-[1′—2′-η-*o*-isopropenylphenyl(methyl)amido-$C^{1'-2'}$,*N*;μ-*N*]platinum(II)}, 553–8
Electron, infrared, and resonance-Raman spectra of linear-chain mixed-valence complexes of platinum with 1,2-diaminopropane, 761–6
The *cis* effect of phosphines and phosphites in the reactions of chloro(1,2-diaminoethane)phosphine- and chloro(1,2-diaminoethane)trimethyl phosphite-platinum(II) cations with nucleophiles, 775–8
Synthesis of 1-oxidopyridinium-2-thiolato- and pyridine-2-thiolato-complexes of nickel, palladium, and platinum, 783–6
X-Ray crystal and molecular structure of *cis*(*NN′*), *trans*(*OO′*)-bis(2-aminoethanolato)-*cis*-dichloroplatinum(IV) dihydrate. The relationship of anti-tumour activity to ring closure, 823–6
Reactions of acetylenes with noble-metal carbonyl halides. Part 6. Carbonyl insertion to give cyclic organo-carbene complexes of platinum(II): synthesis and *X*-ray structure of *cis*-[Pt-$\overline{CC(CO_2Et)=C(Ph)C(CO_2Et)=C(Ph)O}$}$(PPh_3)Cl_2$], 827–34
Synthesis and reactions of the heterobimetallic complex [ClPd(μ-$Ph_2PCH_2PPh_2)_2PtCl$], 889–96
Structural and spectroscopic studies on peroxymetallacyclic complexes of platinum, 911–4
Tetrakis(methylthio)ethene as a bidentate chelating and quadridentate bridging thioether, 1017–8
δ-hydrogen abstraction from alkyl and phosphine ligands co-ordinated to platinum(II); formation of benzoplatinacyclopentene complexes, 1051–8
Preparation and nuclear magnetic resonance study of salts of the platinum(I) anions $[Pt_2X_4(CO)_2]^{2-}$ (X = Cl, Br, or I), 1101–8
Synthetic and *X*-ray structural studies of complexes formed by metallation of tri(1-pyrazolyl)methane by dimethylplatinum(II), 1253–60
Effects of geometric configuration and steric hindrance on rates and mechanisms of oxidation of diaminedichloroplatinum(II) complexes by tetrachloroaurate(III) ions, 1285–90
Chemistry of platinum sulphido-complexes. Part 3. Crystal and molecular structure of tetrasulphido[1,2-bis(diphenylphosphino)ethane]platinum(II) and a study of its bonding and reactions, 1325–30
Partially oxidised tetracyanoplatinate complexes containing both divalent and monovalent cations, 1411–6
The synthesis, *X*-ray crystal structure, and electronic and vibrational characterisation of the mixed-valence, iodine-bridged complex $[Pt^{II}(diene)I][Pt^{IV}(dien)I_3]I_2$, 1583–6
Redox-active planar complexes. Electrochemical investigations of palladium and platinum bis(dithioacetylacetonate) complexes and their structural analogues, 1587–92
Reaction of silver ion with $[ML_2X_2]$ (L = amine or phosphine; M = Pd or Pt; X = I, Cl, or SCN) leading to orthometallation and catalytic activity. *X*-Ray structure of *ab*-(2-aminomethyl)phenyl-*c*-carbonyl-*d*-iodoplatinum(II), 1619–24
Studies on partially oxidised ammonium and methyl-substituted ammonium bis(oxalato)platinates, 1771–6
Intermolecular exchanges of tertiary phosphine ligands (L) between *trans*-$[NiRXL_2]$ (R = CCl, CCl_2, C_6Cl_5, or $C_6H_2Me_3$-2,4,6) and of halide ligands (X) between *trans*-$[MRXL_2]$ (M = Ni, Pd, or Pt), 1841–4
Synthesis and crystal structure of bis(1,4,7-triazacyclononane-*NN′*)platinum(II) dibromide dihydrate and its facile oxidation by oxygen: characterisation of bis(1,4,7-triazacyclononane-*NN′N″*)platinum(IV) tetraperchlorate, 1869–72
Kinetics and mechanism of the interaction of *cis*-diamminediaquaplatinum(II) with organocobalamins, 1929–34
Transition metal–carbon bonds. Part 56. Attack on allene complexes of type *cis*-$[PtCl_2(PR_3)(C_3H_4)]$ by the ambident nucleophile, acetoxime: crystal structure of $[PtCl(PMe_2Ph)\{ON(=CMe_2)CH=CMe\}]$, 2011–4
Metallaborane chemistry. Part 13. Direct insertion of a platinum nucleophile into *nido*-5,6-$C_2B_8H_{12}$: synthesis and structural elucidation of [9-H-9,9-$(Et_3P)_2$-$\mu_{10,11}$-H-7,8,9-$C_2PtB_8H_{10}$] and [9-H-9,10-$(Et_3P)_2$-7,8,9-$C_2PtB_8H_9$], 2063–70
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 21. Reactivity of μ-(methoxy-*p*-tolylmethylene) and μ-(*p*-tolylmethylidyne) groups at a platinum–tungsten centre. *X*-Ray crystal structure of [PtW{μ-C(OMe)C_6H_4Me-4}(μ-$Ph_2PCH_2PPh_2$)$(CO)_5$], 2083–90
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 22. Synthesis and some reactions of [bis(diphenylphosphino)methane]-pentacarbonyl-μ-[methoxy(methyl)methylene]platinumtungsten and the crystal structure of $[PtW(\mu\text{-}C\ CH_2)(Ph_2PCH_2PPh_2)(CO)_5]$, 2091–8
Microcalorimetric studies of the thermal decomposition of ammonia–halide and amine–halide complexes of platinum(II), $[Pt(NH_2R)_2X_2]$, 2323–8
Multinuclear nuclear magnetic resonance studies of trimethylplatinum(IV) complexes with organochalcogen ligands, 2345–52
Bimetallic systems. Part 2. Synthesis and interconversion of monodentate- and bridging-bis(diphenylphosphino)methane platinum, diplatinum, and mercury–platinum acetylides, 2487–94
$Pb_{0.77}K_{0.23}[Pt(CN)_4]\cdot 1.5H_2O$: A new type of partially oxidised tetracyanoplatinate salt, 2529–30
The synthesis and reactions of some cyclopentadienylplatinum complexes. Crystal structure of $[Pt_2\{\mu\text{-}C(Ph)C(Ph)C(O)\}(\eta\text{-}C_5H_5)_2]$, 2585–92
Standard enthalpies of formation of diamine(dicarboxylato)platinum(II) complexes and of bis(pentane-2,4-dionato)platinum(II): the mean Pt–O bond dissociation enthalpies, 2657–60
POLAROGRAPHY
Physico-chemical study of copper(II) and cobalt(II) chelates of tetra-2,3-pyridinoporphyrazine, 1391–400
POLY(AMINOCARBOXYLIC) ACID
A thermometric titrimetric study of the complexation of alkaline-earth metals by linear poly(aminocarboxylic) acids, 865–8
POLYETHER
Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 2. An explanation for alkali-metal selectivity from the *X*-ray and molecular structure of tetrakis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1−)]dirubidiumcobalt(II) and comparison with the dipotassium analogue, 915–20
POLYMER
Crystal and molecular structure of polymeric tetraphenylarsonium bis(1,2-dicyanoethene-1,2-dithiolato)bismuthate(III), 1067–70
Complex formation between polymers containing the 2,2′-bipyridyl group and iron(II), 1511–4
POLYSTYRENE
Polymer-supported complexes. Part 3. Synthesis of a polystyrene-anchored molybdenum(V) dithiocarbamato-derivative and its applications in reactions involving t-butyl hydroperoxide, 415–8
Polymer-supported complexes. Part 4. Decarbonylation of polystyrene-anchored dicarbonyl rhodium(I) complexes and applications as catalysts in cyclohexene hydrogenation, 419–24
PORPHYRAZINE
Physico-chemical study of copper(II) and cobalt(II) chelates of tetra-2,3-pyridinoporphyrazine, 1391–400
PORPHYRIN
Influence of ligand modification on the kinetics of the reactions of iron(III) porphyrins with hydrogen peroxide in aqueous solutions, 161–4
Kinetics and mechanism of cadmium(II) ion assisted incorporation

PORPHYRIN (contd.)
of manganese(II) into 5,10,15,20-tetrakis(4-sulphonatophenyl)porphyrinate(4−), 1955–60
POTASSIUM
Apparent short potassium–hydrogen distances in potassium fluoride–malonic acid: a reply, 187–8
Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 2. An explanation for alkali-metal selectivity from the *X*-ray and molecular structure of tetrakis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1−)]dirubidiumcobalt(II) and comparison with the dipotassium analogue, 915–20
Reductive preparation of bis(arene)metal complexes from metal halides in solution using potassium atoms, 1123–6
The formation of $K[B_5O_6(OH)_4]\cdot 2H_2O$ from H_3BO_3 and KF in aqueous solution, 1811–2
Thermochemistry of the potassium hexafluorometallates(III) of the elements from scandium to gallium, 1977–82
Thermochemistry of the potassium hexafluorometallates(III) of the elements from scandium to gallium, 2703
POTENTIOMETRIC TITRATION
The hydrolysis of metal ions. Part 5. Thorium(IV), 31–4
The hydrolysis of metal ions. Part 6. Scandium(III), 35–6
POTENTIOMETRY
First potentiometric determination of stability constants of nickel(II) complexes with tetra-azacycloalkanes, 1189–92
Bromo-complexes of cobalt(II) in acetone, 1565–70
The hydrolysis of metal ions. Part 7. Beryllium(II), 2001–4
Equilibrium and structural studies of silicon(IV) and aluminium(III) in aqueous solution. Part 9. A potentiometric study of mono- and poly-nuclear aluminium(III) citrates, 2513–8
PRECIPITATION
Precipitation within unilamellar vesicles. Part 1. Studies of silver(I) oxide formation, 311–6
PROTEIN
Studies on blue copper protein models: syntheses, properties, and electron-transfer reactions of bis[4-(alkylmercaptomethyl)imidazole]copper(II) diperchlorate and related complexes and *X*-ray crystallographic analysis of bis[4-(n-propylmercaptomethyl)imidazole-N^3S]copper(II) diperchlorate, 1059–66
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 5. Reactions of Parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(NC)_5FeCNCo(CN)_5]^{3-}$ and $[Fe(CN)_6]^{3-}$, 1949–54
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 6. Competitive inhibition of the $[Co(phen)_3]^{3+}$ (phen = 1,10-phenanthroline) oxidation of parsley plastocyanin PCu(I) by redox-inactive complexes, 2543–8
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 7. Effects of pH and redox-inactive $[Pr(NH_3)_6]^{4+}$ on reactions of parsley plastocyanin with different inorganic redox partners, 2549–54
PRUSSIAN BLUE
Electron-transfer processes and electrodeposition involving the iron hexacyanoferrates studied voltammetrically, 991–4
PULSE RADIOLYSIS
Properties of (1,4,7,10,13-penta-azacyclohexadecane)nickel(III) in aqueous solutions: a pulse radiolytic study, 2125–6
PYRAZINE
Manganese(II) ions as stereochemical probes in reactions of zinc halides with pyrazine, 1469–72
PYRAZOLE
Synthesis, magnetic properties, and *X*-ray structure of *catena*-μ_3-nitrato-O,O',O''-[μ_3-hydroxo-1-nitrato-1,2;1,3;2,3-tris(μ-pyrazolato-N,N')-2,3-bis(pyrazole-N^2)tricopper(II) monohydrate]. An unusual chain of trinuclear copper clusters, 539–46
Synthetic and *X*-ray structural studies of complexes formed by metallation of tri(1-pyrazolyl)methane by dimethylplatinum(II), 1253–60
PYRIDINE
Trifluoroacetate complexes of cobalt(II), nickel(II), and copper(II) with pyridine-type ligands. Part 5. Dynamic nuclear magnetic resonance studies of *cis–trans* isomerism, 153–60
Formation of mixed-ligand complexes of zinc(II) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 447–52
Metallation of aliphatic carbon atoms. Part 1. Synthesis and characterization of the cyclopalladated complexes of 2-neopentylpyridine, 897–900
Thermodynamic and spectroscopic properties of mixed-ligand complexes of copper(II) with pyridine, 2,2′-bipyridyl, and 2,2′:6′,2″-terpyridyl in aqueous solution, 1279–84
Lewis-base adducts of Group 1B metal(I) compounds. Part 2. Synthesis and structure of $CuIL_2$ complexes (L = nitrogen base), 1917–28
PYRIDINIUM
Synthesis of 1-oxidopyridinium-2-thiolato- and pyridine-2-thiolato-complexes of nickel, palladium, and platinum, 783–6
PYRROLYLBUTANEDIONE
Compartmental ligands. Part 5. Copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione: crystal and molecular structure of [3,11-dimethyl-1,13-bis(pyrrol-2-yl)-7-oxa-4,10-diazatrideca-2,11-diene-1,13-dionato(2−)-N,N',O,O']copper(II), 1345–50
QUINONE
Studies on the oxygenolysis of 9,10-phenanthrenequinone by CuXL (X = Cl or Br; L = pyridine, 2,2′-bipyridine, and 1,10-phenanthroline) complexes, 1995–2000
QUINQUEDENTATE
X-Ray and electrochemical investigation on a series of cobalt(II) complexes with quinquedentate ligands and their reactivity towards dioxygen, 2159–66
RADIATION
Paramagnetic transition-metal carbonyls and cyanides. Part 10. Electron addition to various carbonyl(η^5-cyclopentadienyl)metal halides; an electron spin resonance study, 1377–84
RADICAL CATION
Reduction–oxidation properties of organotransition-metal complexes. Part 15. Synthesis, electrochemistry, and reactivity of the radical cations $[Co(CO)_{2-n}L_n(\eta\text{-}C_5R_5)]^+$ (n = 1 or 2, L = phosphine, R = H or Me), 121–6
An electron spin resonance study of the dinitrogen tetroxide radical cation, 2533–6
RADIOLYSIS
Paramagnetic transition-metal carbonyls and cyanides. Part 9. An electron spin resonance study of the radiolysis of some iron carbonyls: the anions $[Fe(CO)_3]^-$ and $[Fe(CO)_4]^-$, 1171–4
An electron spin resonance study of the dinitrogen tetroxide radical cation, 2533–6
RAMAN
Resonance Raman investigation of the electronic transitions of some iron(II) and copper(II) α-di-imine complexes, 305–10
Spectroscopic and theoretical studies of $[Fe(CO)_3(1,4\text{-diaza-}1,3\text{-butadiene})]$ complexes; *X*-ray structure and magnetic circular dichroism and resonance-Raman spectra of [1,2-bis(2′,6′-di-isopropylphenylimino)ethane-NN']tricarbonyliron, 439–46
Electron, infrared, and resonance-Raman spectra of linear-chain mixed-valence complexes of platinum with 1,2-diaminopropane, 761–6
Electrosynthesis and resonance-Raman spectrum of phthalocyaninatoiron(II), 1193–6
The synthesis, *X*-ray crystal structure, and electronic and vibrational characterisation of the mixed-valence, iodine-bridged complex $[Pt^{II}(diene)I][Pt^{IV}(dien)I_3]I_2$, 1583–6
Resonance Raman spectra of copper(I) complexes with α-di-imine ligands, 1635–40
Vibrational and nuclear quadrupole resonance spectra of some complexes of ICl_4^- and $AuCl_4^-$. Part 2. Trichlorochalcogen tetrachloroaurates $[ACl_3][AuCl_4]$ (A = S, Se, or Te), 1837–40
Structure and bonding in linear-bridged species: electronic, Raman, and resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{Cl(PMe_2Ph)_4Re(N_2)\}_2MoCl_4]$, 2005–10
Studies of the electronic properties of the tetrathiotungstate(VI) ion, $[WS_4]^{2-}$, by low-temperature absorption and resonance Raman spectroscopy, 2019–24
Electronic, resonance-Raman, and infrared spectroscopic studies of the thiometalate complexes $[NEt_4]_2[(PhS)_2FeS_2MS_2]$, M = Mo or W, 2299–302
REDOX
Reduction–oxidation properties of organotransition-metal complexes. Part 15. Synthesis, electrochemistry, and reactivity of the radical cations $[Co(CO)_{2-n}L_n(\eta\text{-}C_5R_5)]^+$ (n = 1 or 2, L = phosphine, R = H or Me), 121–6
Reduction–oxidation properties of organotransition-metal complexes. Part 16. Nitrosyl-bridged dicobalt complexes $[\{Co(\eta\text{-}NO)(\eta\text{-}C_5R_5)\}_2]^z$ (R = H or Me, z = 0 to +2) and $[Co_2(\mu\text{-}CO)(\mu\text{-}NO)(\eta\text{-}C_5Me_5)_2]^z$ (z = 0 or +1): synthesis, electrochemistry, and relative reactivity, 295–300

REDOX (contd.)
Chemistry of ruthenium. Part 8. New tris complexes of ruthenium(III). Synthesis, spectra, and redox activity, 955–60
Redox-induced reactions of nickel maleonitriledithiolate αα′-diimine complexes, 1019–22
Studies on blue copper protein models: syntheses, properties, and electron-transfer reactions of bis[4-(alkylmercaptomethyl)imidazole]copper(II) diperchlorate and related complexes and *X*-ray crystallographic analysis of bis[4-(n-propylmercaptomethyl)imidazole-N^3S]copper(II) diperchlorate, 1059–66
Kinetics and equilibria in the redox reaction between ethylenedinitrilotetra-acetate complexes of iron(III) and vanadium(III) in aqueous solution, 1449–60
Redox-active planar complexes. Electrochemical investigations of palladium and platinum bis(dithioacetylacetonate) complexes and their structural analogues, 1587–92
Electron-transfer kinetics and mechanism of di-imine bond formation in tetracyano(ethylenediamine)ferrate(II), 2051–6
Oxidation and reduction of copper(II) complexes with saturated poly-aza macrocycles of varying size and denticity, 2191–6
Water oxidation to oxygen by cerium(IV) ions mediated by ruthenium dioxide catalyst, 2215–6
Kinetics and mechanism for reduction of tetrabromoaurate(III) by uridine, 2329–32
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 6. Competitive inhibition of the $[Co(phen)_3]^{3+}$ (phen = 1,10-phenanthroline) oxidation of parsley plastocyanin PCu(I) by redox-inactive complexes, 2543–8
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 7. Effects of pH and redox-inactive $[Pr(NH_3)_6]^{4+}$ on reactions of parsley plastocyanin with different inorganic redox partners, 2549–54

REDUCTION
Mechanisms of reduction of *trans*-cyclohexane-1,2-diamine-*NNN′N′*-tetra-acetatomanganate(III) by hydrazine, hydroxylamine, and substituted benzene-1,2-diols, 689–96
Electron-rich cations: preparation and hydride reductions of the cations $[Fe(\eta^5\text{-}C_5H_5)\{PhP(CH_2CH_2PPh_2)_2\}]^+$ $[Fe(\eta^5\text{-}C_5H_5)\{MeC(CH_2PPh_2)_3\}]^+$, and $[Fe(\eta^5\text{-}C_5H_5)\{C(CH_2PPh_2)_4\}]^+$, 981–6
Electrochemical reduction of the dichloro(3,6-diazaoctane-1,8-diamine)rhodium(III) cation, *cis*-α-$[Rh(trien)Cl_2]^+$, 1029–34
Reduction of OsO_4 by some imidazolidine-2-thiones. *X*-Ray crystal structure of *trans*-dichlorotetrakis(*NN′*-diethylimidazolidine-2-thione)osmium(IV) diperchlorate, 1261–4
Transition metal–phosphide chemistry: synthesis of $[M(\eta\text{-}C_5H_5)_2(PR_2)_2]$ (M = Zr, R = Ph; M = Hf, R = Ph or cyclo-C_6H_{11}) and $[\{M(\eta\text{-}C_5H_5)_2(PR_2)\}_2]$ (M = Ti, R = Ph or Me; M = Zr or Hf, R = Me), and their reactions with protic and halogen-containing species, 2555–60

REGIOSELECTIVITY
Regiospecific metallation in palladium–hydrazone complexes, 1483–8

RESOLUTION
Approaches to enantioselective syntheses using tricarbonyl(diene)iron complexes, 1401–10

RHENIUM
Matrix isolation studies on alkali metal perrhenates: the shape and vibrational assignments of caesium perrhenate, $CsReO_4$, 1461–4
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
Structure and bonding in linear-bridged species: electronic, Raman, and resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{Cl(PMe_2Ph)_4Re(N_2)\}_2MoCl_4]$, 2005–10
Amidino-complexes of rhenium. Bidentate NN′- and *ortho*-metallated derivatives, 2613–24

RHODIUM
Multinuclear magnetic resonance studies on $[Rh_4(CO)_{12-x}L_x]$ [L = $P(OPh)_3$, *x* = 1—4], 173–6
New carbide clusters in the cobalt sub-group. Part 10. Preparation and crystallographic characterization of dicarbido-octa-μ-carbonyl-hexadecacarbonyl-*polyhedro*-dodecarhodate(2—) as its bis(triphenylphosphine)iminium salt, $[N(PPh_3)_2]_2[Rh_{12}C_2(CO)_{24}]$, 249–52
Rhodium carbonyl clusters with interstitial nitrogen atoms. Part 1. Crystal and molecular structure of the bis(triphenylphosphine)iminium salt of the anion ennea-μ-carbonyl-hexacarbonyl-μ_6-nitrido-*polyhedro*-hexarhodate(1—), 253–6
2,2′-Bibenzimidazolate anions as bridging ligands in cationic heteronuclear gold(I)–rhodium(I) complexes. Crystal structure of $[(Ph_3P)_2Au_2(\mu\text{-bbzim})Rh(cod)][ClO_4]\cdot CHCl_3$, 323–30
Polymer-supported complexes. Part 4. Decarbonylation of polystyrene-anchored dicarbonyl rhodium(I) complexes and applications as catalysts in cyclohexene hydrogenation, 419–24
η^5-Cyclopentadienylrhodium(I) complexes containing diphosphines and their reactions with the electrophiles H^+ and Me^+. Crystal and molecular structure of $[Rh(\eta\text{-}C_5H_5)(CO)(Ph_2PCH_2PPh_2)]$, a complex with a unidentate bis(diphenylphosphino)methane ligand, 433–8
Chemistry of the metal carbonyls. Part 82. Synthesis of complexes with bonds between rhodium and the sub-group 6 metals; *X*-ray crystal structure of $[CrRh(\mu\text{-}CO)_2(CO)_2(\eta\text{-}C_5Me_5)(\eta\text{-}C_6H_6)]$, 507–12
Electrochemical reduction of the dichloro(3,6-diazaoctane-1,8-diamine)rhodium(III) cation, *cis*-α-$[Rh(trien)Cl_2]^+$, 1029–34
Rhodium-catalysed decomposition of hydroxymercurated ethylene to ethanol and acetate, 1319–24
Bimetallic iron–rhodium anionic carbonyl clusters: $[Fe_2Rh(CO)_x]^-$ (*x* = 10 or 11), $[FeRh_4(CO)_{15}]^{2-}$, $[Fe_2Rh_4(CO)_{16}]^{2-}$, and $[FeRh_5(CO)_{16}]^-$, 1433–40
Synthesis and crystal structures of *cis*- and *trans*-dimethyl-di-μ-methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV), 1441–8
Synthesis and crystal and molecular structure of $[Fe_2Rh_2(\mu\text{-}PPh_2)_4(\mu\text{-}CO)_2(CO)_6]$, an unusual straight-chain tetranuclear compound, 1607–12
Bi-imidazole (H_2bim) and bibenzimidazole η^3-allylic complexes of palladium(II). Mono- and tetra-nuclear palladium(II) and heteronuclear palladium(II)–rhodium(I) complexes. Crystal structure of $[Pd_4(\eta^3\text{-}C_3H_5)_4(\mu\text{-bim})_2]\cdot CH_2Cl_2$, 1729–38
Mono-, bi-, and tri-nuclear η-cyclopentadienyl–rhodium complexes obtained from $[Rh_2(\eta\text{-}C_5H_5)_2(\mu\text{-}CO)(CO)_2]$. Crystal structure of $[\{Rh(\eta\text{-}C_5H_5)(\mu\text{-}CO)\}_3]\cdot 0.24Me_2CO$, 1813–8
Synthesis and crystal and molecular structure of $[(\eta\text{-}C_5H_5)Rh(\mu\text{-}CO)_2Rh(PPh_3)(\eta\text{-}C_5H_5)]$ an asymmetric bimetallic complex with a polar rhodium–rhodium bond, 1819–24
Reduction–oxidation properties of organotransition-metal complexes. Part 17. The reaction of $[Rh(CO)(PPh_3)(\eta\text{-}C_3H_5)]$ with one-electron oxidants: fulvalene complex and silver adduct formation, and the *X*-ray crystal structure of $[Ag\{Rh(CO)(PPh_3)(\eta\text{-}C_3H_5)\}_2][PF_6]\cdot C_6H_5Me$, 1879–86
Olefin–acetylene metal complexes. The formation of some 1,4-diene complexes of rhodium(I) by the reactions of rhodium(I) olefin–hexafluorobut-2-yne complexes with 2,4-dimethylpenta-2,3-diene, propene, and cyclopropane, 1887–90
Multinuclear variable-temperature nuclear magnetic resonance study of rhodium carbonyl clusters containing encapsulated heteroatoms: ligand and metal polyhedral rearrangements, 1941–8
Crystal structures of the α alums $CsM[SO_4]_2\cdot 12H_2O$ (M = Rh or Ir), 1973–6
Heterometallic adducts of $[Rh_6(CO)_{15}C]^{2-}$, including the novel double- and triple-decker sandwich compounds $[Ag_n\{Rh_6(CO)_{15}C\}_2]^{(4-n)-}$ (*n* = 1 and 3) and $[Ag_n\{Rh_6(CO)_{15}C\}_3]^{(6-n)-}$ (*n* = 2 and 4) and the *X*-ray structural characterisation of $[PPh_4]_3[Ag\{Rh_6(CO)_{15}C\}_2]$, 2175–82
The synthesis, reactivity, and crystal and molecular structure of $[Rh_3(\mu\text{-}PPh_2)_3(\mu\text{-}Cl)_2(\mu\text{-}CO)(CO)_3]$, an unusual 50-electron closed trinuclear cluster derivative of rhodium, 2229–34
Reactivity of the rhodium(III) formamidinato-complex $[Rh(\eta\text{-}C_5Me_5)Cl(p\text{-}MeC_6H_4N{:::}CH{:::}NC_6H_4Me\text{-}p)]$ with CO and heterocumulenes. Crystal and molecular structure of the thioureido-complex $[Rh(\eta\text{-}C_5Me_5)Cl\{PhN{:::}C[N(C_6H_4Me\text{-}p)]\text{—}CH{=}NC_6H_4Me\text{-}p\}{:::}S]$, 2391–6
Olefin–acetylene metal complexes: reactions of olefin–hexafluorobut-2-yne complexes of rhodium(I) with nitrogen, phosphorus, arsenic, and antimony donor ligands, 2459–64

RUBIDIUM
Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 2. An explanation for alkali-metal selectivity from the *X*-ray and molecular structure of

RUBIDIUM (contd.)
tetrakis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1−)]dirubidiumcobalt(II) and comparison with the dipotassium analogue, 915–20

RUTHENIUM
Light-induced electron-transfer reactions. Part 1. Kinetics of formation of hydrogen peroxide by irradiation with visible light of aqueous solutions containing tris(2,2′-bipyridine)ruthenium(II), oxalic acid, manganese(II), and oxygen, 37–44
Preparation, structure, and reactions of alkenyl complexes of ruthenium(II), 231–8
The synthesis of $[Ru_5C(CO)_{15}]$ by the carbonylation of $[Ru_6C(CO)_{17}]$ and the reactions of the pentanuclear cluster with a variety of small molecules: the *X*-ray structure analysis of $[Ru_5C(CO)_{15}]$, $[Ru_5C(CO)_{15}(MeCN)]$, $[Ru_5C(CO)_{14}(PPh_3)]$, $[Ru_5C(CO)_{13}(PPh_3)_2]$, and $[Ru_5(\mu\text{-}H)_2C(CO)_{12}\{Ph_2P(CH_2)_2PPh_2\}]$, 277–90
X-Ray and neutron diffraction studies on $[Ru_4(CO)_8(\mu\text{-}H)_4\{P(OCH_3)_3\}_4]$ at 293 and 20 K: characterisation of the vibrational behaviour of two-co-ordinate hydrogen atoms, 463–74
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 17. Reactions of the compounds $[Ru_3(CO)_{12}]$, $[Os_3(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}]$, and $[Os_3(CO)_{10}(cyclo\text{-}C_8H_{14})_2]$ with $[W(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta\text{-}C_5H_5)]$; crystal structures of $[OsW_2\{\mu_3\text{-}C_2(C_6H_4Me\text{-}4)_2\}(CO)_7(\eta\text{-}C_5H_5)_2]$ (two isomers) and $[Os_3W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_{11}(\eta\text{-}C_5H_5)]$, 519–26
Formation of new halogeno mixed-metal clusters by oxidative addition of triphenylphosphinegold(I) halides to $[Ru_5C(CO)_{15}]$: crystal and molecular structures of $[Ru_5C(CO)_{15}\{\mu\text{-}Au(PPh_3)\}Cl]$ and $[Ru_5C(CO)_{14}\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}Br)]$, 787–98
Reactions of ruthenium triphenylphosphine complexes with diazadienes. Part 3. Preparation, characterization, *X*-ray crystal structure, and reactivity of a formally ruthenium(0) tris(α-diimine) complex, 941–6
Chemistry of ruthenium. Part 8. New tris complexes of ruthenium(III). Synthesis, spectra, and redox activity, 955–60
Chemistry of ruthenium. Part 9. Electrophilic addition of a ruthenium nitrosyl complex to alkylidenearylhydrazones. Arylazo-oximates of bis(2,2′-bipyridyl)ruthenium(II), 961–6
Organic chemistry of dinuclear metal centres. Part 3. μ-Carbene complexes of iron and ruthenium from alkynes *via* μ-vinyl cations, 1417–26
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
The chemistry of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—6-η-cyclo-octa-1,3,5-triene)ruthenium(0): preparation and *X*-ray crystal structure of (1—2:5—6-η-cyclo-octa-1,5-diene)(1—4-η-cyclo-octa-1,3,5-triene)(trimethyl phosphite)ruthenium(0), 1553–6
Arenеruthenium(II) carboxylates: reactions with ligands and the *X*-ray structure of the *p*-cymene pyrazine complex $[Ru(\eta\text{-}p\text{-}MeC_6H_4CHMe_2)Cl(pyz)_2]PF_6$, 1571–82
Structural and mechanistic studies of co-ordination compounds. Part 37. Ligand-substitution kinetics of some halogeno tetra-amine complexes of cobalt(III), ruthenium(II), and ruthenium(III), 1641–6
The electronic absorption spectrum and structure of the emitting state of the tris(2,2′-bipyridyl)ruthenium(II) complex ion, 1801–4
Stereochemistry of 5-substituted η⁴-cyclopentadiene transition-metal complexes, 1805–6
Organic chemistry of dinuclear metal centres. Part 4. μ-Carbene and μ-vinyl complexes of ruthenium from allenes, 2099–108
Crystal structure of bis(benzo[*h*]quinolin-10-yl-C^{10},*N*)dicarbonylruthenium(II), 2121–4
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 7. Preparation and characterisation of some ruthenium complexes: crystal and molecular structure of η-cyclopentadienyl[η-1,2,3,4,5-pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, $[Ru(\eta\text{-}C_5H_5)\{\eta\text{-}C_5(CO_2Me)_5\}]$, 2183–90
Chemistry of ruthenium. Part 10. Triazene 1-oxide complexes of bis(2,2′-bypyridine)ruthenium-(II) and -(III). Synthesis, spectra, and electrochemistry, 2197–204
Water oxidation to oxygen by cerium(IV) ions mediated by ruthenium dioxide catalyst, 2215–6
Diastereomeric chiral diphosphine chloro(η⁵-cyclopentadienyl)ruthenium(II) complexes and the crystal structure of $[(S)RuCl(\eta^5\text{-}C_5H_5)\{(R)Ph_2PCH(Me)CH_2PPh_2\}]$, 2293–8
Triple halide-bridged diruthenium complexes in higher oxidation states, 2307–10
Reactions of $[Ru_5C(CO)_{15}]$ involving bridging ligands: crystal and molecular structures of the complexes $[Ru_5(H)C(CO)_{14}(SEt)]$, $[Ru_5(H)C(CO)_{13}(PPh_3)(SEt)]$, $[Ru_5(H)C(CO)_{12}(PPh_3)(SEt)]$, and $[Ru_5C(CO)_{13}(PPh_3)\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}I)]$, 2311–22
Reaction of triruthenium dodecacarbonyl with nitrobenzene and structure of μ_3-phenylnitrene-triruthenium decacarbonyl, $[Ru_3(CO)_{10}(\mu_3\text{-}NPh)]$, 2339–42
Cluster chemistry. Part 18. Isocyanide complexes derived from $[Ru_3(CO)_{12}]$: crystal and molecular structures of $[Ru_3(CO)_{12-n}(CNBu^t)_n]$ (n = 1 or 2), 2365–74
Cluster chemistry. Part 19. Crystal and molecular structures of the complexes $[Ru_3(CO)_{11}\{P(C_6H_{11})_3\}]$, $[Ru_3(CO)_{10}\{P(OMe)_3\}_2]$, and $[Ru_3(CO)_9(PMe_3)_3]$: two examples of disordered metal cores within ordered ligand atom polyhedra, 2375–84
Organic chemistry of dinuclear metal centres. Part 5. Generation of hydrocarbons from methylene chains linking two metal centres. Evidence for a dimetallacycle intermediate, 2435–40
The reductive activation of $[M_3C(CO)_{15}]$ (M = Ru or Os) and subsequent reactions of the dianion $[Os_5C(CO)_{14}]^{2-}$, carbonylation of $[M_3C(CO)_{15}]$ (M = Ru or Os), and the crystal structures of $[Os_5C(CO)_{16}]$, $[N(PPh_3)_2]_2[Os_5C(CO)_{14}]$, and $[Os_5C(CO)_{14}\{Au(PPh_3)\}_2]$, 2447–58
Electrophilic behaviour of nitrosyls: the Boedeker reaction, the reactions of sulphite with nitrosyls, and the crystal and molecular structure of *cis*-bis(2,2′-bipyridine)chloro(nitrosylsulphito)ruthenium, 2465–72
Dialkyl, diaryl, and alkyl aryl complexes of ruthenium(II), 2473–8
The preparation and characterisation of cationic formyl complexes of ruthenium(II); crystal and molecular structure of the complex *trans*-bis[1,2-bis(diphenylphosphino)ethane-*PP′*]carbonyl(deuterioformyl)ruthenium(II) hexafluoroantimonate–dichloromethane(1/1), 2501–8
Replacement of hydrido-ligands in triruthenium complexes by triphenylphosphinegold groups. Crystal structures of $[AuRu_3(\mu\text{-}COMe)(CO)_{10}(PPh_3)]$, $[AuRu_3(\mu\text{-}H)_2(\mu_3\text{-}COMe)(CO)_9(PPh_3)]$, and $[Au_3Ru_3(\mu_3\text{-}COMe)(CO)_9(PPh_3)_3]$, 2599–608
Organic chemistry of dinuclear metal centres. Part 6. μ-Vinylidene and μ-ethylidyne diruthenium complexes: crystal structures of *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CCH_2)(\eta\text{-}C_5H_5)_2]$ and *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CMe)(\eta\text{-}C_5H_5)_2][BF_4]$, 2661–8

RUTHENOCENE
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 7. Preparation and characterisation of some ruthenium complexes: crystal and molecular structure of η-cyclopentadienyl[η-1,2,3,4,5-pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, $[Ru(\eta\text{-}C_5H_5)\{\eta\text{-}C_5(CO_2Me)_5\}]$, 2183–90

SALICYLALDEHYDE
The high-spin ground state of quadridentate salicylaldehyde Schiff-base complexes of cobalt(II) in *N*-heterocyclic solvents, 2281–6

SALICYLALDIMINE
Three isomeric triosmium clusters containing bridging ligands derived from the salicylaldimine $PhCH_2N{=}CHC_6H_4OH$-2, 1023–6

SALICYLIDENEIMINATO
Solution chemistry of *NN′*-ethylenebis(salicylideneiminato)iron(III). Part 1. Deprotonation equilibria and reversible decomposition in acid medium of *NN′*-ethylenebis(salicylideneimine). Stability constant of *NN′*-ethylenebis(salicylideneiminato)iron(III), 1743–8
Solution chemistry of *NN′*-ethylenebis(salicylideneiminato)iron(III). Part 2. Formation equilibria of μ-oxo-bis[*NN′*-ethylenebis(salicylideneiminato)iron(III)] and catecholato[*NN′*-ethylenebis(salicylideneiminato)]ferrate(III), 1749–54

SALT EFFECT
Solvent effects on the kinetics of oxidation of cysteinatobis(ethylenediamine)cobalt(III) ion by peroxodisulphate, 2359–64
Salt and medium effects in the oxidation of iodide by hexacyanoferrate(III), 2679–84

SCANDIUM
The hydrolysis of metal ions. Part 6. Scandium(III), 35–6

SCHIFF'S BASE
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3-hydroxy-4-[4′-(3″,4″-dichlorophenyl)-4′-hydroxy-2′-azabut-1′-en-1′-yl]-5-

SCHIFF'S BASE (contd.)
hydroxymethyl-2-methylpyridine (H_2L^2), $[(CuL^2)_4]\cdot 9CH_3OH$, 657–70
Compartmental ligands. Part 5. Copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione: crystal and molecular structure of [3,11-dimethyl-1,13-bis(pyrrol-2-yl)-7-oxa-4,10-diazatrideca-2,11-diene-1,13-dionato(2–)-*N*,*N*′,*O*,*O*′]copper(II), 1345–50
Solution chemistry of *NN*′-ethylenebis(salicylideneiminato)iron(III). Part 1. Deprotonation equilibria and reversible decomposition in acid medium of *NN*′-ethylenebis(salicylideneimine). Stability constant of *NN*′-ethylenebis(salicylideneiminato)iron(III), 1743–8
Solution chemistry of *NN*′-ethylenebis(salicylideneiminato)iron(III). Part 2. Formation equilibria of μ-oxo-bis[*NN*′-ethylenebis(salicylideneiminato)iron(III)] and catecholato[*NN*′-ethylenebis(salicylideneiminato)]ferrate(III), 1749–54
Compartmental ligands. Part 6. Transition-metal complexes of a non-symmetric, acyclic, Schiff base derived from heptane-2,4,6-trione, 1-(*o*-hydroxyphenyl)butane-1,3-dione, and 1,2-diaminoethane, 2235–40
Compartmental ligands. Part 7. The reactions of 1,2-diaminobenzene and *cis*-1,2-diaminocyclohexane with heptane-2,4,6-trione and 1-(*o*-hydroxyphenyl)butane-1,3-dione. The crystal structures of 1-(*o*-aminophenyl)-2,6-dimethyl-4-pyridone hemihydrate and {3,3′-(*cis*-1,2-cyclohexanediyldi-imino)bis[1-(*o*-hydroxyphenyl)but-2-enonato]-(*N*,*N*′,*O*¹,*O*¹′)}copper(II), 2241–50
The high-spin ground state of quadridentate salicylaldehyde Schiff-base complexes of cobalt(II) in *N*-heterocyclic solvents, 2281–6
SELENIUM
Electron spin resonance spectra of reduced $[Fe_2S_2(SC_6H_4Y\text{-}p)_4]^{2-}$ (Y = Cl, H, or Me) complexes and their selenium-ligated homologues, 737–48
Reaction of bis(morpholinoselenocarbonyl) triselenide with iodine. Existence of a 1 : 1 charge-transfer precursory adduct in solution in an oxidative reaction. Isolation and crystal structure of the new (*N*-morpholinecarbodiselenoato)selenium(II) iodide, 1763–70
Vibrational and nuclear quadrupole resonance spectra of some complexes of ICl_4^- and $AuCl_4^-$. Part 2. Trichlorochalcogen tetrachloroaurates $[ACl_3][AuCl_4]$ (A = S, Se, or Te), 1837–40
SELENOCARBAMATE
Synthesis and magnetochemical, spectroscopic, and structural studies of new tris(*NN*-dialkyldiselenocarbamato)iron(IV) tetrafluoroborate complexes, 25–30
SELENOHALIDE
Infrared and electronic spectra of matrix isolated chalcogenide halides of tungsten(VI), WYX_4 (Y = S or Se; X = F, Cl, or Br), 2625–30
SILANE
Synthetic and mechanistic studies of electrophilic attack by the cations $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-dienyl})]^+$(dienyl = C_6H_7 or 2-$MeOC_6H_6$) on aryltrimethyl-silanes and -stannanes, 1721–8
SILICATE
The constitution of aqueous silicate solutions, 475–82
SILICON
Equilibrium and structural studies of silicon(IV) and aluminium(III) in aqueous solution. Part 9. A potentiometric study of mono- and poly-nuclear aluminium(III) citrates, 2513–8
SILVER
Precipitation within unilamellar vesicles. Part 1. Studies of silver(I) oxide formation, 311–6
Tetrakis(tetrasulphur tetranitrogen dioxide)silver hexafluoroarsenate(V), 405–8
Crystal and molecular structure of (*cyclo*-L-methionylglycine)silver(I) nitrate, 453–4
Kinetics and mechanism of hydrogen peroxide oxidation by silver(III) in aqueous alkaline media, 749–54
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 4. Some silver(I) complexes: crystal and molecular structures of $[\{Ag[C_5(CO_2Me)_5](OH_2)\}_\infty].1.5nH_2O$, $[\{Ag[C_5(CO_2Me)_5](PPh_3)\}_2]$, and $[Ag\{C_5(CO_2Me)_5\}(PPh_3)_2]$, 799–808
Preparation and crystal and molecular structure of a polymeric bis(sulphinylnitrilo)sulphur complex of silver(I): $[Ag_4\{S(NSO)_2\}_6][AsF_6]_4\cdot SO_2$, 1211–4
Trimeric thioformaldehyde as a ligand: preparation and crystal structure of $[Ag_2\{(CH_2S)_3\}_3][AsF_6]_2\cdot SO_2$, 1215–6
Reduction–oxidation properties of organotransition-metal complexes. Part 17. The reaction of $[Rh(CO)(PPh_3)(\eta\text{-}C_5H_5)]$ with one-electron oxidants: fulvalene complex and silver adduct formation, and the *X*-ray crystal structure of $[Ag\{Rh(CO)(PPh_3)(\eta\text{-}C_5H_5)\}_2][PF_6]\cdot C_6H_5Me$, 1879–86
Unprecedented bridging mode of the triethylphosphine–carbon disulphide adduct $PEt_3\cdot CS_2$. *X*-Ray crystal structure of the binuclear silver(I) complex $[\{Ag(S_2CPEt_3)(\mu\text{-}S_2CPEt_3)\}_2][ClO_4]_2$, 1969–72
Heterometallic adducts of $[Rh_6(CO)_{15}C]^{2-}$, including the novel double- and triple-decker sandwich compounds $[Ag_n\{Rh_6(CO)_{15}C\}_2]^{(4-n)-}$ (*n* = 1 and 3) and $[Ag_n\{Rh_6(CO)_{15}C\}_3]^{(6-n)-}$ (*n* = 2 and 4) and the *X*-ray structural characterisation of $[PPh_4]_3[Ag\{Rh_6(CO)_{15}C\}_2]$, 2175–82
SILYL
Synthesis and characterization of *cis*-di-iodotetrakis(trimethylsilyl isocyanide)iron(II), $[FeI_2(CNSiMe_3)_4]$, 181–2
Determination of the molecular structures of bis(methylsilyl) ether and bis(dimethylsilyl) ether in the gas phase by electron diffraction, 265–70
Some [tris(trimethylsilyl)methyl]phosphorus derivatives, 905–10
Synthesis of chloro(trimethylphosphine)tris(trimethylsilylmethyl)-tungsten(IV); synthesis and molecular structure of di-μ-chloro-bis[dicarbonyl(trimethylphosphine)(1—2-η-trimethylsilylmethylcarbonyl)tungsten(II)], 1093–6
SODIUM
Complexation of alkali- and alkaline-earth-metal cations by a conjugated tetraimine macrocyclic ligand: synthesis, sodium-23 nuclear magnetic resonance spectra, and the *X*-ray structure of a twelve-co-ordinate barium(II) 'sandwich' complex, 1857–64
SOLID STATE
Solid-state properties of materials of the type Cs_4MX_6 (where M = Sn or Pb and X = Cl or Br), 767–70
SOLUBILITY
Studies on the solubility of 2,2′-bipyridyl, 1,10-phenanthroline, and their tris iron(II) perchlorates in methanol–water mixtures, and the determination of the 'medium effect' of ions, 2685–8
SOLVENT DEPENDENCE
Solvent dependence of the stereochemistry of base-catalyzed solvolysis of *trans*-$[Co(NH_3)_4(^{15}NH_3)X]^{3+/2+}$ (X = Me_2SO or Cl) ions, 2415–8
SOLVENT EFFECT
Solvent effects on the kinetics of oxidation of cysteinatobis(ethylenediamine)cobalt(III) ion by peroxodisulphate, 2359–64
SOLVOLYSIS
Kinetics of solvolysis of the *trans*-dichlorotetra(4-methylpyridine)cobalt(III) ion in water and in water–propan-2-ol mixtures, 1035–8
Solvent dependence of the stereochemistry of base-catalyzed solvolysis of *trans*-$[Co(NH_3)_4(^{15}NH_3)X]^{3+/2+}$ (X = Me_2SO or Cl) ions, 2415–8
SPIN DENSITY
Spin density and structure of aquabis(2,2′-bipyridine)di-μ-hydroxo-sulphatodicopper(II) tetrahydrate at 4.2 K, 703–12
STABILITY CONSTANT
Thermodynamics of the complex formation between thorium(IV) and some polydentate ligands in aqueous solution, 733–6
First potentiometric determination of stability constants of nickel(II) complexes with tetra-azacycloalkanes, 1189–92
Complex formation between polymers containing the 2,2′-bipyridyl group and iron(II), 1511–4
POLYSTYRENE
Complex formation between uranium(VI) and thorium(IV) ions with some α-amino-acids, 1529–34
STACKING
Study of ternary complexes of copper(II) containing tertiary amines and adenosine-5′-triphosphate in dioxan–water medium, 1901–4
STANNANE
The fluxionality of (*Z*)-6,6,6-triphenyl-6-stannahexa-1,3-diene: evidence for symmetry-allowed suprafacial [1,5]-shifts in an organometallic compound, 729–32
Synthetic and mechanistic studies of electrophilic attack by the cations $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-dienyl})]^+$(dienyl = C_6H_7 or 2-$MeOC_6H_6$) on aryltrimethyl-silanes and -stannanes, 1721–8
STANNATE
A variable-temperature ^{79}Br nuclear quadrupole resonance and *X*-ray crystallographic investigation of dimethylammonium hexabromostannate(IV) $[NH_2Me_2]_2[SnBr_6]$, 1091–4

STEREOCHEMISTRY
Crystal structure and electronic properties of bis(2,2′-bipyridyl)cyanocopper(II) nitrate dihydrate: a correlation of the in-plane angular distortion with the splitting of the electronic spectrum, 199–204
Effects of geometric configuration and steric hindrance on rates and mechanisms of oxidation of diaminedichloroplatinum(II) complexes by tetrachloroaurate(III) ions, 1285–90
Manganese(II) ions as stereochemical probes in reactions of zinc halides with pyrazine, 1469–72
Stereochemistry of 5-substituted η^4-cyclopentadiene transition-metal complexes, 1805–6
Diastereomeric chiral diphosphine chloro(η^5-cyclopentadienyl)ruthenium(II) complexes and the crystal structure of [(*S*)RuCl(η^5-C_5H_5){(*R*)$Ph_2PCH(Me)CH_2PPh_2$}], 2293–8
Solvent dependence of the stereochemistry of base-catalyzed solvolysis of *trans*-$[Co(NH_3)_4(^{15}NH_3)X]^{3+/2+}$ (X = Me_2SO or Cl) ions, 2415–8
STEREOISOMER
Hydrogen-bridged dimeric and trimeric copper(II) triflate compounds with racemic and optically active aminopropanols. Crystal and molecular structure of hexakis(*R,S*-2-aminopropan-1-ol-*N,O*)*bis*(*R,S*-2-aminopropan-1-olato-*N,O*)bis(trifluoromethanesulphonato-*O*)tricopper(II) bis(trifluoromethanesulphonate), 531–8
STEREOISOMERISM
Nuclear magnetic resonance investigation of diastereoisomerism in the unsymmetrical tetra-alkyldiphosphanes $R^1R^2PPMeEt$ (R^1R^2 = Bu^tPr^i, Bu^tEt, Bu^tMe, Pr^iEt, and Pr^i_2), 585–8
STERIC EFFECT
The chemistry of vitamin B_{12}. Part 22. Steric effects in the co-ordination of amines by cobalt(III) corrinoids, 2217–22
SUBSTITUENT EFFECT
Substituent effects on the bonding properties in cyclotriphosphanes and related compounds. Polarization of Hückel *versus* Möbius orbitals, 2411–4
SUBSTITUTION
Mechanism of the base-catalysed substitution of halide for methoxide in the reactions of *trans*-$[W(NH)X(Ph_2PCH_2CH_2PPh_2)_2]^+$ (X = Cl, Br, or I), 51–60
Metal dimers as catalysts. Part 6. The use of $[\{Fe(CO)_2(\eta^5-C_5H_5)\}_2]$ as a catalyst in the metal carbonyl substitution reaction, 947–54
Structural and mechanistic studies of co-ordination compounds. Part 37. Ligand-substitution kinetics of some halogeno tetra-amine complexes of cobalt(III), ruthenium(II), and ruthenium(III), 1641–6
Reactions of methyl complexes of iron(II) with Lewis bases, 2593–8
SULPHIDE
Chemistry of platinum sulphido-complexes. Part 3. Crystal and molecular structure of tetrasulphido[1,2-bis(diphenylphosphino)ethane]platinum(II) and a study of its bonding and reactions, 1325–30
Structural studies of binuclear sulphido-bridged complexes of tungsten. Preparation and *X*-ray crystal structures of $[S_2W(\mu-S)_2W(NNMe_2)_2(PPh_3)]$ and $[\{W(SBu^t)_2(PMe_2Ph)\}_2(\mu-S)_2]\cdot CH_2Cl_2$, 1489–94
The reactions of tetrahydrothiophene (tht) with tribromosulphidoniobium(v) and trichlorosulphidoniobium(v) and the crystal structures of three of the products $Nb_2Cl_4S_3\cdot 4tht$, $Nb_2Br_4S_3\cdot 4tht$, and $NbBr_3S\cdot 2tht$, 2251–6
The synthesis and properties of tris(diphosphine)- and bis(triphosphine)-chromium(III) cations and analogues with arsenic and sulphur donor ligands, 2569–72
SULPHITE
Electrophilic behaviour of nitrosyls: the Boedeker reaction, the reactions of sulphite with nitrosyls, and the crystal and molecular structure of *cis*-bis(2,2′-bipyridine)chloro(nitrosylsulphito)ruthenium, 2465–72
SULPHOXIDE
Rates and activation parameters for dimethyl sulphoxide exchange with hexakis(dimethyl sulphoxide)-nickel(II), - cobalt(II), and - iron(III) ions, 353–8
Phosphine oxide and sulphoxide complexes of thorium(IV) and uranium(IV) halogenoacetates, 1153–8
SULPHUR
Tetrakis(tetrasulphur tetranitrogen dioxide)silver hexafluoroarsenate(v), 405–8
Electron spin resonance spectra of reduced $[Fe_2S_2(SC_6H_4Y-p)_4]^{2-}$(Y = Cl, H, or Me) complexes and their selenium-ligated homologues, 737–48
Reactions of tetrasulphur tetranitride with titanium and vanadium tetrachlorides; crystal structure of $VCl_2(S_2N_2)$, 1207–10
Preparation and crystal and molecular structure of a polymeric bis(sulphinylnitrilo)sulphur complex of silver(I): $[Ag_4\{S(NSO)_2\}_6][AsF_6]_4\cdot SO_2$, 1211–4
High-pressure effects on the proton nuclear magnetic resonance spectra of palladium(II) complexes of cyclic sulphides. Estimation of activation volumes for inversion about sulphur, 1473–4
Stability, electronic spectra, and structure of transition-metal ion complexes of a novel mixed-donor (nitrogen–sulphur) macrocycle, 1-thia-4,7-diazacyclononane, 1601–6
X-Ray diffraction analysis of the disordered crystal and molecular structure of $[\{Co_3(CO)_9C\}_2SCO]$: its identity with the previously reported '$[\{Co_3(CO)_9(CS)\}_2]$', 1613–8
Vibrational and nuclear quadrupole resonance spectra of some complexes of ICl_4^- and $AuCl_4^-$. Part 2. Trichlorochalcogen tetrachloroaurates $[ACl_3][AuCl_4]$ (A = S, Se, or Te), 1837–40
Octahedrally co-ordinated zinc and cadmium compounds with five-membered heterocyclic OS_3N_2 ligands, 1891–4
Metal complexes of sulphur–nitrogen chelating agents. Part 10. The chemistry of palladium(II) complexes with some monoanionic tridentate ligands of the type SNN, 1935–40
Gas-phase molecular structures of bis(difluorophosphino) sulphide, $S(PF_2)_2$, bis(difluorophosphino) selenide, $Se(PF_2)_2$, and difluoro(methylthio)phosphine, $PF_2(SMe)$, determined by electron diffraction, 1989–94
2,9-Dimethyl-1,10-phenanthroline copper(I) complexes with some sulphur-containing amino acids, 2269–72
SULPHUR DIOXIDE
Trimeric thioformaldehyde as a ligand: preparation and crystal structure of $[Ag_2\{(CH_2S)_3\}_3][AsF_6]_2\cdot SO_2$, 1215–6
Reactions in mixed non-aqueous systems containing sulphur dioxide. Part 3. The electrolytic dissolution of metals, 1363–6
TELLURIDE
A kinetic and mechanistic study of the reaction between bis-*p*-ethoxyphenyl ditelluride and molecular iodine in solution, 1071–4
TELLURIUM
Vibrational and nuclear quadrupole resonance spectra of some complexes of ICl_4^- and $AuCl_4^-$. Part 2. Trichlorochalcogen tetrachloroaurates $[ACl_3][AuCl_4]$ (A = S, Se, or Te), 1837–40
An aryltellurium mixed halide anion. Preparation and crystal and molecular structure of $[NBu^n_4][PhTeCl_3I]$, 2015–8
The reaction of organic dihalides with organyltelluride (RTe^-) anions: telluronium salts and charge-transfer complexes, 2143–6
TEMPLATE
Dicopper(II) complexes of an N_6O_2 macrocycle and seven-co-ordinate manganese(II), iron (II), cobalt(II), nickel(II), copper(II), and zinc(II) complexes of its N_3O_2 open-chain precursor, 2525–8
TERPYRIDYL
Thermodynamic and spectroscopic properties of mixed-ligand complexes of copper(II) with pyridine, 2,2′-bipyridyl, and 2,2′:6′,2″-terpyridyl in aqueous solution, 1279–84
Characterization of a zinc(II) complex of a 15-membered macrocyclic ligand in the solid state and in solution: *X*-ray structure of (6,7,8,13,14,15,16,17,18,19-decahydro-5*H*-[*e,n*][1,4,8,12]-tetra-azacyclopentadecine)iodozinc(II) iodide, 1789–92
TETRA-ACETATE
Lead tetra-acetate oxidation of metallic copper to Cu^{2+}: an unusual oxidation, 2531–2
TETRA-ACETYLETHANE
Direct synthesis of bis(acetylacetonato)nickel(II) dihydrate and isolation of α,α,β,β-tetra-acetylethane as the oxidation product of acetylacetone, 2561–2
TETRA-AMINE
Structural and mechanistic studies of co-ordination compounds. Part 37. Ligand-substitution kinetics of some halogeno tetra-amine complexes of cobalt(III), ruthenium(II), and ruthenium(III), 1641–6
TETRA-AZACYCLOALKANE
First potentiometric determination of stability constants of nickel(II) complexes with tetra-azacycloalkanes, 1189–92
TETRA-AZACYCLO DODECANE
Synthesis, characterization, and crystal structure analysis of pentane-2,4-dionato(1,4,7,10-tetra-azacyclododecane)cobalt(III)

TETRA-AZACYCLO DODECANE (contd.)
diperchlorate monohydrate and its brominated complex (3-bromopentane-2,4-dionato)(1,4,7,10-tetra-azacyclododecane)cobalt(III) diperchlorate hemihydrate, 2405–10
TETRA-AZACYCLOTETRADECANE
Chemistry of structurally developed macrocycles. Part 2. Synthesis and complexing properties of *N,N′,N″,N‴*-tetra(3-aminopropyl)-1,4,8,11-tetra-azacyclotetradecane with nickel(II), 1149–52
TETRAHYDROTHIOPHEN
The reactions of tetrahydrothiophene (tht) with tribromosulphidoniobium(V) and trichlorosulphidoniobium(V) and the crystal structures of three of the products $Nb_2Cl_4S_3 \cdot 4tht$, $Nb_2Br_4S_3 \cdot 4tht$, and $NbBr_3S \cdot 2tht$, 2251–6
TETRAKIS(METHYLTHIO)ETHENE
Tetrakis(methylthio)ethene as a bidentate chelating and quadridentate bridging thioether, 1017–8
TETRAPHOSPHOCINE
Crystal and molecular structure of a new eight-membered tetraphospha-macrocycle, $(-\overline{PCPh=CMeCMe=C}-)_4$, 841–6
TETRATHIOTUNGSTATE
Studies of the electronic properties of the tetrathiotungstate(VI) ion, $[WS_4]^{2-}$, by low-temperature absorption and resonance Raman spectroscopy, 2019–24
THALLIUM
Preparation of monomeric neutral or anionic tris(polyfluorophenyl)thallium(III) and of anionic heteronuclear tris(polyfluorophenyl)thallium–metal carbonyl complexes, 1127–30
THERMAL ANALYSIS
The nature of water in hydrazine salt hydrates, 2047–50
THERMOCHEMISTRY
Thermochemistry of the potassium hexafluorometallates(III) of the elements from scandium to gallium, 1977–82
Microcalorimetric studies of the thermal decomposition of ammonia–halide and amine–halide complexes of platinum(II), $[Pt(NH_2R)_2X_2]$, 2323–8
Standard enthalpies of formation of diamine(dicarboxylato)platinum(II) complexes and of bis(pentane-2,4-dionato)platinum(II): the mean Pt – O bond dissociation enthalpies, 2657–60
Thermochemistry of the potassium hexafluorometallates(III) of the elements from scandium to gallium (1983, 1977)., 2703
THERMODYNAMICS
Thermodynamics of the complex formation between thorium(IV) and some polydentate ligands in aqueous solution, 733–6
Kinetics of solvolysis of the *trans*-dichlorotetra(4-methylpyridine)cobalt(III) ion in water and in water–propan-2-ol mixtures, 1035–8
Thermodynamic studies on the addition of molecular oxygen to cobalt(II) complexes. Part 1. The cobalt(II)–ethylenediamine–oxygen system in aqueous solution at 25 °C, 1247–52
Thermodynamics of metal complexes with ligand–ligand interaction, simple and mixed complexes of copper(II) and zinc(II) with adenosine 5′-triphosphate and L-tryptophan or L-alanine, 1271–8
Thermodynamic and spectroscopic properties of mixed-ligand complexes of copper(II) with pyridine, 2,2′-bipyridyl, and 2,2′:6′,2″-terpyridyl in aqueous solution, 1279–84
Lead-207 chemical shift data for bivalent lead compounds: thermodynamics of the equilibrium $Pb(O_2CCH_3)_2 \rightleftharpoons [Pb(O_2CCH_3)]^+ + O_2CCH_3^-$ in aqueous solution in the temperature range 303—323 K, 1845–8
THERMOLYSIS
Structural investigations of the vanadium–antimony–oxygen system, 13–8
THIENYL
Synthesis and *X*-ray structure of the tetrameric molybdenum complex $[C_{10}H_{13}N_2S_2]^+{}_2[Mo_4Cl_4O_8(OEt)_4]^{2-}$, 65–70
THIO
Crystal structure of the complex *cis*-oxobis[piperidine *N*-oxido(1–)-*NO*]thiomolybdenum(VI), containing a *cis*-$MoOS^{2+}$ group, 2495–500
THIOACETATE
The molecular structure of germyl monothioacetate in the gas phase, determined by electron diffraction, 835–8
THIOAMIDE
Nuclear quadrupole resonance of several copper(I) complexes with heterocyclic thioamido ligands. Crystal structure of chlorobis[tetrahydro-1*H*-pyrimidine-2-thione]copper(I), 301–4
THIOCARBONATE
Reactivity of η^2-CS_3Me metal complexes as electrophiles, 2419–24
THIOCYANATE
The co-ordination of small molecules by manganese(II) phosphine complexes. Part 1. The reversible co-ordination of dioxygen by $[MnX_2(PR_3)]$ (X = Cl, Br, or I; R_3 = $Bu^n{}_3$ or $PhBu^n{}_2$) complexes in solution and an infrared criterion for predicting dioxygen binding activity in the di-isothiocyanato(phosphine)manganese(II) complexes, 2147–54
THIOCYANATO
Azido- and thiocyanato-derivatives of some chlorofluorophosphate(V) ions, 1159–64
THIOETHER
Tetrakis(methylthio)ethene as a bidentate chelating and quadridentate bridging thioether, 1017–8
THIOFORMALDEHYDE
Trimeric thioformaldehyde as a ligand: preparation and crystal structure of $[Ag_2\{(CH_2S)_3\}_3][AsF_6]_2 \cdot SO_2$, 1215–6
THIOHALIDE
Infrared and electronic spectra of matrix isolated chalcogenide halides of tungsten(VI), WYX_4 (Y = S or Se; X = F, Cl, or Br), 2625–30
THIOLATE
Co-ordinatively unsaturated alkyne complexes of molybdenum and tungsten. Reactions of $[MCl(CF_3C{\equiv}CCF_3)_2(\eta\text{-}C_3H_5)]$ (M = Mo or W) with heterocyclic thiolates leading to η^2-vinyl complexes, 1783–8
THIOSALICYLIDENEIMINE
Iron complexes of *N*-substituted thiosalicylideneimines. Part 1. Synthesis and reactions with oxygen and carbon monoxide, 143–52
Iron complexes of *N*-substituted thiosalicylideneimines. Part 2. Magnetic and Mössbauer spectral studies of iron(II) complexes, 879–84
THIOUREA
Synthesis and *X*-ray crystal structure of trichlorotris[1-phenyl-3-(2-pyridyl)-2-thiourea-*S*]bismuth(III) and di-μ-chloro-tetrachlorotetrakis(*NN*′-diethylimidazolidine-2-thione-*S*)dibismuth(III), 2425–8
THORIUM
Crystal structure and normal co-ordinate analysis of diaqua(oxydiacetato)sulphatothorium(IV) monohydrate, 1–8
The hydrolysis of metal ions. Part 5. Thorium(IV), 31–4
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 3. The $[M(bidentate\ ligand)_2(unidentate\ ligand)_4]$ system: crystal structures of tetrakis(isothiocyanato)bis(octamethylpyrophosphoramide-*OO*′)-uranium(IV) and tetrachlorobis(octamethylpyrophosphoramide-*OO*′)thorium(IV), 559–66
Thermodynamics of the complex formation between thorium(IV) and some polydentate ligands in aqueous solution, 733–6
Phosphine oxide and sulphoxide complexes of thorium(IV) and uranium(IV) halogenoacetates, 1153–8
Complex formation between uranium(VI) and thorium(IV) ions with some α-amino-acids, 1529–34
TIN
Tin-119 nuclear magnetic resonance study of trimethylstannylhydrazines, 97–100
Synthesis, crystal and molecular structure of the compound dichlorobis[2-(phenylazo)phenyl-$C^1N^{2'}$]tin(IV), 169–72
The Mössbauer recoil-free fraction and structure. Part 3. Triorganotin arylazobenzoates, 363–70
Nuclear quadrupole resonance and stereochemistry. Part 8. *cis–trans* Isomerism in octahedral $SnCl_4L_2$ complexes, 495–8
Triorganotin and triorganolead derivatives of *N*-acetylamino-acids, 595–600
Synthesis, properties, and *X*-ray crystal and molecular structures of homoleptic alkenyls of tin and chromium, 671–8
The fluxionality of (*Z*)-6,6,6-triphenyl-6-stannahexa-1,3-diene: evidence for symmetry-allowed suprafacial [1,5]-shifts in an organometallic compound, 729–32
Solid-state properties of materials of the type Cs_4MX_6 (where M = Sn or Pb and X = Cl or Br), 767–70
Structural characterization of a binuclear tin adduct: μ-[1,2-bis(diphenylarsoryl)ethane-*O*:*O*′]-bis(chlorotriphenyltin), 847–50
Investigation into diphosphine oxides as ligands in diorganotin(IV) adducts. Part 1. Synthesis and spectroscopic characterization of

TIN (contd.)
1,2-bis(diphenylphosphoryl)ethane tin complexes and *X*-ray structure of [1,2-bis(diphenylphosphoryl)ethane]di-n-butyldichlorotin(IV), 921–6
A variable-temperature ^{79}Br nuclear quadrupole resonance and *X*-ray crystallographic investigation of dimethylammonium hexabromostannate(IV) $[NH_2Me_2]_2[SnBr_6]$, 1091–4
Oxy- and thio-phosphorus acid derivatives of tin. Part 12. A Mössbauer spectroscopic investigation of the structures and polymorphic behaviour of diorganotin(IV) phenyl-phosphonates and –arsonates, 1523–8
Investigation into diphosphine oxides as ligands in diorganotin(IV) adducts. Part 2. Synthesis, spectroscopic characterization, and *X*-ray crystal structure of *cis*-1,2-bis(diphenylphosphoryl)ethylenetin complexes, 1687–94
Synthetic and mechanistic studies of electrophilic attack by the cations $[Fe(CO)_3(1—5\text{-}\eta\text{-dienyl})]^+$(dienyl = C_6H_7 or 2-$MeOC_6H_6$) on aryltrimethyl-silanes and -stannanes, 1721–8
Magnetic exchange interactions in perovskite solid solutions. Part 3. Tin-119 Mössbauer spectra of doped iron perovskite solid solutions, 2035–8
The ultraviolet photoelectron spectra and electronic structure of gas-phase and condensed SnF_2 and PbF_2, 2211–4
Structural characterization of a binuclear tin adduct: μ-oxalato-bis[nitratodiphenyl(triphenylarsine oxide)tin(IV)], 2689–92

TITANIUM
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 18. Synthesis of the complexes $[MW(\mu\text{-}CC_6H_4Me\text{-}4)\{\mu\text{-}(\sigma\text{:}\eta^2\text{-}CO)\}(CO)(\eta\text{-}C_5H_5)_3]$ (M = Ti or Zr) and the crystal structure of the titanium–tungsten compound, 527–30
Reductive preparation of bis(arene)metal complexes from metal halides in solution using potassium atoms, 1123–6
Reactions of tetrasulphur tetranitride with titanium and vanadium tetrachlorides; crystal structure of $VCl_2(S_2N_2)$, 1207–10
Azo-complexes of bis(cyclopentadienyl)-titanium and - vanadium; model systems for N–N multiple bond activation, 1515–22
Transition metal–phosphide chemistry: synthesis of $[M(\eta\text{-}C_5H_5)_2(PR_2)_2]$ (M = Zr, R = Ph; M = Hf, R = Ph or cyclo-C_5H_{11}) and $[\{M(\eta\text{-}C_5H_5)_2(PR_2)\}_2]$ (M = Ti, R = Ph or Me; M = Zr or Hf, R = Me), and their reactions with protic and halogen-containing species, 2555–60

TITRIMETRY
A thermometric titrimetric study of the complexation of alkaline-earth metals by linear poly(aminocarboxylic) acids, 865–8

TRANSMETALLATION
Dicopper(II) complexes of an N_6O_2 macrocycle and seven-co-ordinate manganese(II), iron (II), cobalt(II), nickel(II), copper(II), and zinc(II) complexes of its N_3O_2 open-chain precursor, 2525–8

TRANSPORT
Precipitation within unilamellar vesicles. Part 2. Membrane control of ion transport, 771–4

TRIAZACYCLONONANE
Synthesis and crystal structure of bis(1,4,7-triazacyclononane-*NN′*)platinum(II) dibromide dihydrate and its facile oxidation by oxygen: characterisation of bis(1,4,7-triazacyclononane-*NN′N″*)platinum(IV) tetraperchlorate, 1869–72

TRIAZENE
Chemistry of ruthenium. Part 8. New tris complexes of ruthenium(III). Synthesis, spectra, and redox activity, 955–60
Chemistry of ruthenium. Part 10. Triazene 1-oxide complexes of bis(2,2′-bypyridine)ruthenium-(II) and -(III). Synthesis, spectra, and electrochemistry, 2197–204

TRIETHYLENETETRAMINE
Electrochemical reduction of the dichloro(3,6-diazaoctane-1,8-diamine)rhodium(III) cation, *cis*-α-$[Rh(trien)Cl_2]^+$, 1029–34

TRIPHOSPHATE
Study of ternary complexes of copper(II) containing tertiary amines and adenosine-5′-triphosphate in dioxan–water medium, 1901–4

TRIPYRAZOLYLMETHANE
Synthetic and *X*-ray structural studies of complexes formed by metallation of tri(1-pyrazolyl)methane by dimethylplatinum(II), 1253–60

TRITHIOCARBONATE
Reactivity of η^2-trithiocarbonate metal complexes as nucleophiles. Intramolecular mobility of the trithiocarbonate group in μ-CS_3 binuclear complexes, 1777–82
Reactivity of η^2-CS_3Me metal complexes as electrophiles, 2419–24

TUNGSTEN
Mechanism of the base-catalysed substitution of halide for methoxide in the reactions of *trans*-$[W(NH)X(Ph_2PCH_2CH_2PPh_2)_2]^+$ (X = Cl, Br, or I), 51–60
Oxygen, sulphur, and selenium abstraction from WCl_4Y (Y = O, S, or Se) by triphenylphosphine. Crystal and molecular structure of tetrachlorobis(triphenylphosphine)tungsten(IV), 61–4
Nitrosyl complexes of molybdenum and tungsten. Part 17. Hydrazido(1−) complexes of [tris(3,5-dimethylpyrazolyl)-borato]molybdenum, related tungsten compounds, and the structures of *NN*-dimethylhydrazido(1−)-and *N*-methyl-*N*-phenylhydrazido(1−)-(iodo(nitrosyl)[tris(3,5-dimethylpyrazol-1-yl)borato]molybdenum, 71–80
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 15. Reactions of the complex $[W(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (R = C_6H_4Me-4) with iron carbonyls; crystal structures of $[Fe_2W(\mu_3\text{-}CR)(\mu\text{-}CO)(CO)_8(\eta\text{-}C_5H_5)]$ and $[FeW_2(\mu\text{-}RC_2R)(CO)_5L(\eta\text{-}C_5H_5)_2]$ (L = CO or O), 101–10
The reactivity of molybdenum and tungsten trioxide vapours towards organic and inorganic compounds at −196 °C, 239–44
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 16. Synthesis of the trimetal compounds $[M_2M'(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(\eta\text{-}C_5H_5)_3]$ (M = Mo or W, M′ = W; M = M′ = Mo), 513–8
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 17. Reactions of the compounds $[Ru_3(CO)_{12}]$, $[Os_3(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}]$, and $[Os_3(CO)_{10}(cyclo\text{-}C_8H_{14})_2]$ with $[W(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta\text{-}C_5H_5)]$; crystal structures of $[OsW_2\{\mu_3\text{-}C_2(C_6H_4Me\text{-}4)_2\}(CO)_7(\eta\text{-}C_5H_5)_2]$ (two isomers) and $[Os_3W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_{11}(\eta\text{-}C_5H_5)]$, 519–26
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 18. Synthesis of the complexes $[MW(\mu\text{-}CC_6H_4Me\text{-}4)\{\mu\text{-}(\sigma\text{:}\eta^2\text{-}CO)\}(CO)(\eta\text{-}C_5H_5)_3]$ (M = Ti or Zr) and the crystal structure of the titanium–tungsten compound, 527–30
Preparation and properties of metallacyclopentane and dineopentyl derivatives of molybdenocene and tungstenocene. *X*-Ray crystal and molecular structure of bis(η-cyclopentadienyl)molybdenacyclopentane, 967–74
Synthesis of chloro(trimethylphosphine)tris(trimethylsilylmethyl)-tungsten(IV); synthesis and molecular structure of di-μ-chloro-bis[dicarbonyl(trimethylphosphine)(1—2-η-trimethylsilylmethylcarbonyl)tungsten(II)], 1003–6
η-Arenetungsten chemistry: η-allyl, η-butadiene, tertiary phosphine, and hydrido derivatives, 1075–80
Structural studies of binuclear sulphido-bridged complexes of tungsten. Preparation and *X*-ray crystal structures of $[S_2W(\mu\text{-}S)_2W(NNMe_2)_2(PPh_3)]$ and $[\{W(SBu^t)_2(PMe_2Ph)\}_2(\mu\text{-}S)_2]\cdot CH_2Cl_2$, 1489–94
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
Co-ordinatively unsaturated acetylene complexes of molybdenum and tungsten: reactions of $[MCl(CF_3C{\equiv}CCF_3)_2(\eta^5\text{-}C_5H_5)]$ (M = Mo or W) with octacarbonyldicobalt leading to binuclear metallacyclopentadiene complexes, 1667–70
Co-ordinatively unsaturated alkyne complexes of molybdenum and tungsten. Reactions of $[MCl(CF_3C{\equiv}CCF_3)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W) with heterocyclic thiolates leading to η^2-vinyl complexes, 1783–8
Novel hetero trinuclear complexes triply bridged by carbon disulphide; *X*-ray crystal structure of the complex $[(OC)_2(\eta^5\text{-}C_5H_5)FeC(=S)SFe(\eta^5\text{-}C_5H_5)(CO)_2W(CO)_5]$, 1849–56
Studies of the electronic properties of the tetrathiotungstate(VI) ion, $[WS_4]^{2-}$, by low-temperature absorption and resonance Raman spectroscopy, 2019–24
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 20. Complexation of carbon–metal triple bonds with low-valent species; crystal structures of the bimetal complexes $[CrW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_4(\eta\text{-}C_5H_5)(\eta\text{-}C_6Me_6)]$ and $[CoW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_3(\eta\text{-}C_5H_5)(\eta\text{-}C_5Me_5)]$, 2075–82
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 21. Reactivity of μ-(methoxy-*p*-tolylmethylene) and μ-(*p*-tolylmethylidyne) groups at a platinum–tungsten centre. *X*-Ray crystal structure of $[PtW\{\mu\text{-}C(OMe)C_6H_4Me\text{-}4\}(\mu\text{-}Ph_2PCH_2PPh_2)(CO)_5]$, 2083–90
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 22. Synthesis and some reactions of [bis(diphenylphosphino)methane]-pentacarbonyl-μ-

TUNGSTEN (contd.)
[methoxy(methyl)methylene]platinumtungsten and the crystal structure of [PtW(μ-C CH$_2$)(Ph$_2$PCH$_2$PPh$_2$)(CO)$_3$], 2091–8
Electronic, resonance-Raman, and infrared spectroscopic studies of the thiometalate complexes [NEt$_4$]$_2$[(PhS)$_2$FeS$_2$MS$_2$], M = Mo or W, 2299–302
Cyclic carbene complexes of molybdenum and tungsten. Crystal and molecular structure of [MoI(CO)$_2$(CO(CH$_2$)$_2$CH$_2$)(η-C$_5$H$_5$)], 2397–404
Mixed oxidation state confacial bioctahedral complexes of tungsten possessing strong metal – metal interactions. Part 2. Synthesis, X-ray crystal structure and electron spin resonance studies of the W^{III}/W^{IV} complex [AsPh$_4$]$_2$[Cl$_3$W(μ-Cl)(μ-SPh)$_2$WCl$_3$]·1.4CH$_2$Cl$_2$, 2479–86
Infrared and electronic spectra of matrix isolated chalcogenide halides of tungsten(VI), WYX$_4$ (Y = S or Se; X = F, Cl, or Br), 2625–30
Organoimido-complexes of tungsten-(VI) -(V), and -(IV): crystal and molecular structures of [W(NPh)Cl$_3$(PPh$_3$)$_2$] and [W(NPh)Cl$_2$(PMe$_3$)$_3$], 2651–6
TUNGSTOPHOSPHATE
Kinetics of the base decomposition of dodecatungstophosphate(3 –) in weakly alkaline solutions, 2609–12
URANIUM
The *X*-ray crystal structure determination of tetraphenylarsonium tris(η^5-cyclopentadienyl)di-isothiocyanatouranate(IV), 45–50
Triphenylphosphine oxide complexes of actinide tetrahalides. Crystal and molecular structure of *trans*-tetrabromobis(triphenylphosphine oxide)uranium(IV), 343–8
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 1. The [M(unidentate ligand X)(unidentate ligand Y)$_7$] system: crystal structure of bis[chloroheptakis(dimethylformamide)uranium(IV)] tris[tetrachlorodioxouranate(VI)], 381–4
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 2. The [M(unidentate ligand X)$_4$(unidentate ligand Y)$_4$] system: crystal structure of tetrakis(hexamethylphosphoramide)tetrakis(isocyanato)uranium(IV), 385–92
Crystal structure of pentakis(dimethyl sulphoxide-*O*)dioxouranium(VI) bis(perchlorate), 393–6
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 3. The [M(bidentate ligand)$_2$-(unidentate ligand)$_4$] system: crystal structures of tetrakis(isothiocyanato)bis(octamethylpyrophosphoramide-*OO'*)-uranium(IV) and tetrachlorobis(octamethylpyrophosphoramide-*OO'*)thorium(IV), 559–66
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 4. The [M(bidentate ligand)$_4$] system: crystal structures of tetrakis(dibenzoylmethanato)-uranium(IV) and -cerium(IV), 567–70
Structure and stereochemistry in *f*-block complexes of high co-ordination number. Part 5. Ten-co-ordination: the crystal structures of tetrapotassium tetraoxalatouranate(IV) tetrahydrate (orthorhombic and triclinic phases), bicapped square antiprismatic and sphenocoronal stereochemistries, 571–84
Ordering phenomena in U_4O_{9-y} crystals studied by transmission electron microscopy, 589–90
Preparation and crystal structure of diaquabis(1,2-naphthoquinone-2-oximato-*ON*)dioxouranium(VI)–trichloromethane (1/2) and aquabis(1,2-naphthoquinone-1-oximato-*ON*)(triphenylphosphine oxide)dioxouranium(VI), 697–702
Formation and crystal structure of *trans*-bis(acetonitrile)tris(η^5-cyclopentadienyl)uranium(IV) tetrachloro-*trans*-dioxouranate(VI): a novel species involving the first cationic organo-*f*-metal complex and uranium in two different oxidation states, 1115–22
Phosphine oxide and sulphoxide complexes of thorium(IV) and uranium(IV) halogenoacetates, 1153–8
The chemistry of quadrivalent lanthanoids. Part 2. Preparation and properties of cerium tetrachloride complexes and a comparison with their uranium analogues, 1265–70
Complex formation between uranium(VI) and thorium(IV) ions with some α-amino-acids, 1529–34
Interaction between uranium tetrafluoride oxide and the pentafluorides of arsenic, niobium, tantalum, and bismuth, 2303–6
Syntheses of *NN'*-bis(4'-benzo[15-crown-5])diaminoglyoxime and its complexes with copper(II), nickel(II), cobalt(II), cobalt(III), paladium(II), platinum(II), and uranyl(VI), 2537–42
The accommodation of oxygen clusters in hyperstoicheiometric uranium dioxide and its effects on crystal structure, 2673–8
URIDINE
Kinetics and mechanism for reduction of tetrabromoaurate(III) by uridine, 2329–32
VANADIUM
Vanadium antimonate, 9–12
Structural investigations of the vanadium–antimony–oxygen system, 13–8
Compartmental ligands. Part 4. The crystal and molecular structures of some oxovanadium(IV) complexes of acyclic ligands derived from heptane-2,4,6-trione and α,ω-alkanediamines, 371–80
Reactions of bis(η-cyclopentadienyl)vanadium derivatives with dinitrogen oxide (nitrous oxide), 399–400
Studies on triple orthovanadates. Part 3. Crystal chemistry of the zircon analogues of type M^{II}LnM^{IV}(VO$_4$)$_2$ (M^{II} = Ca or Pb; M^{IV} = Ce or Th; Ln = lanthanide element), 1007–10
Reductive preparation of bis(arene)metal complexes from metal halides in solution using potassium atoms, 1123–6
Reactions of tetrasulphur tetranitride with titanium and vanadium tetrachlorides; crystal structure of VCl$_2$(S$_2$N$_2$), 1207–10
Kinetics and equilibria in the redox reaction between ethylenedinitrilotetra-acetate complexes of iron(III) and vanadium(III) in aqueous solution, 1449–60
Azo-complexes of bis(cyclopentadienyl)-titanium and - vanadium; model systems for N–N multiple bond activation, 1515–22
The single-crystal electron spin resonance spectra of dichloro- and dibromo-oxobis(*N,N,N',N'*-tetramethylurea)vanadium(IV); weak two-dimensional exchanging systems, 1695–704
The single-crystal electron spin resonance spectrum of *N,N,N',N'*-tetramethylethylenediaminedium aquabis(malonato)oxovanadate(IV) dihydrate, a weak two-dimensional exchanging system, 1705–12
Single-crystal electron spin resonance spectrum of dichloro-oxobis(triphenylphosphine oxide)vanadium(IV), a monomeric oxovanadium(IV) compound, 1713–20
Electron spin resonance studies of some bis(cyclopentadienyl) complexes of vanadium(IV) and niobium(IV), 2057–62
Electron spin resonance studies on bis(chloroalkoxy)bis(η-cyclopentadienyl)vanadium(IV) complexes, 2695–8
VAPOUR PHASE
The reactivity of molybdenum and tungsten trioxide vapours towards organic and inorganic compounds at – 196 °C, 239–44
Determination of the molecular structures of bis(methylsilyl) ether and bis(dimethylsilyl) ether in the gas phase by electron diffraction, 265–70
VESICLE
Precipitation within unilamellar vesicles. Part 1. Studies of silver(I) oxide formation, 311–6
Precipitation within unilamellar vesicles. Part 2. Membrane control of ion transport, 771–4
VINYL
Spectroscopic studies on C$_2$ hydrocarbon fragments. Part 1. Vibrational studies of cluster-bound vinyl and vinylidene ligands, 639–44
Reactions of co-ordinated ligands. Part 27. Formation of η^3-allyl and σ-vinyl complexes by nucleophilic attack on cationic molybdenum monoacetylene complexes. Molecular structures of [Mo(CO)(PEt$_3$)(η^3-*anti*-1-MeC$_3$H$_4$)(η^5-C$_9$H$_7$)] and [Mo{P(OMe)$_3$}$_3${σ-(*E*)-CH=CHBu^t}(η-C$_5$H$_5$)], 927–40
Organic chemistry of dinuclear metal centres. Part 3. μ-Carbene complexes of iron and ruthenium from alkynes *via* μ-vinyl cations, 1417–26
Structural chemistry of binuclear metal centres. Crystal and molecular structures of the μ-vinyl and μ-methylcarbene complexes [Fe$_2$(CO)$_2$(μ-CO)(μ-CHCH$_2$)(η-C$_5$H$_5$)$_2$][BF$_4$] and [Fe$_2$(CO)$_2$(μ-CO)(μ-CHMe)(η-C$_5$H$_5$)$_2$], 1427–32
Co-ordinatively unsaturated alkyne complexes of molybdenum and tungsten. Reactions of [MCl(CF$_3$C≡CCF$_3$)$_2$(η-C$_5$H$_5$)] (M = Mo or W) with heterocyclic thiolates leading to η^2-vinyl complexes, 1783–8
Organic chemistry of dinuclear metal centres. Part 4. μ-Carbene and μ-vinyl complexes of ruthenium from allenes, 2099–108
VINYLIDENE
Formation of a bridged vinylidenedi-iron complex by nucleophilic

VINYLIDENE (contd.)
attack on a carbonyl ligand of $[Fe_2(CO)_4(\eta\text{-}C_5H_5)_2]$, and the synthesis and *X*-ray crystal structure of $[(OC)_3\overline{Fe(\mu\text{-}Ph_2\overline{P}CHPPh_2)}FeH(CO)_3]$, 499–506
The reaction of a bridged vinylidenedi-iron complex with cobalt, iron, and manganese carbonyl species; *X*-ray crystal structures of the complexes $[Fe_3(\mu_3\text{-}CMe)(\mu\text{-}CO)_2(CO)_6(\eta\text{-}C_5H_5)]$ and $[Co_3Fe(\mu_4\text{-}C{=}CH_2)(\mu\text{-}CO)_2(CO)_7(\eta\text{-}C_5H_5)]$, 1357–62
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 22. Synthesis and some reactions of [bis(diphenylphosphino)methane]-pentacarbonyl-μ-[methoxy(methyl)methylene]platinumtungsten and the crystal structure of $[PtW(\mu\text{-}C\quad CH_2)(Ph_2PCH_2PPh_2)(CO)_5]$, 2091–8
Organic chemistry of dinuclear metal centres. Part 6. μ-Vinylidene and μ-ethylidyne diruthenium complexes: crystal structures of *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CCH_2)(\eta\text{-}C_5H_5)_2]$ and *cis*-$[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CMe)(\eta\text{-}C_5H_5)_2][BF_4]$, 2661–8
VITAMIN B_{12}
The chemistry of vitamin B_{12}. Part 20. Diaquocobinamide: p*K* values and evidence for conformational isomers, 217–24
The chemistry of vitamin B_{12}. Part 21. Aquoethynylcobinamide: novel reaction of diaquocobinamide with acetylene catalysed by copper ions, 225–30
Kinetics and mechanism of the interaction of *cis*-diamminediaquaplatinum(II) with organocobalamins, 1929–34
The chemistry of vitamin B_{12}. Part 22. Steric effects in the co-ordination of amines by cobalt(III) corrinoids, 2217–22
The chemistry of vitamin B_{12}. Part 23. Decomposition of the cobalt(I) cobalamin B_{12s} in aqueous solution; a novel oscillating reaction, 2223–8
WATER
Water oxidation to oxygen by cerium(IV) ions mediated by ruthenium dioxide catalyst, 2215–6
Equilibrium and structural studies of silicon(IV) and aluminium(III) in aqueous solution. Part 9. A potentiometric study of mono- and poly-nuclear aluminium(III) citrates, 2513–8
***X*-RAY DIFFRACTION**
X-Ray and neutron diffraction studies on $[Ru_4(CO)_8(\mu\text{-}H)_4\{P(OCH_3)_3\}_4]$ at 293 and 20 K: characterisation of the vibrational behaviour of two-co-ordinate hydrogen atoms, 463–74
***X*-RAY DIFFUSE SCATTERING**
Studies on partially oxidised ammonium and methyl-substituted ammonium bis(oxalato)platinates, 1771–6
***X*-RAY POWDER DIFFRACTION**
Vanadium antimonate, 9–12
An extended *X*-ray absorption fine structure study of penta-amminecopper(II) bis(tetrafluoroborate): evidence for five equal bond lengths, 645–8
Studies on triple orthovanadates. Part 3. Crystal chemistry of the zircon analogues of type $M^{II}Ln M^{IV}(VO_4)_3$ (M^{II} = Ca or Pb; M^{IV} = Ce or Th; Ln = lanthanide element), 1007–10
Studies on mixed metal(II)–iron(II) chloride systems. Part 2. Mössbauer and *X*-ray powder diffraction data for the potassium and rubidium $M'M''_xFe_{1-x}Cl_3{\cdot}2H_2O$ (M' = K or Rb; M'' = Mn, Co, or Ni; x = 0.5) systems, 1039–46
Studies on mixed metal(II)—iron(II) chloride systems. Part 3. Mössbauer and *X*-ray powder diffraction data on $M_xFe_{1-x}Cl_2{\cdot}yH_2O$ (M = Mn, Co, or Ni; x = 0.5 or 0.75; y = 4 or 6), 2581–4
YLIDE
Haloalkyl complexes of the transition metals. Part 3. Reactions of some chloromethyl and methoxymethyl complexes of molybdenum, tungsten, manganese, rhenium, iron, and ruthenium with some tertiary phosphine and related ligands, 1495–502
YTTERBIUM
Matrix isolation studies on ytterbium dichloride: a non-linear molecule. Observation of isotopic structure on ν_1 and ν_3, 2343–4
ZINC
Formation of mixed-ligand complexes of zinc(II) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 447–52
Aspects of the inorganic chemistry of rubber vulcanisation. Part 4. Dialkyl- and diaryl-dithiophosphate and -dithiophosphinate complexes of zinc: phosphorus-31 nuclear magnetic resonance spectral studies and structures of $[NMe_4]\text{-}[Zn\{S_2P(OC_6H_4Me\text{-}p)_2\}_3]$ and $[NEt_4][Zn(S_2PPh_2)_3]$, 627–34
Formation of zinc(II)-bearing ferrites from γ-FeO(OH), 987–90
Thermodynamics of metal complexes with ligand–ligand interaction, simple and mixed complexes of copper(II) and zinc(II) with adenosine 5′-triphosphate and L-tryptophan or L-alanine, 1271–8
Manganese(II) ions as stereochemical probes in reactions of zinc halides with pyrazine, 1469–72
Studies on transition-metal–peptide complexes. Part 8. Parent and mixed-ligand complexes of histidine-containing dipeptides, 1545–52
Properties and structural characterization of the mixed-ligand complex oxydiacetato(2,2′:6′,2″-terpyridyl)copper(II) dihydrate, 1797–800
Octahedrally co-ordinated zinc and cadmium compounds with five-membered heterocyclic OS_3N_2 ligands, 1891–4
Investigation into aroylhydrazones as chelating agents. Part 4. Synthesis and spectroscopic characterization of Co″, Ni″, Cu″, and Zn″ complexes of 2,6-diacetylpyridine bis(2-thenoylhydrazone) and *X*-ray crystal structure of bis[2,6-diacetylpyridine bis(2-thenoylhydrazonato)(2−)]dizinc(II), 2155–8
Crystal and molecular structures of dinitritobis(pyridine)zinc(II), bis(2-methylpyridine)dinitritozinc(II), and dinitritobis(quinoline)nickel(II), 2273–80
ZIRCON
Studies on triple orthovanadates. Part 3. Crystal chemistry of the zircon analogues of type $M^{II}Ln M^{IV}(VO_4)_3$ (M^{II} = Ca or Pb; M^{IV} = Ce or Th; Ln = lanthanide element), 1007–10
ZIRCONIUM
Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 18. Synthesis of the complexes $[MW(\mu\text{-}CC_6H_4Me\text{-}4)\{\mu\text{-}(\sigma{:}\eta^2\text{-}CO)\}(CO)(\eta\text{-}C_5H_5)_2]$ (M = Ti or Zr) and the crystal structure of the titanium–tungsten compound, 527–30
Transition metal–phosphide chemistry: synthesis of $[M(\eta\text{-}C_5H_5)_2(PR_2)_2]$ (M = Zr, R = Ph; M = Hf, R = Ph or cyclo-C_6H_{11}) and $[\{M(\eta\text{-}C_5H_5)_2(PR_2)\}_2]$ (M = Ti, R = Ph or Me; M = Zr or Hf, R = Me), and their reactions with protic and halogen-containing species, 2555–60